

Microeconomics 1 Lecture Notes

Enrico Mattia Salonia

Latest version: December 9, 2025

Work in Progress!

Contents

Preamble	1
1 Introduction to uncertainty	3
1.1 How to model uncertainty	3
1.2 Preferences over lotteries	6
1.3 Exercises	8
2 Expected utility theory	10
2.1 Assumptions on preferences	10
2.2 Expected utility representation	14
2.3 Exercises	20
3 Money lotteries	22
3.1 Structuring the set of outcomes	22
3.2 Risk aversion	24
3.3 Exercises	28
4 Stochastic dominance and applications	29
4.1 Stochastic dominance	29
4.2 Applications	31
4.3 Exercises	33
5 States and subjective expected utility	35
5.1 State space representation	35
5.2 Subjective expected utility	36
5.3 Exercises	40
6 Introduction to exchange economies	42
6.1 A primer on consumer choice	42
6.2 Illustrative example of exchange economy	45
6.3 Exercises	50
7 General equilibrium theory	51
7.1 Exchange economies	51
7.2 Allocation rules and their properties	52
7.3 Exercises	53
8 First theorem of welfare economics	54
8.1 Exercises	57

9	Second theorem of welfare economics	58
9.1	Exercises	61
10	Existence of competitive equilibria	62
10.1	Ciao	62
10.2	Exercises	62

Preamble

These notes accompany the first part of the PhD microeconomics sequence. They cover **choice under uncertainty** and **general equilibrium theory**. The write-up is still a work in progress, and I will continue to update it. If you spot any mistakes or typos, please let me know.

I have aimed for a conversational style rather than the more formal tone of, say, Mas-Colell et al. (1995). I assume no prior knowledge of the topics, though—as usual—some mathematical maturity helps (and I hope you will develop it along the way!). Each lecture summarizes what we cover in class, followed by exercises and suggestions for further reading. Whenever a result is proved, I have tried to give the simplest proof available. This often makes explanations and proofs a bit longer than strictly necessary, but, I hope, also more accessible.

Before diving in, you might enjoy some non-technical background that helps frame the topics we will study: Kreps (1988, ch. 1), Debreu (1959, pp. ix–xi), Myerson (1997, pp. 1–7), and Gilboa (2009, chs. 1–2).

You will occasionally see smaller text like this. These remarks are not essential for following the main exposition, but they add context or point to related ideas. Feel free to skip them on a first pass.

These notes draw on several sources. The main reference is Mas-Colell et al. (1995), but both here and in the text you will find pointers to alternative or complementary readings. A short reading list follows. If you would like more references or wish to discuss any of the material, just send me an email—I am always happy to talk.

Have fun!

Choice under uncertainty.

- Mas-Colell et al. (1995), ch. 6.
- Kreps (1988), chs. 4–6.
- Fishburn (1970), ch. 8.
- Kreps (2013), chs. 5–6.
- Gilboa (2009).

General equilibrium theory.

- Mas-Colell et al. (1995) chs. 15–17.
- Thomson (2011), sec 4.3 (no-envy).
- Kreps (2013), chs. 14–15.
- Debreu (1959).
- Hildenbrand & Kirman (1976).

References

- Debreu, G. (1959). *Theory of value: An axiomatic analysis of economic equilibrium* (Vol. 17). Yale University Press. 1
- Fishburn, P. C. (1970). *Utility theory for decision making*. New York: Wiley. 1
- Gilboa, I. (2009). *Theory of decision under uncertainty* (Vol. 45). Cambridge university press. 1
- Hildenbrand, W., & Kirman, A. P. (1976). *Introduction to equilibrium analysis: Variations on themes by edgeworth and walras* (Vol. 6). Amsterdam: North-Holland. 1
- Kreps, D. M. (1988). *Notes on the theory of choice*. Westview Press. 1
- Kreps, D. M. (2013). *Microeconomic foundations* (Vol. 1). Princeton university press. 1
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 1
- Myerson, R. B. (1997). *Game theory: Analysis of conflict*. Cambridge, Massachusetts, USA: Harvard University Press. 1
- Thomson, W. (2011). Fair allocation rules. In *Handbook of social choice and welfare* (Vol. 2, pp. 393–506). Elsevier. 1

Lecture 1

Introduction to uncertainty

1.1 How to model uncertainty

The outcomes of our decisions are often uncertain, so we need a choice theory that takes uncertainty into account. Let us begin by thinking about how to represent uncertainty. Suppose you make a bet with a friend: if a fair coin toss results in heads, you receive 10 euros; otherwise, you pay 10 euros to your friend. There are two possible outcomes, 10 and -10 , and since the coin is fair, each occurs with probability $1/2$. What are the main ingredients of this example?

First, we started from a set of possible outcomes—in this case, the monetary transfers 10 and -10 . Second, we specified the probability of each outcome occurring, $1/2$ for both. We call such an object—a set of outcomes, each associated with a probability—a **lottery**. Denote the set of outcomes by X . Generic elements of X will be written x, y, z , or sometimes x_1, x_2, \dots . For simplicity, assume that X is finite. Outcomes alone are not enough to describe a lottery: we also need a probability distribution over outcomes, as in the $1/2$ – $1/2$ distribution of the fair coin above. The set of all lotteries over X is denoted by $\Delta(X)$.¹ Each element of $\Delta(X)$ is a function $p: X \rightarrow [0, 1]$ such that $\sum_{x \in X} p(x) = 1$; it maps each outcome x to a number $p(x) \in [0, 1]$, representing the probability that x occurs.² We can equivalently represent a lottery as a vector, for example $p = (p(x), p(y), p(z))$ if $X = \{x, y, z\}$.

Example 1.1. In the example above, the set of outcomes is $\{10, -10\}$, and the lottery $p \in \Delta(\{10, -10\})$ induced by the fair coin toss satisfies $p(10) = p(-10) = 1/2$. ■

We can depict lotteries using a tree diagram, as in Figure 1.1.




Figure 1.1: Lottery from Example 1.1.

Remark 1.1. Notice that in this setup we are missing something: whether the coin lands on heads or tails is irrelevant; only the probabilities of the outcomes matter, not the events

¹Why the notation Δ ? You will see soon.

²Why do we write a sum $\sum_{x \in X} p(x) = 1$ rather than an integral?

that generate them. This is a limitation of the model, which we will address later when we introduce a state-space representation of uncertainty.

The set of lotteries $\Delta(X)$ has *structure*: we can combine its elements in a meaningful way. For example, consider a lottery r that yields lottery p with probability α and lottery q with probability $1 - \alpha$, where $\alpha \in [0, 1]$. Such an object is called a **compound lottery**. It is still an element of $\Delta(X)$, and we write $r = \alpha p + (1 - \alpha)q$.

For instance, if $p(10) = 1/2$ and $q(10) = 1/4$, the associated compound lottery is shown on the left of Figure 1.2. We can compute the probability that outcome 10 occurs in this compound lottery:

$$\alpha \times 1/2 + (1 - \alpha) \times 1/4 = \frac{1+\alpha}{4}.$$

By calculating the probability of each outcome in a compound lottery, we can *reduce* it to an equivalent simple lottery, as shown on the right of Figure 1.2.




Figure 1.2: Compound lottery (left) and its reduced form (right).

We assume *reduction of compound lotteries*: individuals are indifferent between any compound lottery and its reduced form—that is, any two lotteries that induce the same probabilities over outcomes are treated as equivalent.

Can you think of reasons why someone might *not* be indifferent between a compound lottery and its reduced form? Violations of reduction generate interesting phenomena studied in behavioural economics. See, for example, Segal (1990) and Dillenberger & Raymond (2020).

This lottery *mixing* operation would not make sense with an unstructured set of outcomes. As an illustration, suppose the set of outcomes consists of fruits. We can have an apple or a banana, but there is no fruit that is a mixture of an apple and a banana. Imposing structure on the set of elements to be ranked is one of the key moves in microeconomic theory. In fact, we will later assume that the set of outcomes is \mathbb{R} , the set of real numbers representing monetary outcomes, which allows us to say more than we could with a generic set of outcomes.

There is another useful way to represent lotteries graphically. Consider again the coin toss that yields 10 euros with probability $1/2$ and -10 euros with probability $1/2$. We can represent this lottery as the midpoint of the line segment whose endpoints correspond to the degenerate lotteries that yield 10 and -10 with probability 1; see panel (a) of Figure 1.3. More generally, with n possible outcomes we can represent a lottery as a point in an $(n - 1)$ -dimensional simplex. For example, with three outcomes we can represent lotteries as points in an equilateral triangle, as in panel (b).³ The vertices of the triangle correspond to degenerate lotteries that yield one outcome with probability 1, while any other point in the triangle represents a lottery that yields each of the three outcomes with some probability. Roughly speaking, the farther a point is from a vertex, the lower the probability of the corresponding outcome. For example, the lottery p in panel (b) yields outcome x with relatively high probability and outcomes y and z with relatively low probabilities.




Figure 1.3: Lotteries as points in simplexes: (a) a two-outcome lottery lies on a line segment; (b) with three outcomes, lotteries lie in an equilateral triangle.

For a finite outcome set X , the probability simplex over X is

$$\Delta(X) = \left\{ p: X \rightarrow [0, 1] \left| \sum_{x \in X} p(x) = 1 \right. \right\},$$

³That's why the Δ notation!

or equivalently,

$$\left\{ (p(x_1), \dots, p(x_n)) \in \mathbb{R}^n \mid p(x_i) \geq 0, \sum_i p(x_i) = 1 \right\}.$$

This set is an $(n - 1)$ -dimensional simplex whose vertices correspond to the degenerate lotteries (unit vectors), e.g. $(1, 0, \dots, 0), \dots, (0, \dots, 0, 1)$.

1.2 Preferences over lotteries

Our goal is to understand how individuals choose between lotteries, whether they like or dislike risk, and how we can compare different individuals' attitudes toward risk. To do so, we need a way to express statements such as “an individual weakly prefers lottery p to lottery q ”. Introduce a binary relation \succsim over $\Delta(X)$, where $p \succsim q$ reads “the individual weakly prefers lottery p to lottery q ”.⁴ Contrary to choice under certainty, we are now comparing lotteries—that is, probability distributions over outcomes—rather than outcomes themselves.

Technically, \succsim is a subset of $\Delta(X) \times \Delta(X)$: a set of ordered pairs of lotteries. For example, if $p, q \in \Delta(X)$, the statement “ p is (weakly) preferred to q ” is equivalent to $(p, q) \in \succsim$.

Recall that we can define strict preference and indifference in terms of weak preference. We write $p \succ q$, which reads “ p is strictly preferred to q ”, if and only if $p \succsim q$ but not $q \succsim p$; and we write $p \sim q$, which reads “ p is indifferent to q ”, if and only if both $p \succsim q$ and $q \succsim p$.

In principle, we could describe the preference relation \succsim by listing, pair by pair, which lotteries are weakly preferred to which others. However, that would be rather inconvenient as a way to work with preferences. It is more practical to have a function that assigns a number to each lottery, so that we can compare lotteries by comparing their associated numbers. Such a function should “agree” with the preference relation \succsim in the sense that, if p is weakly preferred to q , then the number assigned to p should be at least as large as the number assigned to q . This leads us to the notion of a **utility function** representing preferences.

Definition 1.1. A utility function $U: \Delta(X) \rightarrow \mathbb{R}$ **represents** the preference relation \succsim over $\Delta(X)$ if, for all lotteries p, q ,

$$p \succsim q \iff U(p) \geq U(q).$$

⁴Are you curious why we use the symbol \succsim for preferences instead of \geq ? The historian of economic theory Ivan Boldyrev told me that it originates from Herstein & Milnor (1953), who used it in their classic paper providing an axiomatic characterization of expected utility—which we will encounter soon.

What would be a reasonable utility function representing preferences over lotteries? A natural candidate is the **expected utility** function, defined as follows.

Definition 1.2. Preferences \succsim are represented by an **expected utility function** if there exists a function $u: X \rightarrow \mathbb{R}$ such that, for all lotteries p ,

$$U(p) = \sum_{x \in X} p(x) u(x). \quad (1.1)$$

In other words, an expected utility function assigns to each lottery p the *expected value* of the function u over the outcomes, where the expectation is taken with respect to the probability distribution p . The function u is sometimes called the **Bernoulli utility function**. An expected utility function is *linear in probabilities*; that is, for any lotteries p, q and any $\alpha \in [0, 1]$,

$$U(\alpha p + (1 - \alpha)q) = \alpha U(p) + (1 - \alpha)U(q),$$

meaning that the expected utility of a mixture of lotteries is the weighted average of their expected utilities. The other direction of the statement is also true: if U is linear, then it is an expected utility function.⁵ Linearity is an extremely convenient property in applications, which partially explains the success of expected utility theory.

Suppose you observe an individual's choices and want to test whether their preferences can be represented by an expected utility function. How might you do that? One idea would be to design a choice task, predict the individual's choices using Equation (1.1), and see whether the predictions are accurate. However, this approach is hard to apply, because to make predictions you would need to assume a specific function u . This is sometimes done—certain functional forms work particularly well—but there is another approach.

We can instead look for *behavioural predictions* that are independent of any specific u ; that is, properties of choices that any expected utility maximiser must satisfy. If we can identify such properties, we can design a choice task aimed at testing whether the individual's choices satisfy them. Linearity of expected utility is one such property: it holds regardless of the specific u , and it is the main behavioural prediction of expected utility theory.

In the next lecture, we will examine properties that *fully characterise* preferences representable by an expected utility function. In other words, violating these properties implies that preferences cannot be represented by an expected utility function, while satisfying them implies that they can be represented *only* by an expected utility function. Such characterisations are remarkably powerful. We will also discuss a second point of view on the role of these properties in defining a theory of choice.

⁵You are asked to prove this in Exercise 1.6.

Things to read. See Kreps (1988, pp. 31–33) for a brief, intuitive introduction to the lottery model in this chapter. For a similar treatment in a standard textbook, see Mas-Colell et al. (1995, pp. 168–170).

1.3 Exercises

Exercise 1.1. Can we still represent the set of lotteries and compound lotteries on the simplex if individuals are *not* indifferent between a compound lottery and its reduced form? Why or why not?

Exercise 1.2. Assume there are three outcomes x, y, z . Draw, in the simplex, the set of lotteries that yield each outcome with the same probability and the lottery that yields x with certainty. Now draw the set of all mixtures of these two lotteries. Assume that the individual is indifferent between the lottery yielding each outcome with the same probability, the lottery yielding x with certainty, and any mixture of the two. Which part of the simplex does this indifference “curve” correspond to? Is it really a curve?

Exercise 1.3. Assuming three outcomes x, y, z , draw in the simplex the set of lotteries that yield outcome x with probability at least $1/2$.

Exercise 1.4. In the main text, we assumed that individuals are indifferent between a compound lottery and its reduced form. State this indifference formally as a condition on the preference relation \succsim , you might need to develop the appropriate notation. If you are stuck, check Jehle & Reny (2011, ch. 4).

Exercise 1.5. Show that preferences represented by an expected utility function satisfy reduction of compound lotteries. It might be useful to use what you learned from Exercise 1.4.

Exercise 1.6. Show that a function U is an expected utility function if and only if it is linear in probabilities.

Exercise 1.7. An individual faces two choice problems. In the first problem, they choose between receiving 50 euros for sure and a lottery that yields 250 euros with probability 0.10, 50 euros with probability 0.89, and 0 euros with probability 0.01. In the second problem, they choose between two lotteries: the first yields 50 euros with probability 0.11 and 0 euros with probability 0.89; the second yields 250 euros with probability 0.10 and 0 euros with probability 0.90. Suppose that in the first problem the individual prefers the sure amount to the lottery, while in the second they prefer the second lottery (yielding 250 euros with probability 0.10) to the first (yielding 50 euros with probability 0.11). Assume the individual prefers having more money. Can these preferences be represented by an expected utility function? Why or why not?

References

- Dillenberger, D., & Raymond, C. (2020). *Additive-belief-based preferences* (PIER Working Paper No. 20-020). Philadelphia, PA, USA: Penn Institute for Economic Research (PIER). 4
- Herstein, I. N., & Milnor, J. (1953). An axiomatic approach to measurable utility. *Econometrica, Journal of the Econometric Society*, 291–297. 6
- Jehle, G. A., & Reny, P. J. (2011). *Advanced microeconomic theory* (3rd ed.). Harlow: Financial Times/Prentice Hall. 8
- Kreps, D. M. (1988). *Notes on the theory of choice*. Westview Press. 8
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 8
- Segal, U. (1990). Two-stage lotteries without the reduction axiom. *Econometrica: Journal of the Econometric Society*, 349–377. 4

Lecture 2

Expected utility theory

2.1 Assumptions on preferences

We now impose properties on preferences over lotteries and study their behavioural implications. But first, a brief methodological aside on what we are doing. Before discussing properties of \succsim , we should make explicit what the interpretation of \succsim is. Different methodological stances are possible. Is \succsim tracking what an individual has in mind? What he would say if asked? How he chose in the past?

Under *revealed preference theory*, we interpret \succsim as a description of how an individual **chooses**. Therefore, there is no psychological content to \succsim . Revealed preference theory has been the standard methodological stance in economics for a long time. But why? Wouldn't it be better to develop a theory that exploits psychological insights?

Revealed preference theory is a methodological stance, not a psychological (or, for that matter, a moral) one. The assumption is not that choices are unrelated to psychological motives, but that we abstract from these motives and look for patterns in choices directly. There is a strong advantage in doing so: psychological motives are hard to observe, while choices can be observed easily. The implication is that a choice theory based on revealed preferences is empirically testable: if we observe choices that violate the theory's assumptions, we can reject it. Therefore, revealed preference theory is **not** a claim about how individuals make choices or about what drives them. On the contrary, it is deliberately silent about these issues.¹ This is often misunderstood: there is a plethora of critics claiming that economics views individuals as cold robots.²

Such critics mostly come from behavioural economics, a field that aims to incorporate psychological insights into economic models.³ Is it therefore impossible to do behavioural economics within the revealed-preference framework? Not at all. Good behavioural theories do what the name suggests: they characterise the *behavioural* content of a theory, so that we, as economists, can understand how individuals behave. Two behavioural theories with different psychological content but that are observationally equivalent—i.e., they make the same predictions about choices—have the same economic implications.⁴

¹If you are interested, see Thoma (2021) for a discussion of the current status of revealed preference theory and Moscati (2025) for the role of psychological narratives in choice theory.

²By the way, if you read Asimov's books you know that robots are not cold at all!

³See Spiegel (2024) for an account of the motivations of the founding fathers of behavioural economics.

⁴There is a huge debate on this topic. Among many, I suggest reading Gul & Pesendorfer (2008) and the reply by Camerer (2008). A more recent discussion is Spiegel (2019).

An interesting case study is Masatlioglu & Raymond (2016), where the authors show that the famous model by Köszegi & Rabin (2007) is behaviourally equivalent to the intersection of rank-dependent utility and quadratic utility—two older models—despite having a different psychological interpretation. Another example that is quite relevant today is in Eliaz & Spiegel (2006).

In what follows, you can have in mind the interpretation of \succsim that you prefer, but keep in mind that assumptions may have different flavours under different interpretations. Recall that we want to find properties that single out expected utility preferences in Equation (1.1). Therefore, it might be worthwhile to first understand some implications of having expected utility preferences.

Having expected utility preferences over lotteries implies that indifference curves on the simplex are straight lines. That is, say that if $p \sim q$, then, for any $\alpha \in (0, 1)$, it holds that $\alpha p + (1 - \alpha)q \sim p$, as illustrated in Figure 2.1.




Figure 2.1: If $p \sim q$, then any mixture of p and q is also indifferent to p and q .

Let's show this formally. Assume that $p \sim q$. Then, by the definition of expected utility, we have

$$\sum_{x \in X} p(x)u(x) = \sum_{x \in X} q(x)u(x).$$

Applying expected utility again, for any $\alpha \in (0, 1)$, the utility of the lottery $\alpha p + (1 - \alpha)q$ is

$$\begin{aligned}
\sum_{x \in X} (\alpha p(x) + (1 - \alpha)q(x))u(x) &= \sum_{x \in X} \alpha p(x)u(x) + \sum_{x \in X} (1 - \alpha)q(x)u(x) \\
&= \alpha \sum_{x \in X} p(x)u(x) + (1 - \alpha) \sum_{x \in X} q(x)u(x) \\
&= \alpha \sum_{x \in X} q(x)u(x) + (1 - \alpha) \sum_{x \in X} q(x)u(x) \\
&= \sum_{x \in X} q(x)u(x).
\end{aligned}$$

Indifference curves are also parallel; you are asked to show this in Exercise 2.1. Of course, the fact that indifference curves are straight lines is related to the linearity of expected utility, which in turn follows from a specific axiom, as we will see shortly.

Let's now turn to the properties of \succsim we will consider. First, we assume that preferences form a **weak order**.

Axiom 2.1. (*Weak order*) Preferences \succsim are complete and transitive.

Recall that preferences are **complete** if, for any two lotteries p, q , either $p \succsim q$ or $q \succsim p$, or both. They are **transitive** if, for any three lotteries p, q, r , whenever $p \succsim q$ and $q \succsim r$, then $p \succsim r$.

Sometimes Weak order is referred to as **rationality** of preferences (see e.g. Mas-Colell et al. (1995, p. 6)). However, I think this is an unfortunate name. It suggests that it is “irrational” to violate Weak order, but there are reasons why people might have intransitive or incomplete preferences (can you think of any?).

Weak order is a necessary condition for having any utility representation (see Mas-Colell et al. (1995, p. 9)). It is not the core assumption of expected utility theory, but rather one shared by most theories of choice.

Axiom 2.2. (*Continuity*) For any three lotteries p, q, r , if $p \succ q \succ r$, then there exist $\alpha, \beta \in (0, 1)$ such that $\alpha p + (1 - \alpha)r \succ q \succ \beta p + (1 - \beta)r$.

Continuity says that there is no lottery p so good that, for $q \succ r$, a small probability β of p and a large probability $1 - \beta$ of r is always better than q . Similarly, there is no gamble r so bad that, for $p \succ q$, a large probability α of p and a small probability $1 - \alpha$ of r is always worse than q . In essence, this axiom implies that preferences do not have “jumps” when probabilities change slightly—i.e., that preferences are *continuous* in probabilities. Continuity allows us to obtain a continuous utility representation of preferences (see Mas-Colell et al. (1995, p. 47)), but again, it is not the core assumption of expected utility theory—the next one is.

Axiom 2.3. (Independence) For any three lotteries p, q, r and for any $\alpha \in (0, 1)$, we have $p \succsim q$ if and only if $\alpha p + (1 - \alpha)r \succsim \alpha q + (1 - \alpha)r$.

In words, Independence says that if p is preferred to q , then mixing both lotteries with any third lottery r , using the same probability $1 - \alpha$, does not change their ranking. One way to justify Independence is as follows. Suppose $p \succsim q$. Now consider two compound lotteries obtained by tossing a coin: the first yields p if the coin shows heads and r otherwise; the second yields q if the coin shows heads and r otherwise. Ex ante, one might reason that what happens if the coin shows tails is the same in both compound lotteries, so that part should not matter—while if the coin shows heads, p is preferred to q . Therefore, the first compound lottery should be preferred to the second.

This argument relies on the meaning of the mixing operation within the set of lotteries. By contrast, consider the case of mixing foods. One might prefer pasta to cake, yet mixing both with whipped cream could make the cake better than the pasta.⁵ You are asked in Exercise 2.2 to elaborate on the relation between Independence and the linearity of indifference curves.

Before stating Theorem 2.1 in the next section, we need to prove a preliminary result. Lemma 2.1 establishes that, under the assumptions introduced so far, there exist two lotteries that are the best and the worst possible ones.

Lemma 2.1. Let \succsim satisfy Weak order and Independence. Then there exist two lotteries \bar{p} and \underline{p} such that

$$\bar{p} \succsim p \succsim \underline{p} \quad \text{for all } p.$$

Proof. The proof proceeds in two steps.

Step 1. By Weak order, the restriction of \succsim to the set of degenerate lotteries $\{\delta_x \in \Delta(X) : \delta_x(x) = 1\}$ is a complete and transitive order on a finite set. Hence there exist outcomes x^*, x_* such that

$$\delta_{x^*} \succsim \delta_x \succsim \delta_{x_*} \quad \text{for all } x.$$

Fix $\bar{p} := \delta_{x^*}$ and $\underline{p} := \delta_{x_*}$.

Step 2. For any lottery p , let $\text{supp}(p) = \{x \in X : p(x) > 0\}$ and denote its size by $|\text{supp}(p)|$. We prove by induction on $k := |\text{supp}(p)|$ that

$$\bar{p} \succsim p \succsim \underline{p}.$$

Base case. If $k = 1$, then $p = \delta_x$ for some x , and the claim follows from **Step 1**.

Inductive step. Assume the statement holds for all lotteries whose support size is at most $k - 1$. Let p have support size $k \geq 2$. Pick any $x \in \text{supp}(p)$ and write

$$p = \alpha \delta_x + (1 - \alpha) q, \quad \alpha := p(x) \in (0, 1),$$

⁵Feel no shame if you are unconvinced by this example.

where q is the renormalized remainder, defined by

$$q(y) = \begin{cases} \frac{p(y)}{1-\alpha} & \text{if } y \neq x, \\ 0 & \text{if } y = x. \end{cases}$$

Then $q \in \Delta(X)$ and $|\text{supp}(q)| \leq k-1$.

By the inductive hypothesis, $\bar{p} \succsim q$; and by **Step 1**, $\bar{p} \succsim \delta_x$. We apply Independence twice. From $\bar{p} \succsim q$, mix with \bar{p} :

$$\bar{p} = (1-\alpha)\bar{p} + \alpha\bar{p} \succsim (1-\alpha)q + \alpha\bar{p} = \alpha\bar{p} + (1-\alpha)q.$$

From $\bar{p} \succsim \delta_x$, mix with q :

$$\alpha\bar{p} + (1-\alpha)q \succsim \alpha\delta_x + (1-\alpha)q = p.$$

By transitivity,

$$\bar{p} \succsim p.$$

A symmetric argument yields $p \succsim \underline{p}$. Indeed, by the inductive hypothesis $q \succsim \underline{p}$ and by **Step 1** $\delta_x \succsim \underline{p}$. Using Independence with the same reasoning gives

$$p = \alpha\delta_x + (1-\alpha)q \succsim \alpha\underline{p} + (1-\alpha)q \succsim \underline{p}.$$

Therefore, $\bar{p} \succsim p \succsim \underline{p}$ for all lotteries with support size k , completing the induction. The fixed degenerate lotteries $\bar{p} = \delta_{x^*}$ and $\underline{p} = \delta_{x_*}$ bound every p , as claimed. \square

2.2 Expected utility representation

We are ready to state and prove the theorem relating the properties of preferences over lotteries to the expected utility functional form.

Theorem 2.1. *Preferences over lotteries \succsim satisfy Weak order, Continuity, and Independence if and only if there exists a utility function $u: X \rightarrow \mathbb{R}$ such that*

$$p \succsim q \text{ if and only if } \sum_{x \in X} p(x) u(x) \geq \sum_{x \in X} q(x) u(x) \text{ for all } p, q. \quad (2.1)$$

The proof essentially follows Mas-Colell et al. (1995, pp. 176–178), complemented by intuition and figures.

Proof. We proceed by steps.

Step 1. If $p \succsim q$, then $p \succsim \alpha p + (1 - \alpha)q \succsim q$ for any $\alpha \in (0, 1)$.

The intuition behind this step is simple: if p is better than q , then any mixture of the two is worse than p and better than q . Figure 2.2 illustrates the idea.




Figure 2.2: Step 1.

This follows from Independence.

$$p \succsim q \implies (1 - \alpha)p + \alpha p \succsim (1 - \alpha)q + \alpha p \implies p \succsim \alpha p + (1 - \alpha)q. \quad (2.2)$$

$$p \succsim q \implies \alpha p + (1 - \alpha)q \succsim \alpha q + (1 - \alpha)q \implies \alpha p + (1 - \alpha)q \succsim q. \quad (2.3)$$

The conclusion follows from Equations (2.2) and (2.3).

Step 2. $\beta > \alpha$ if and only if $\beta \bar{p} + (1 - \beta) \underline{p} \succ \alpha \bar{p} + (1 - \alpha) \underline{p}$, where \bar{p} and \underline{p} are the best and worst lotteries identified in Lemma 2.1.

The idea of this step is as follows. From **Step 1**, we know that a mixture of p and q , where $p \succsim q$, is worse than p and better than q . Now, since \bar{p} is the best lottery available, we have $\bar{p} \succ \alpha \bar{p} + (1 - \alpha) \underline{p}$. We want to show that $\beta \bar{p} + (1 - \beta) \underline{p}$ can be written as a mixture of \bar{p} and $\alpha \bar{p} + (1 - \alpha) \underline{p}$; therefore, by **Step 1**, it must be preferred to $\alpha \bar{p} + (1 - \alpha) \underline{p}$. The idea is illustrated in Figure 2.3.




Figure 2.3: Step 2.

We want to express $\beta\bar{p} + (1 - \beta)\underline{p}$ as a mixture of \bar{p} and $\alpha\bar{p} + (1 - \alpha)\underline{p}$. That is, we look for some $\gamma \in (0, 1)$ such that

$$\beta\bar{p} + (1 - \beta)\underline{p} = \gamma\bar{p} + (1 - \gamma)[\alpha\bar{p} + (1 - \alpha)\underline{p}].$$

A short calculation shows that $\gamma = \frac{\beta - \alpha}{1 - \alpha}$. By **Step 1** we know that $\bar{p} \succ \alpha\bar{p} + (1 - \alpha)\underline{p}$; therefore,

$$\gamma\bar{p} + (1 - \gamma)[\alpha\bar{p} + (1 - \alpha)\underline{p}] \succ \alpha\bar{p} + (1 - \alpha)\underline{p}.$$

Since $\beta\bar{p} + (1 - \beta)\underline{p} = \gamma\bar{p} + (1 - \gamma)[\alpha\bar{p} + (1 - \alpha)\underline{p}]$, the conclusion follows.

Up to this point we have proved that if $\beta > \alpha$, then $\beta\bar{p} + (1 - \beta)\underline{p} \succ \alpha\bar{p} + (1 - \alpha)\underline{p}$. But the statement says “if and only if”, so we must also show the converse: if $\alpha \geq \beta$, then it cannot be that $\beta\bar{p} + (1 - \beta)\underline{p} \succ \alpha\bar{p} + (1 - \alpha)\underline{p}$. When $\beta = \alpha$, the two lotteries coincide and are therefore indifferent. The relevant case is $\alpha > \beta$. By the argument above, $\alpha\bar{p} + (1 - \alpha)\underline{p} \succ \beta\bar{p} + (1 - \beta)\underline{p}$, and that completes the proof of this step.

Step 3. ⁶ For any p , there exists a unique $\alpha_p \in [0, 1]$ such that $p \sim \alpha_p\bar{p} + (1 - \alpha_p)\underline{p}$.

We can derive this step as a consequence of the previous ones together with **Continuity**. This step involves some algebra, but you can get intuition from Figure 2.4.

⁶In this step we use a proof by contradiction. Before diving in, make sure you are familiar with the logic of such proofs.




Figure 2.4: Step 3.

First, notice that if α_p exists, it must be unique. Suppose there are two such numbers, α_p and α'_p , with $\alpha_p > \alpha'_p$. Then, by **Step 2**, $\alpha_p \bar{p} + (1 - \alpha_p) \underline{p} \succ \alpha'_p \bar{p} + (1 - \alpha'_p) \underline{p}$, contradicting indifference to p .

Now we need to show that such an α_p exists. If $\bar{p} \sim p$, then $\alpha_p = 1$ works; if $\underline{p} \sim p$, then $\alpha_p = 0$ works. The interesting case is when $\bar{p} \succ p \succ \underline{p}$.

Define

$$\alpha_p = \sup \{ \alpha \in [0, 1] : p \succsim \alpha \bar{p} + (1 - \alpha) \underline{p} \}. \quad (2.4)$$

Since $\alpha = 0$ belongs to this set, the supremum is well defined and the set is non-empty.

We now establish two auxiliary claims. The first is

$$\text{If } 1 \geq \alpha > \alpha_p, \text{ then } \alpha \bar{p} + (1 - \alpha) \underline{p} \succ p. \quad (2.5)$$

Indeed, if $p \succsim \alpha \bar{p} + (1 - \alpha) \underline{p}$ held for such α , then α_p would not satisfy Equation (2.4). Moreover,

$$\text{If } 0 \leq \alpha < \alpha_p, \text{ then } p \succ \alpha \bar{p} + (1 - \alpha) \underline{p}. \quad (2.6)$$

The reasoning is as follows. By the definition of α_p , there exists some α' such that $\alpha < \alpha' \leq \alpha_p$ and $p \succsim \alpha' \bar{p} + (1 - \alpha') \underline{p}$. Since $\alpha < \alpha'$, **Step 2** implies that

$$p \succ \alpha' \bar{p} + (1 - \alpha') \underline{p} \succ \alpha \bar{p} + (1 - \alpha) \underline{p}.$$

Now, there are three possibilities to consider: $\alpha_p \bar{p} + (1 - \alpha_p) \underline{p} \succ p$, $p \succ \alpha_p \bar{p} + (1 - \alpha_p) \underline{p}$, or indifference between them.

If $\alpha_p \bar{p} + (1 - \alpha_p) \underline{p} \succ p$, then by Continuity there exists $\beta \in (0, 1)$ such that

$$\beta(\alpha_p \bar{p} + (1 - \alpha_p) \underline{p}) + (1 - \beta) \underline{p} \succ p.$$

Notice that

$$\begin{aligned}
\beta(\alpha_p \bar{p} + (1 - \alpha_p) \underline{p}) + (1 - \beta) \underline{p} &= \beta \alpha_p \bar{p} + \beta(1 - \alpha_p) \underline{p} + (1 - \beta) \underline{p} \\
&= \beta \alpha_p \bar{p} + [\beta(1 - \alpha_p) + (1 - \beta)] \underline{p} \\
&= \beta \alpha_p \bar{p} + (1 - \beta \alpha_p) \underline{p} \succ p.
\end{aligned}$$

Since $\beta \alpha_p < \alpha_p$, by Equation (2.6) we must have $p \succ \beta \alpha_p \bar{p} + (1 - \beta \alpha_p) \underline{p}$, which is a contradiction.

If instead $p \succ \alpha_p \bar{p} + (1 - \alpha_p) \underline{p}$, then by Continuity there exists $\beta \in (0, 1)$ such that

$$\begin{aligned}
p &\succ \beta(\alpha_p \bar{p} + (1 - \alpha_p) \underline{p}) + (1 - \beta) \bar{p} \\
&= [\beta \alpha_p + (1 - \beta)] \bar{p} + \beta(1 - \alpha_p) \underline{p} \\
&= (1 - \beta(1 - \alpha_p)) \bar{p} + \beta(1 - \alpha_p) \underline{p}.
\end{aligned}$$

Since $1 - \beta(1 - \alpha_p) > \alpha_p$, by Equation (2.5) we must have

$$(1 - \beta(1 - \alpha_p)) \bar{p} + \beta(1 - \alpha_p) \underline{p} \succ p,$$

which is again a contradiction.

Step 4. Define a utility function $U: \Delta(X) \rightarrow \mathbb{R}$ that assigns to each lottery a number representing its utility, defined by $U(p) = \alpha_p$. This function represents preferences \succsim .

Take two lotteries p and p' . By **Step 3**, there exist unique α_p and $\alpha_{p'}$ such that

$$p \sim \alpha_p \bar{p} + (1 - \alpha_p) \underline{p}, \quad p' \sim \alpha_{p'} \bar{p} + (1 - \alpha_{p'}) \underline{p}.$$

Therefore,

$$p \succsim p' \text{ if and only if } \alpha_p \bar{p} + (1 - \alpha_p) \underline{p} \succsim \alpha_{p'} \bar{p} + (1 - \alpha_{p'}) \underline{p}.$$

By **Step 2**,

$$\alpha_p \bar{p} + (1 - \alpha_p) \underline{p} \succsim \alpha_{p'} \bar{p} + (1 - \alpha_{p'}) \underline{p} \text{ if and only if } \alpha_p \geq \alpha_{p'}.$$

The last condition holds if and only if $U(p) \geq U(p')$, which proves the claim.

Step 5. The function U is linear and therefore, by Exercise 1.6, has the expected utility form.

From the previous steps we know that, for any lottery p , there is a unique number $U(p) \in [0, 1]$ such that

$$p \sim U(p) \bar{p} + (1 - U(p)) \underline{p}, \quad p' \sim U(p') \bar{p} + (1 - U(p')) \underline{p}.$$

Applying Independence, we get

$$\begin{aligned}
\beta p + (1 - \beta) p' &\sim \beta[U(p) \bar{p} + (1 - U(p)) \underline{p}] + (1 - \beta) p' \\
&\sim \beta[U(p) \bar{p} + (1 - U(p)) \underline{p}] + (1 - \beta)[U(p') \bar{p} + (1 - U(p')) \underline{p}] \\
&= [\beta U(p) + (1 - \beta) U(p')] \bar{p} + \left(1 - [\beta U(p) + (1 - \beta) U(p')]\right) \underline{p}.
\end{aligned}$$

Let $\gamma := \beta U(p) + (1 - \beta)U(p')$. By **Step 4**, for the lottery $\beta p + (1 - \beta)p'$ there is a *unique* number γ such that $\beta p + (1 - \beta)p' \sim \gamma \bar{p} + (1 - \gamma)\underline{p}$. Therefore,

$$U(\beta p + (1 - \beta)p') = \beta U(p) + (1 - \beta)U(p').$$

□

Recall that a functional representation of preferences need not be unique: multiple functions can represent the same preferences. However, for expected utility representations we have a very specific characterization of all possible representations, as stated in the following corollary.

Corollary 2.1. *Suppose U is an expected utility representation of \succsim . Then $\tilde{U}: \Delta(X) \rightarrow \mathbb{R}$ is another expected utility representation of \succsim if and only if there exist $\beta > 0$ and $\gamma \in \mathbb{R}$ such that*

$$\tilde{U}(p) = \beta U(p) + \gamma \quad \text{for all } p. \quad (2.7)$$

Proof. First, suppose that Equation (2.7) holds. Then \tilde{U} is an expected utility representation of \succsim . Assume $\tilde{U} = \beta U + \gamma$ with $\beta > 0$. Then

$$\tilde{U}(p) = \beta \sum_x p(x)u(x) + \gamma = \sum_x p(x)[\beta u(x) + \gamma].$$

Hence, \tilde{U} has the expected utility form with $\tilde{u}(x) := \beta u(x) + \gamma$. Since $\beta > 0$, it follows that $p \succsim q \iff U(p) \geq U(q) \iff \tilde{U}(p) \geq \tilde{U}(q)$.

Second, suppose that U and \tilde{U} are both expected utility representations of the same \succsim . Then they must be related by an affine transformation as in Equation (2.7). By Lemma 2.1, there exist \bar{p}, \underline{p} such that $\bar{p} \succ \underline{p}$ and $\bar{p} \succsim p \succsim \underline{p}$ for all p . For any lottery p , define $\alpha_p \in [0, 1]$ by

$$U(p) = \alpha_p U(\bar{p}) + (1 - \alpha_p)U(\underline{p}), \quad \text{so that} \quad \alpha_p = \frac{U(p) - U(\underline{p})}{U(\bar{p}) - U(\underline{p})}.$$

Applying the same construction to \tilde{U} and using the *same* α_p (since both functions represent the *same* preferences), we obtain

$$\tilde{U}(p) = \alpha_p \tilde{U}(\bar{p}) + (1 - \alpha_p) \tilde{U}(\underline{p}) = \tilde{U}(\underline{p}) + \frac{\tilde{U}(\bar{p}) - \tilde{U}(\underline{p})}{U(\bar{p}) - U(\underline{p})} [U(p) - U(\underline{p})].$$

Rearranging yields the affine relation

$$\tilde{U}(p) = \beta U(p) + \gamma \quad \text{for all } p,$$

where

$$\beta := \frac{\tilde{U}(\bar{p}) - \tilde{U}(\underline{p})}{U(\bar{p}) - U(\underline{p})} > 0, \quad \gamma := \tilde{U}(\underline{p}) - \beta U(\underline{p}).$$

Positivity of β follows because $\bar{p} \succ \underline{p}$ implies $U(\bar{p}) > U(\underline{p})$ and $\tilde{U}(\bar{p}) > \tilde{U}(\underline{p})$. □

In Exercise 2.7, you are asked to elaborate on the significance of Corollary 2.1 for interpreting utility numbers as *cardinal* representations of preferences.⁷

Things to read. For a textbook treatment of the material covered in this lecture, see Mas-Colell et al. (1995, pp. 170–178). Theorem 2.1 is known as the *von Neumann–Morgenstern representation theorem*, after von Neumann & Morgenstern (2007), and it has enormous historical importance. An excellent discussion of the historical context and significance of expected utility theory can be found in Moscati (2018).

2.3 Exercises

Exercise 2.1. Show that if preferences are represented by an expected utility function, then indifference curves in the triangle are parallel lines.

Exercise 2.2. Explain why the fact that indifference curves are straight and parallel lines follows from *Independence*. I.e., use the axiom, not the functional form!

Exercise 2.3. Prove the direction of Theorem 2.1 that we did not prove in class. Show that if U represents \succsim , then \succsim satisfies *Weak order*, *Continuity*, and *Independence*. (It is not difficult, I promise!)

Exercise 2.4. Revisit the choice problem in Exercise 1.7. Show that the preferences exhibited there do not satisfy *Independence*. Representing the lotteries in a table might help.

Exercise 2.5. Consider the **Betweenness Axiom** introduced by Dekel (1986): for all lotteries p, q and $\alpha \in [0, 1]$, if $p \sim q$, then $\alpha p + (1 - \alpha)q \sim p$. Show that *Independence* implies *Betweenness*, but *Betweenness* does not imply *Independence*. (Hint: for the second part, construct a preference relation that satisfies *Betweenness* but not *Independence*, maybe in the graph.) Are indifference curves still linear under *Betweenness*? Are they parallel?

Exercise 2.6. Show that the choices of the individual in Exercise 1.7 are compatible with *Betweenness*. (Hint: drawing a picture might help.)

Exercise 2.7. Explain why Corollary 2.1 allows us to make statements such as “the difference in utility between lottery p and lottery q is greater than the difference in utility between lottery r and lottery s ”. Why this would not be possible without Corollary 2.1?

⁷If you are interested in this aspect, you may read von Neumann & Morgenstern (2007, ch. 3). An illuminating discussion of measurement in the social sciences is in Krantz et al. (1971, ch. 1).

References

- Camerer, C. (2008). The case for mindful economics. In *The Foundations of Positive and Normative Economics: A Hand Book* (pp. 43–69). Oxford University Press. 10
- Dekel, E. (1986). An axiomatic characterization of preferences under uncertainty: Weakening the independence axiom. *Journal of Economic theory*, 40(2), 304–318. 20
- Eliaz, K., & Spiegel, R. (2006). Can anticipatory feelings explain anomalous choices of information sources? *Games and Economic Behavior*, 56(1), 87–104. 11
- Gul, F., & Pesendorfer, W. (2008). The case for mindless economics. In *The Foundations of Positive and Normative Economics: A Hand Book* (pp. 3–42). Oxford University Press. 10
- Köszegi, B., & Rabin, M. (2007). Reference-dependent risk attitudes. *American Economic Review*, 97(4), 1047–1073. 11
- Krantz, D. H., Luce, R. D., Suppes, P., & Tversky, A. (1971). *Foundations of measurement, vol. I: Additive and polynomial representations*. New York: Academic Press. 20
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 12, 14, 20
- Masatlioglu, Y., & Raymond, C. (2016). A behavioral analysis of stochastic reference dependence. *American Economic Review*, 106(9), 2760–2782. 11
- Moscati, I. (2018). *Measuring utility: From the marginal revolution to behavioral economics*. Oxford Studies in History of Economics. 20
- Moscati, I. (2025). Psychological narratives in decision theory: What they are and what they are good for. *Journal of Economic Methodology*, 1–22. 10
- Spiegler, R. (2019). Behavioral economics and the atheoretical style. *American Economic Journal: Microeconomics*, 11(2), 173–194. 10
- Spiegler, R. (2024). *The Curious Culture of Economic Theory*. The MIT Press. 10
- Thoma, J. (2021). In defence of revealed preference theory. *Economics & Philosophy*, 37(2), 163–187. 10
- von Neumann, J., & Morgenstern, O. (2007). *Theory of games and economic behavior* (60th Anniversary Commemorative ed.). Princeton, NJ: Princeton University Press. 20

Lecture 3

Money lotteries

3.1 Structuring the set of outcomes

In the previous section, we studied preferences with the expected utility form over lotteries on a *finite* outcome set X . We now study a setting where the outcome set is the set of real numbers \mathbb{R} , representing monetary outcomes. This setting is particularly important in economics and finance, as it allows us to model decisions such as investments, insurance, and consumption.

You may wonder whether a form of Theorem 2.1 extends to this setting. The answer is yes, see Kreps (1988, pp. 59–78) or Fishburn (1970, ch. 10).

Since the outcome set is now infinite, we should be careful about how we define lotteries. We will use cumulative distribution functions (CDFs) to represent lotteries over monetary outcomes. A CDF $F: \mathbb{R} \rightarrow [0, 1]$ maps each monetary outcome x to the probability that the outcome is less than or equal to x . It satisfies:

- F is nondecreasing, i.e. if $x \leq y$, then $F(x) \leq F(y)$.
- $\lim_{x \rightarrow -\infty} F(x) = 0$ and $\lim_{x \rightarrow +\infty} F(x) = 1$.
- F is right-continuous, i.e. for every $x \in \mathbb{R}$, $\lim_{y \downarrow x} F(y) = F(x)$.¹

Example 3.1. Consider a lottery that pays 1 dollar with probability $\frac{1}{4}$, 4 dollars with probability $\frac{1}{2}$, and 6 dollars with probability $\frac{1}{4}$. The corresponding CDF F is

$$F(x) = \begin{cases} 0 & \text{if } x < 1, \\ \frac{1}{4} & \text{if } 1 \leq x < 4, \\ \frac{3}{4} & \text{if } 4 \leq x < 6, \\ 1 & \text{if } x \geq 6, \end{cases}$$

and it is represented in Figure 3.1.

¹The notation $y \downarrow x$ means that y approaches x from above.




Figure 3.1: Cumulative distribution function (CDF) representing a lottery over monetary outcomes.

■

A second approach to studying lotteries over \mathbb{R} is via *simple* probability distributions, i.e. probability distributions that assign positive probability to only a finite number of outcomes.

Notice that mixtures of CDFs are also CDFs, so we can employ the same mixture operation defined in Section 1.1. In particular, given two CDFs F and G , and $\alpha \in [0, 1]$, the mixture $H = \alpha F + (1 - \alpha)G$ is also a CDF, where $H(x) = \alpha F(x) + (1 - \alpha)G(x)$ for all x .

We now define preferences \succsim over the set of CDFs on \mathbb{R} that have the expected utility form. The idea is the same as before: we weight the utility of each monetary outcome by its probability and sum these weighted utilities to obtain the expected utility of the lottery. A preference relation \succsim over the set of CDFs has the expected utility form if there exists a utility function $u: \mathbb{R} \rightarrow \mathbb{R}$ such that for any two CDFs F and G ,

$$F \succsim G \iff \int u(x) dF(x) \geq \int u(x) dG(x).$$

Earlier, the Bernoulli utility was defined on a finite X as $u: X \rightarrow \mathbb{R}$; now the outcome set is \mathbb{R} , hence the domain differs. This lets us impose properties of u that are specific to monetary outcomes. From now on we assume the following two.

Definition 3.1. *The utility function u is **increasing** if for any x, y with $x > y$, we have $u(x) > u(y)$.*

Definition 3.1 captures the idea that more money is preferred to less. When the outcome set was a generic X , the inequality $x > y$ had no meaning.²

²For instance, if x is an apple and y is a banana, what would $x > y$ even mean?

Definition 3.2. The utility function $u: \mathbb{R} \rightarrow \mathbb{R}$ is **continuous** if for any x and any $\varepsilon > 0$, there exists $\delta > 0$ such that for all y with $|x - y| < \delta$, we have $|u(x) - u(y)| < \varepsilon$.

Definition 3.2 ensures that small changes in money lead to small changes in the Bernoulli utility u . This could not be stated with a generic outcome set, where expressions like $x - y$ are undefined.

Definition 3.2 is continuity in *money*. What about continuity in *probabilities*?

3.2 Risk aversion

We now have the tools to define and discuss *risk aversion*. Defining this concept allows us to answer questions such as: does an individual dislike risk? how much? As we will see in the next Lecture, the answer has important implications for economic behaviour.

The definition of risk aversion is quite intuitive. Consider the following choice: receive 5 euros for sure, or take a lottery that pays 0 euros with probability 0.5 and 10 euros with probability 0.5. Both options have the same expected monetary value, 5 euros. If the individual prefers the certain 5 to the lottery, he *dislikes* risk—he prefers getting the mean outcome for sure rather than facing uncertainty. If instead he prefers the lottery, he *likes* risk—he is willing to face uncertainty for the chance of a higher payoff.

Did you notice what we just did? We needed to develop a definition of an intuitive, but ex-ante vague concept, risk aversion. We did it by developing a simple thought experiment that “keeps everything fixed” except for the presence of risk. These thought experiments are very useful to develop effective definitions.

For a general lottery, we say an individual is risk averse if he prefers the certain amount equal to the lottery’s expected value to the lottery itself. For a CDF F , the expected value is

$$\int x \, dF(x). \quad (3.1)$$

Evaluating money through u , the certain amount equal to that expected value yields utility

$$u\left(\int x \, dF(x)\right), \quad (3.2)$$

whereas the lottery yields expected utility

$$\int u(x) \, dF(x). \quad (3.3)$$

Definition 3.3. An individual with expected utility preferences and Bernoulli utility u is *risk averse* if for each CDF F ,

$$u\left(\int x \, dF(x)\right) \geq \int u(x) \, dF(x). \quad (3.4)$$

If u is not increasing (Definition 3.1), Definition 3.3 loses its intended meaning.

Inequality (3.4) is precisely Jensen's inequality and is equivalent to the *concavity* of u . Thus, the intuitive notion of risk aversion is equivalent to concavity of u . If u is twice differentiable, concavity means $u''(x) \leq 0$ for all x ; see Figure 3.2.




Figure 3.2: Example of a concave u .

Analogously, an individual is *risk loving* if (3.4) is reversed, and *risk neutral* if it holds with equality.

There are other, equivalent ways to define risk aversion. This is good news: it means the definition is robust. One convenient route is via the **certainty equivalent**—the sure amount of money that makes the individual indifferent to the lottery.

Definition 3.4. The *certainty equivalent* of a lottery with CDF F for an individual with utility u is the number $c(F, u)$ solving

$$u(c(F, u)) = \int u(x) \, dF(x). \quad (3.5)$$

As an illustration, the certainty equivalent of the lottery paying 0 with probability 1/2 and 10 with probability 1/2 in Figure 3.2 is c .

Intuitively, if an individual is risk averse, his certainty equivalent must be less than the expected value of the lottery, as he prefers receiving the expected value for sure rather than facing the lottery. To capture this intuition we can define the **risk premium** of a lottery as the difference between the expected value of the lottery and its certainty equivalent.

Definition 3.5. *The **risk premium** of a lottery with CDF F for utility u is*

$$\pi(F, u) = \int x \, dF(x) - c(F, u). \quad (3.6)$$

You will show in Exercise 3.3 that an individual is risk averse if and only if the risk premium is nonnegative for every lottery.

We now have a notion of risk aversion, but not a way to compare the risk attitudes of two individuals. Again, we start from intuition, how could we compare two risk averse individuals? The risk premium might be a starting point, the higher the risk premium, the more risk averse the individual, as he requires a lower certainty equivalent to face the lottery. Consider two individuals with utility function u and v . If for each lottery F , the risk premium of the first individual is higher than that of the second, i.e. $\pi(F, u) \geq \pi(F, v)$, we can say that the first individual is more risk averse than the second. However, such condition boils down to comparing certainty equivalents:

$$\pi(F, u) \geq \pi(F, v) \iff c(F, u) \leq c(F, v),$$

you should show this. We therefore have the following definition.

Definition 3.6. *An individual with utility u is **more risk averse** than one with utility v if, for every lottery F ,*

$$c(F, u) \leq c(F, v).$$

We now want to develop a measure of risk aversion that is related to the rate at which the certainty equivalent changes as we change the lottery. Consider a lottery over monetary outcomes that pays $x + \varepsilon$ with probability $1/2$ and $x - \varepsilon$ with probability $1/2$, call it F_ε . By Definition 3.4

$$u(c(F_\varepsilon, u)) = \frac{1}{2}u(x + \varepsilon) + \frac{1}{2}u(x - \varepsilon). \quad (3.7)$$

Since both sides of Equation (3.7) are twice differentiable in ε and $u'(c(F_\varepsilon, u)) > 0$ since u is increasing, the implicit function theorem implies that $c(F_\varepsilon, u)$ is twice differentiable in a neighborhood of 0. Differentiating (3.7) with respect to ε gives

$$u'(c(F_\varepsilon, u)) c'(\varepsilon) = \frac{1}{2}u'(x + \varepsilon) - \frac{1}{2}u'(x - \varepsilon).$$

Evaluating at $\varepsilon = 0$,

$$u'(x) c'(0) = 0 \implies c'(0) = 0, \quad c(0) = x.$$

Differentiating again with respect to ε ,

$$u''(c(F_\varepsilon, u))(c'(\varepsilon))^2 + u'(c(F_\varepsilon, u))c''(\varepsilon) = \frac{1}{2}u''(x + \varepsilon) + \frac{1}{2}u''(x - \varepsilon).$$

Evaluating at $\varepsilon = 0$ and using $c'(0) = 0$ and $c(0) = x$, we obtain

$$u'(x)c''(0) = u''(x) \implies c''(0) = \frac{u''(x)}{u'(x)}.$$

The ratio between the second and first derivative of the utility function is the **Arrow-Pratt coefficient of absolute risk aversion**. It is not by chance that it appears here. As we noticed already, risk aversion is related to the concavity of the utility function, which is captured by its second derivative. In principle we could use the second derivative alone as a measure of risk aversion, but this would not be satisfactory, as multiplying the utility function by a positive constant would change the second derivative but not risk aversion. Dividing the second derivative by the first derivative solves this problem, as multiplying the utility function by a positive constant multiplies both derivatives by the same constant, leaving their ratio unchanged.

Definition 3.7. *The **Arrow-Pratt coefficient of absolute risk aversion** for an individual with utility function u at outcome x is*

$$r(x, u) = -\frac{u''(x)}{u'(x)}.$$

Hence, we just showed that the limit of the second derivative of the certainty equivalent as $\varepsilon \rightarrow 0$ is exactly $-r(x, u)$. You should notice that, if u is increasing and concave, then $r(x, u)$ is positive. In the exercises, you are asked to show the following equivalence between certainty equivalents and the Arrow-Pratt coefficient.

Proposition 3.1. *An individual with utility u is **more risk averse** than an individual with utility v if and only if, for each x ,*

$$r(x, u) \geq r(x, v).$$

You should notice that, “more risk averse then” is a partial order on the set of utility functions, it is not complete. There might be two utility functions u and v such that neither u is more risk averse than v , nor v is more risk averse than u . This happens when the Arrow-Pratt coefficients cross, i.e. there exist x and y such that $r(x, u) > r(x, v)$ and $r(y, u) < r(y, v)$.

Things to read. This section mostly draws from Mas-Colell et al. (1995, ch. 6.C). Alternative treatments can be found in Kreps (1988, ch. 6) and Kreps (2013, ch. 6).

3.3 Exercises

Exercise 3.1. Check that the CDF in Figure 3.1 satisfies the three properties of a CDF.

Exercise 3.2. Write the condition for having preferences increasing in money in terms of the binary relation \succsim over CDFs. Show that such condition implies that the Bernoulli utility u is increasing.

Exercise 3.3. Show that, if an individual with expected utility preferences and utility u is risk averse, his risk premium is nonnegative for each lottery.

Exercise 3.4. We noted that risk aversion is linked to concavity. Can you define “more risk averse than” directly via concavity? Define when a function is “more concave than” another, and show that your notion is equivalent to Definition 3.6. (Hint: it is easiest to go via the Arrow–Pratt coefficient.)

Exercise 3.5. Prove Proposition 3.1. (If you are stuck, check exercises 6.C.6 and 6.C.7 in Mas-Colell et al. (1995).)

Exercise 3.6. A specific utility function that is often used in economics and finance is the **exponential utility function**, defined as $u(x) = 1 - e^{-\alpha x}$, where $\alpha > 0$ is a parameter. Such function has an interesting property related to how it handles risk. Can you find it? Can you elaborate on what this property implies for risk taking at different wealth levels?

References

- Fishburn, P. C. (1970). *Utility theory for decision making*. New York: Wiley. 22
- Kreps, D. M. (1988). *Notes on the theory of choice*. Westview Press. 22, 27
- Kreps, D. M. (2013). *Microeconomic foundations* (Vol. 1). Princeton university press. 27
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 27, 28

Lecture 4

Stochastic dominance and applications

4.1 Stochastic dominance

In Lecture 3, we developed an analysis of properties of expected utility preferences. However, we have not yet discussed relevant properties of lotteries, which is what we do now.

To start, one might want to have a language to say that a “lottery yields higher returns than another one”. A simple way of capturing this idea is the following: an individual with expected utility preferences should prefer lottery F to lottery G for any possible utility function u . This is first-order stochastic dominance.

Definition 4.1. *The lottery F **first-order stochastically dominates** G if*

$$\int u(x)dF(x) \geq \int u(x)dG(x) \quad \text{for every nondecreasing } u. \quad (4.1)$$

There is a second way of capturing the idea: for each given return, the probability of getting at least that return is higher in one lottery than in the other one. That is, for each return x , if $F(x) \leq G(x)$, then the probability of getting at least x is higher in lottery F than in lottery G , because the probability of getting at least x in lottery F is $1 - F(x)$. The two criteria (4.1) and $F(x) \leq G(x)$ are equivalent, as stated by the following result.

Proposition 4.1. *Lottery F first-order stochastically dominates lottery G if and only if $F(x) \leq G(x)$.*

You are asked to prove one direction of Proposition 4.1 in Exercise 4.1. As illustrated in Figure 4.1, lottery F first-order stochastically dominates lottery G if its graph is always below the graph of lottery G .




Figure 4.1: Lottery F first-order stochastically dominates lottery G .

Notice that first-order stochastic dominance is an *incomplete* ordering over lotteries: there are pairs of lotteries F, G such that neither F first-order stochastically dominates G nor G first-order stochastically dominates F .

First order stochastic dominance is a comparison of returns. We now develop a notion allowing us to compare riskiness. Again, we start from an intuitive idea: say that two lotteries have the same expected return, but a risk averter prefers one lottery to the other. Since the individual is risk averse, she must be preferring the less risky lottery. In this case, we say that the first lottery second-order stochastically dominates the second one.

Definition 4.2. *The lottery F **second-order stochastically dominates** G with the same mean if*

$$\int u(x)dF(x) \geq \int u(x)dG(x) \quad \text{for every nondecreasing concave } u.$$

Recall that if an expected utility maximiser has a concave utility function, he is risk averse, which explains the qualifier in Definition 4.2.

There is a second intuitive way of defining second-order stochastic dominance using the concept of a *mean preserving spread*. Consider the following compound lottery. First, an outcome x is drawn according to a distribution F . Then, to the realisation x , an amount z , distributed according to a distribution with mean zero, is added. The resulting lottery has the same mean as F but is more spread out, hence riskier. Such a lottery is called a mean preserving spread of F . If a lottery G can be constructed in this way from lottery F , we say that G is a mean preserving spread of F . We have the following result.

Proposition 4.2. *If two distributions F have the same mean G , then F second-order stochastically dominates G if and only if G is a mean preserving spread of F .*

4.2 Applications

We conclude our treatment of (objective) expected utility theory with two applications of the concepts developed so far: insurance and investment in a risky asset.

Insurance. Consider an expected utility maximiser with initial wealth $w > 0$ who faces a possible loss $D > 0$. The loss occurs with probability $\pi \in (0, 1)$ and does not occur with probability $1 - \pi$. It is possible to buy insurance: one unit of insurance costs q euros for sure and pays 1 euro if the loss occurs.

If the individual buys $\alpha \geq 0$ units of insurance, his decision problem is

$$\max_{\alpha \geq 0} \left\{ (1 - \pi) u(w - \alpha q) + \pi u(w - D - \alpha q + \alpha) \right\}. \quad (4.2)$$

Assume an interior optimum $\alpha^* > 0$. Differentiating Equation (4.2) with respect to α gives

$$(1 - \pi) u'(w - \alpha q)(-q) + \pi u'(w - D - \alpha q + \alpha)(1 - q),$$

so α^* satisfies

$$(1 - \pi) u'(w - \alpha^* q)(-q) + \pi u'(w - D - \alpha^* q + \alpha^*)(1 - q) = 0.$$

If the individual is risk neutral, and therefore u is linear, the individual maximises expected wealth:

$$w - \pi D + \alpha(\pi - q).$$

The solution depends on the relationship between the insurance price q and the probability π :

- If $\pi = q$, then $\pi - q = 0$ and expected wealth

$$w - \pi D$$

is constant in α . Expected wealth is the same for every α , so the decision maker is indifferent over all insurance levels.

- If $\pi < q$, then the slope $\pi - q < 0$, so expected wealth

$$w - \pi D + \alpha(\pi - q)$$

is strictly decreasing in α . Expected wealth is maximised by choosing no insurance, $\alpha^* = 0$.

If the individual is risk averse, and therefore u is strictly concave, then:

- With *fair insurance*, $q = \pi$, expected wealth does not depend on α , but full insurance, $\alpha = D$, makes wealth non-random, as it is $w - \pi D$ in both states. A strictly risk-averse individual strictly prefers this certainty and chooses full insurance. You are asked to verify this claim in Exercise 4.4.
- With $q > \pi$, expected wealth decreases in α , but insurance reduces risk. A strictly risk-averse decision maker may still choose a strictly positive but finite α^* , characterised by the first-order condition above.

Risky asset Consider an investor with expected utility preferences and initial wealth $w > 0$. There are two assets: a *safe asset* with sure return 1 per euro invested; a *risky asset* with random return z per euro invested, with distribution F and

$$\int z dF(z) > 1, \quad (4.3)$$

so that the risky asset has higher expected return than the safe asset.

Let α denote the amount invested in the risky asset and β the amount invested in the safe asset. The budget constraint is

$$\alpha + \beta = w, \quad \alpha, \beta \geq 0.$$

For any realization z , final wealth is

$$\alpha z + \beta.$$

Using the budget constraint $\beta = w - \alpha$, we can rewrite wealth as

$$\alpha z + (w - \alpha) = w + \alpha(z - 1).$$

We now use the expectation notation \mathbb{E} , omitting the CDF F for simplicity. The investor's problem is thus

$$\max_{0 \leq \alpha \leq w} \mathbb{E}[u(w + \alpha(z - 1))]. \quad (4.4)$$

Suppose the optimum is interior, $\alpha^* \in (0, w)$. Then the first-order condition for α^* is

$$\mathbb{E}[u'(w + \alpha^*(z - 1))(z - 1)] = 0.$$

Notice that this condition resembles the one we obtained for insurance. In each case, the individual trades off marginal utility in different states weighted by the “per-unit payoff difference” in that state.

If the individual is risk neutral and therefore u is linear, then u' is constant and the condition reduces to

$$\mathbb{E}[z - 1] = 0.$$

Since $\mathbb{E}[z] > 1$ by Equation (4.3), $\mathbb{E}[z - 1] > 0$, so the derivative of expected utility is positive for all α and the optimum is a corner: $\alpha^* = w$, all wealth is invested in the risky asset.

If instead u is strictly concave, then u' is decreasing, so high- z states, where wealth is high, are given less weight and low- z states are given more weight. The higher expected return of the risky asset is traded off against the disutility of risk, and this typically yields an interior solution $0 < \alpha^* < w$.

If u is twice differentiable and strictly concave, then the second derivative of expected utility with respect to α is

$$\mathbb{E}[u''(w + \alpha(z - 1))(z - 1)^2] < 0,$$

since $(z - 1)^2 \geq 0$ and $u'' < 0$. Hence expected utility is strictly concave in α , so any solution to the first-order condition is the unique global maximizer.

Evaluating the derivative at $\alpha = 0$ gives

$$\mathbb{E}[u'(w)(z - 1)] = u'(w) \mathbb{E}[z - 1].$$

If $\mathbb{E}[z] > 1$, then $\mathbb{E}[z - 1] > 0$, so the derivative at $\alpha = 0$ is positive and the individual strictly prefers to hold a positive amount of the risky asset.

From the condition

$$\mathbb{E}[u'(w + \alpha^*(z - 1))(z - 1)] = 0,$$

one could argue that the optimal risky position α^* decreases if the individual becomes more risk averse. That is, u becomes more concave, so bad states are weighted more heavily through u' . The moral of the story is: if a risk is actuarially favourable, a risk-averse individual will invest in it, but the more risk averse she is, the less she will invest.

Things to read. Most of this lecture draws from Mas-Colell et al. (1995, ch. 6.D.), you can find an alternative treatment in Kreps (2013, ch. 6.3).

4.3 Exercises

Exercise 4.1. Prove one direction of Proposition 4.1: show that if F first-order stochastically dominates G in the sense of Definition 4.1, then $F(x) \leq G(x)$. (check Mas-Colell et al. (1995, p. 195) if you are stuck)

Exercise 4.2. There is another way of defining first-order stochastic dominance. Consider the following compound lottery. First, an outcome x is drawn according to a distribution F . Then, to the realisation x , an amount z , distributed according to G , is added. Show that such a compound lottery first-order stochastically dominates F . The reserve

also hold: if F first-order stochastically dominates G , then F can be constructed as a compound lottery as above!

Exercise 4.3. Prove one direction of Proposition 4.2, if G is a mean preserving spread of F , then F second-order stochastically dominates G . (check Mas-Colell et al. (1995, p. 197) if you are stuck)

Exercise 4.4. Consider the insurance problem in Equation (4.2) with fair insurance, $q = \pi$. Show that full insurance, $\alpha = D$, is optimal for a risk-averse individual.

References

Kreps, D. M. (2013). *Microeconomic foundations* (Vol. 1). Princeton university press.
33

Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 33, 34

Lecture 5

States and subjective expected utility

5.1 State space representation

Until now we studied a framework of uncertainty in which the underlying state generating the probability of outcomes was not modelled explicitly, as discussed in Remark 1.1. There are two advantages of modelling underlying states of the world explicitly. The first is that the individual might care about the state *per se*. Consider the following example.

Example 5.1. The birthday of your child is coming up. The problem is that you do not know whether it will rain or be sunny that day. You are a sophisticated parent who offers him monetary bets on the climate whose payoffs he can spend on his birthday party. If it is sunny, he will have a great time playing outside with his friends, while if it rains he will be obliged to organise something indoors. Therefore, he may enjoy each euro spent on his birthday more when it is sunny than when it is raining: his preferences over money depend on the weather.¹ ■

The first advantage of modelling states explicitly is that it allows us to capture preferences that depend on the state of the world, as in Example 5.1. There is a second advantage of modelling states explicitly, but it is easier to explain after we introduce the framework. As in Lecture 1, there is a finite set of outcomes X , in Example 5.1 these are the amounts of money the child could get. Moreover, there is a finite set of mutually exclusive states of the world S . In the words of Arrow (1971, p. 45) each state is “a description of the world so complete that, if true and known, the consequences of every action would be known”. In Example 5.1, these are the weather conditions, rain or sun. The individual chooses an **act**, which is a function from states to outcomes $f : S \rightarrow X$. Act f in state s leads to the outcome f_s . In Example 5.1, an act is a state-contingent bet. If it rains, the child gets f_{rain} euros, while if it is sunny he gets f_{sun} euros. Acts are referred to as **Savage acts**, after Savage (1972),² who introduced the framework and derived subjective expected utility in Definition 5.3 below.

We can now discuss the second advantage of modelling states explicitly. In Lecture 1, the individual chooses among lotteries, probability distributions over outcomes. From individual preferences over lotteries, we can infer his Bernoulli utility over outcomes u , and various properties it might have, such as risk aversion. However, the probability of realisation of outcomes is *given*. Most of the time, it is not clear what the probability of

¹The example is inspired by Tsakas (2025)

²The first edition was published in 1954.

an outcome is, and the individual might have her own beliefs about these probabilities. Notice that, in the current framework, we have not introduced any probability yet. The idea is that we want to *infer* both the individual's utility over outcomes u and her beliefs about the likelihood of states p from her preferences over acts. We proceed as we did in Lecture 1, by studying preferences over acts that have a functional representation of interest.

You should notice that, in this setting, there is no natural mixing operation comparable to the one we had for lotteries in Lecture 1.

5.2 Subjective expected utility

We now study preferences over acts, that is, if $f \succsim f'$ we say the individual weakly prefers act f to act f' . The set of all acts is denoted by X^S , i.e., the set of all functions from S to X . The definition of a utility function representing preferences is analogous to Definition 1.1.

Definition 5.1. A utility function $U: X^S \rightarrow \mathbb{R}$ **represents** the preference relation \succsim over acts if, for all acts f, f' ,

$$f \succsim f' \iff U(f) \geq U(f').$$

Under suitable conditions on preferences \succsim , we can represent them through a form of expected utility paralleling the one we considered until now.

Definition 5.2. Preferences \succsim over acts have a **state-dependent subjective expected utility** representation if there exists a probability distribution over states $p \in \Delta(S)$ and, for each state s , a utility function over outcomes $u_s: X \rightarrow \mathbb{R}$ such that, for all acts f ,

$$U(f) = \sum_s p(s)u_s(f_s). \tag{5.1}$$

Let us discuss the interpretation of Definition 5.2. The individual has *subjective* beliefs about the likelihood of states, represented by the probability distribution p . Moreover, she has preferences over outcomes that depend on the state of the world, represented by the state-dependent utility functions u_s . The individual evaluates each act f by computing its expected utility according to his subjective beliefs p , as represented by Equation (5.1), and prefers acts with higher expected utility.

If you think Equation (5.1) is the same as objective expected utility from Lecture 1, think twice. First, we could not define a state-dependent utility u_s , because there were no states. But second, and more importantly, in objective expected utility the probabilities were *given*, while here they are *subjective*, that is, they represent the individual's beliefs

about the likelihood of states. We can infer beliefs from preferences. In other words, if you compare two individuals with distinct preferences over acts, they might have different beliefs about the likelihood of states, even if they have the same utility over outcomes.

A question you might ask yourself is to what extent preferences u_s and beliefs p are unique, as we did for objective expected utility in Lecture 1. The answer to this question poses problems for the interpretation of state-dependent subjective expected utility we gave above. Consider the following transformation of u :

$$\tilde{u}_s = \alpha_s + \beta_s \frac{p(s)}{\tilde{p}(s)} u_s,$$

for $\alpha_s \in \mathbb{R}$ and $\beta_s > 0$, and $\tilde{p} \in \Delta(S)$. We can then compute:

$$\begin{aligned} \tilde{U}(f) &= \sum_s \tilde{p}(s) \tilde{u}_s(f(s)) \\ &= \sum_s \tilde{p}(s) \left(\alpha_s + \beta_s \frac{p(s)}{\tilde{p}(s)} u_s(f(s)) \right) \\ &= \sum_s \tilde{p}(s) \alpha_s + \sum_s \beta_s p(s) u_s(f(s)) \\ &= \alpha + U(f). \end{aligned}$$

Therefore, $\tilde{U}(f)$ represents the same preferences as $U(f)$. We are not able to identify beliefs and preferences uniquely. The statement “an individual prefers act f to act f' because she believes state s is very likely and likes outcome x a lot in that state” is not well defined, as we can change beliefs and preferences in a way that leaves preferences over acts unchanged.³ (Kreps, 1988, p. 36) suggests that it would be more appropriate to write Equation (5.1) as

$$U(f) = \sum_s v_s(f_s),$$

that is, state-dependent subjective expected utility is just additive separability across states.

We can solve this identification problem by imposing that preferences over outcomes do not depend on the state of the world, that is, $u_s = u$ for all states s . In this case, we obtain the following definition.

Definition 5.3. *Preferences \succsim over acts have a **subjective expected utility** representation if there exists a probability distribution over states $p \in \Delta(S)$ and a utility function over outcomes $u : X \rightarrow \mathbb{R}$ such that, for all acts f ,*

$$U(f) = \sum_s p(s) u(f_s). \tag{5.2}$$

³Unfortunately, this identification problem is often put under the rug, leading to sloppy interpretations of the role of beliefs.

In Definition 5.3, contrary to Definition 5.2, individual preferences over outcomes do not depend on the state. Such model has stronger uniqueness properties: if (p, u) and (\tilde{p}, \tilde{u}) both represent preferences through Equation (5.2), then there exist $\alpha \in \mathbb{R}$ and $\beta > 0$ such that $\tilde{u} = \alpha + \beta u$ and $\tilde{p} = p$. Therefore, beliefs p are uniquely identified, while utility u is identified up to positive affine transformations, as in objective expected utility. In this case we can interpret the probability p as the individual's subjective beliefs about the likelihood of states.

What assumptions over preferences over acts are equivalent to the existence of a subjective expected utility representation? The answer is given by Savage's Theorem (Savage, 1972). Unfortunately, such axiomatic analysis is beyond the scope of this lecture. However, we will focus on the main axiom that allows us to obtain subjective expected utility, the **Sure-Thing Principle**. To state it, we need some notation.

Recall that an *event* is a subset of states $E \subseteq S$. For each event E , we write E^c for the complement of E in S , that is, the set of states in S that are not in E . For any two acts f, g and any event $E \subseteq S$ define an act f_{Eg} such that

$$f_{Eg}(s) = \begin{cases} f(s) & \text{if } s \in E \\ g(s) & \text{if } s \in E^c \end{cases}$$

That is, act f_{Eg} agrees with act f on states in event E , and with act g on states outside event E .

Axiom 5.1. (*Sure-thing principle*) For all acts f, g, f', g' and event E ,

$$f_{Eg} \succsim f'_{Eg} \text{ if and only if } f_{Eg'} \succsim f'_{Eg'}.$$

In words, the Sure-thing principle says the following: if the individual prefers f to f' on states in event E , then what happens outside E should not matter. The ranking between f and f' on E should not be reversed by changing g to g' outside E . The Sure-thing principle is the key axiom of Subjective Expected Utility. Savage (1972) showed that the Sure-thing principle, together with other axioms, is equivalent to the existence of a subjective expected utility representation as in Definition 5.3, an axiomatic analysis paralleling the one we developed for objective expected utility in Theorem 2.1.

However, as for Independence, we have empirical evidence that individuals' choices sometimes violate the Sure-thing principle. The most famous example is the Ellsberg paradox, by Ellsberg (1961). Consider the following thought experiment. An urn contains 90 balls, of which 30 are red, while the remaining 60 are either black or yellow, in an unknown proportion. The state space in this example comprises therefore the colors of the balls: $S = \{R, B, Y\}$. You are offered to bet on the colour of a randomly drawn ball from the urn. You can choose between the following acts:

- f : You win 1 euro if the ball is red, and nothing otherwise.

- g : You win 1 euro if the ball is black, and nothing otherwise.
- f' : You win 1 euro if the ball is red or yellow, and nothing otherwise.
- g' : You win 1 euro if the ball is black or yellow, and nothing otherwise.

These acts can be summarised in the following table:

	R	B	Y
f	1	0	0
g	0	1	0
f'	1	0	1
g'	0	1	1

Many people prefer f to g , and g' to f' . However, such preferences violate the Sure-thing principle. Let $E = \{R, B\}$ and consider two acts h^0 and h^1 such that

$$h^0(s) = 0 \quad \text{and} \quad h^1(s) = 1 \quad \text{for all } s.$$

Then we can rewrite the four acts in the table as

$$f = f_E h^0, \quad g = g_E h^0, \quad f' = f_E h^1, \quad g' = g_E h^1.$$

Apply the Sure-thing principle with the acts f, g, h^0, h^1 and event E . The axiom says that

$$f_E h^0 \succsim g_E h^0 \iff f_E h^1 \succsim g_E h^1,$$

that is,

$$f \succsim g \iff f' \succsim g'.$$

Hence it is impossible to have $f \succ g$ and $g' \succ f'$ without violating the Sure-thing principle.

One explanation for this behaviour is that people dislike **ambiguity**, that is, situations in which the likelihood of states is unknown. In the Ellsberg paradox there are 30 red balls and 60 balls that are either blue or yellow, in unknown proportions. Thus, the probability of drawing a red ball is known, while the probability of drawing a blue ball is unknown. In the first pair, act f pays 1 only if R occurs, so it yields a known probability of winning of $\frac{1}{3}$. Act g pays 1 only if B occurs, so its probability of winning depends on the unknown fraction of blue balls in the urn. Many people therefore prefer the bet with known probability f to the bet with unknown probability g .

In the second pair, act f' pays 1 if either R or Y occurs. Since the probability of B is unknown, the probability of $R \cup Y$ is also unknown: it could be anywhere between $\frac{1}{3}$ and 1. By contrast, g' pays 1 if either B or Y occurs, and the probability of $B \cup Y$ is

known to be $\frac{2}{3}$. So in this case people tend to prefer g' , a bet with known probability $\frac{2}{3}$, to f' , a bet with unknown probability.

A plethora of theories of choice under uncertainty have been proposed to account for such violations of the Sure-thing principle. One of the most influential branches attempts to explain the Ellsberg paradox with **ambiguity aversion**, therefore introducing a notion of preferences exhibiting such a property. The seminal paper is Schmeidler (1989).

Any ideas on how the Sure-thing principle could be relaxed to account for the Ellsberg paradox?

Things to read. For a textbook treatment of the content of this lecture, see Kreps (1988, pp. 33-38) or Fishburn (1970, ch. 12). If you are interested in more details, read Kreps (1988, Chs. 8-9) or Fishburn (1970, ch. 14). By the way, Kreps (1988, p. 127) defines Savage (1972)'s theory nothing less than “the crowning achievement of single-person decision theory”. At this point of the class, you might be interested in reading Gilboa (2009) for an overview of our current understanding of decision-making under uncertainty.

5.3 Exercises

Exercise 5.1. Show that the subjective expected utility representation in Definition 5.3 satisfies the Sure-thing principle.

Exercise 5.2. Can you find a parallel between the Sure-thing principle and the Independence from Lecture 2? Think about compound lotteries and acts that agree on all states except one.

Exercise 5.3. There is a second important model of uncertainty using a state space, by Anscombe & Aumann (1963).⁴ In this model, the individual chooses acts mapping state of the world to lotteries, rather than outcomes. That is, each act is a function $f : S \rightarrow \Delta(X)$. Write down a subjective expected utility representation for this model. What do you think the advantages of this model are? (Think about the remark about mixing in the text.)

References

Anscombe, F. J., & Aumann, R. J. (1963). A definition of subjective probability. *Annals of mathematical statistics*, 34(1), 199–205. 40

⁴What is mostly used today is the version in Fishburn (1970).

- Arrow, K. J. (1971). *Essays in the theory of risk-bearing*. Chicago: Markham Publishing Company. 35
- Ellsberg, D. (1961). Risk, ambiguity, and the Savage axioms. *The quarterly journal of economics*, 75(4), 643–669. 38
- Fishburn, P. C. (1970). *Utility theory for decision making*. New York: Wiley. 40
- Gilboa, I. (2009). *Theory of decision under uncertainty* (Vol. 45). Cambridge university press. 40
- Kreps, D. M. (1988). *Notes on the theory of choice*. Westview Press. 37, 40
- Savage, L. J. (1972). *The foundations of statistics* (2nd rev. ed.). New York: Dover Publications. 35, 38, 40
- Schmeidler, D. (1989). Subjective probability and expected utility without additivity. *Econometrica: Journal of the Econometric Society*, 571–587. 40
- Tsakas, E. (2025). Belief identification by proxy. *Review of Economic Studies*, rdaf025. 35

Lecture 6

Introduction to exchange economies

6.1 A primer on consumer choice

Before going to general equilibrium, we need to review some basic concepts on consumer choice. The setting is quite intuitive. There is a single individual i who can consume a bundle of ℓ different goods. The quantity of each good is represented by a real number. The consumption space is therefore \mathbb{R}_+^ℓ . A generic consumption bundle of individual i is $x_i = (x^1, \dots, x^\ell)$. As an example, if $\ell = 2$, a consumption bundle could be $x_i = (3, 5)$, meaning 3 units of good 1 and 5 units of good 2, as represented in Figure 6.1. We index consumption bundles by i because later we will consider multiple individuals, each with his own consumption bundle.




Figure 6.1: A consumption bundle $x_i = (3, 5)$ in a two-good consumption space.

Now, say that there is a vector of prices $p = (p^1, \dots, p^\ell)$, where p^ℓ is the price of good ℓ . Also, assume the individual has monetary wealth $w_i \in \mathbb{R}_+$. He can therefore consume any bundle of goods x_i such that the total expenditure does not exceed his wealth, i.e., such that $p \cdot x_i \leq w_i$.¹ The set of all consumption bundles that satisfy this condition is called the **budget set**, and is denoted with

¹The operation \cdot denotes the product $p^1 \cdot x_i^1 + \dots + p^\ell \cdot x_i^\ell$.

$$B(p, w_i) = \{x_i \in \mathbb{R}_+^\ell : p \cdot x_i \leq w_i\}.$$

The budget set is depicted in Figure 6.2 for the case of two goods. The budget line is the boundary of the budget set, and is given by all consumption bundles x_i such that $p \cdot x_i = w_i$. Say that the individual only consumes x^1 , then, by setting $x^2 = 0$, one sees that the amount consumed is $\frac{w_i}{p^1}$. Similarly, if he only consumes x^2 , the amount consumed is $\frac{w_i}{p^2}$. These two points are the intercepts of the budget line. The slope of the budget line is the ratio of prices, in fact:

$$w_i = p^1 x^1 + p^2 x^2 \implies x^2 = \frac{w_i}{p^2} - \frac{p^1}{p^2} x^1.$$




Figure 6.2: A budget set $B(p, w_i)$ in a two-good consumption space.

The individual has preferences on consumption bundles. In previous lectures we have seen preferences under uncertainty, where the outcome of a choice was to some extent random. Here there is no uncertainty, the individual has preferences \succsim_i over the consumption space \mathbb{R}_+^ℓ . As we did for the simplex, we can represent indifference curves for a preference relation \succsim_i in the consumption space, as in Figure 6.3. Each bundle on the same indifference curve is considered equally good by the individual.




Figure 6.3: An indifference curve in the consumption space \mathbb{R}^2 .

The individual would like to consume the best affordable bundle according to his preferences. What is affordable is given by the budget, and therefore by prices and wealth. The best affordable bundle is what the individual “demands” at the given prices and wealth. The **Walrasian demand** of an individual with preferences ζ_i , at prices p and wealth w_i is:

$$D_i(p, w_i) = \{x_i \in B(p, w_i) \mid x_i \succeq x'_i \text{ for all } x'_i \in B(p, w_i)\}.$$

That is, a bundle of goods x_i is in the Walrasian demand set if it is affordable and preferred to all other affordable bundles. In general, the Walrasian demand is a set, it is possible that there are indifferent bundles in the budget set beating all other bundles. One can see the Walrasian demand graphically. As an example, in the case of the preferences represented in Figure 6.3, under the assumption that these are increasing in each good, the Walrasian demand is a point, as shown in Figure 6.4.




Figure 6.4: Walrasian demand for preferences \succsim_i .

What kind of indifference curves should \succsim_i have for the Walrasian demand to contain more than one element? Can you construct an example in the graph?

In the next section, we expand on these basics to consider choices of two individuals at once.

6.2 Illustrative example of exchange economy

In general equilibrium theory, we generalise concepts from individual consumer choice to the case of multiple individuals. In this section we start from a simple example with two individuals and two goods, that will be later generalised.

Say that there are two individuals 1 and 2 and two goods x^1 and x^2 . Each individual has a consumption space \mathbb{R}_+^2 , and a consumption bundle $x_i = (x_i^1, x_i^2)$. We can represent the consumption space of individual 1 with his indifference curves as we did in Figure 6.3. As for individual 2, we can do the same, but say that his consumption space is represented upside down, as in Figure 6.5 (bear with me).




Figure 6.5: Consumption space of individual 2 upside down.

Now, we can put the two consumption spaces together in a single graph, called the **Edgeworth box**, as in Figure 6.6. The total width of the box is the total amount of good 1 available in the economy, and the total height is the total amount of good 2 available. The two origins O_1 and O_2 are located at the bottom left and top right corners of the box, respectively. Each point in the box represents a possible allocation of goods between the two individuals. For example, the point x represents the allocation in which individual 1 consumes (x_1^1, x_1^2) and individual 2 consumes (x_2^1, x_2^2) . The consumption of each individual i can be read by looking at the box from the perspective of origin O_i .




Figure 6.6: Edgeworth box representing the consumption spaces of individuals 1 and 2.

The point x is an **allocation**, i.e., a consumption bundle for each individual. We can also represent the indifference curves of both individuals passing through x in the Edgeworth box, as in Figure 6.7. The indifference curve i is indicated with \succsim_i .




Figure 6.7: Edgeworth box representing the consumption spaces of individuals 1 and 2.

We assume that preferences are increasing in each good. Therefore, both individuals would like to move away from the origin of their consumption space. As an example, individual 1 would prefer to be on the dotted indifference curve rather than on the solid one in Figure 6.7.




Figure 6.8: Individual 1 would prefer to move on the dotted indifference curve.

First, we check each individual consumption space, assume monotonic preferences, and draw strictly convex indifference curves.

Then, we introduce prices and budgets, we see the budget set together with the indifference curves, and we discuss the optimum consumption.

We briefly discuss properties of indifference curves.

We introduce endowments for each individual.

Then, we put everything in a single graph, the Edgeworth box. We notice that the individual budget set depends on his endowment and on prices.

We show an instance of budget and demand in which the two preferred allocations are not compatible.

Then, we show a walrasian equilibrium, in which demands are compatible.

We show that when prices are doubled, also wealth is doubled, and the budget set and demand remain the same.

Describe a strange situation in which there are no walrasian equilibria.

Finally, we introduce the concept of Pareto optimality, we show in the Edgeworth box allocations that are and are not Pareto optimal.

Discuss the Pareto set and the contract curve.

Introduce first and second welfare theorems.

Discuss no-envy.

Things to read. It might be useful for you to review (or study, if you never encountered these topics before), Hildenbrand & Kirman (1976, pp. 51-70, 76-84). If you want (and you “should want”) to go deeper, study study Mas-Colell et al. (1995, pp. 17–23, 40–56).

6.3 Exercises

hey.

References

- Hildenbrand, W., & Kirman, A. P. (1976). *Introduction to equilibrium analysis: Variations on themes by edgeworth and walras* (Vol. 6). Amsterdam: North-Holland. 50
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 50

Lecture 7

General equilibrium theory

7.1 Exchange economies

There is a set of n individuals $I = \{1, \dots, n\}$ and a set of consumption bundles \mathbb{R}_+^ℓ . Each individual has preferences \succsim_i on \mathbb{R}_+^ℓ . A generic consumption bundle of individual i is $x_i = (x_i^1, \dots, x_i^\ell)$. We always assume preferences are complete and transitive for each individual i . Each individual has an endowment $e_i \in \mathbb{R}_+^\ell$, where $e_i = (e_i^1, \dots, e_i^\ell)$ and therefore there is a total endowment of

$$\sum_i e_i = \bar{e}.$$

An **economy** is a profile $E = ((\succsim_i, e_i)_{i \in I})$. A **feasible** allocation for E is $x = (x_i)_{i \in I}$ such that

$$\sum_i x_i \leq \bar{e}.$$

Feasible allocations lie in the set $\mathbb{R}_+^{\ell n}$.

Definition 7.1. The budget set given endowment e_i and prices $p \in \mathbb{R}_+^\ell$, is

$$B(e_i, p) = \{x_i \in \mathbb{R}_+^\ell \mid p \cdot x_i \leq p \cdot e_i\}.$$

Notice that the budget set is always convex and, when all prices are strictly positive, it is also compact.

Definition 7.2. The **Walrasian demand** of i , given endowment e_i and prices p , is

$$D_i(e_i, p) = \{x_i \in B(e_i, p) \mid x_i \succsim_i x'_i \forall x'_i \in B(e_i, p)\}$$

For each preference relation \succsim_i , we define the upper and lower contour sets at a bundle x_i :

$$U_i(x_i) := \{x'_i \in \mathbb{R}_+^\ell \mid x'_i \succsim_i x_i\} \quad \text{and} \quad L_i(x_i) := \{x'_i \in \mathbb{R}_+^\ell \mid x_i \succsim_i x'_i\}.$$

Definition 7.3. A preference relation \succsim_i is **locally non-satiated** if for every $x_i \in \mathbb{R}_+^\ell$ and every $\varepsilon > 0$, there exists $x'_i \in \mathbb{R}_+^\ell$ such that $\|x'_i - x_i\| < \varepsilon$ and $x'_i \succ_i x_i$.

Local non-satiation rules out thick indifference curves. It rules out that all goods are *bads*, i.e. individuals do not like them.

Definition 7.4. A preference relation \succsim_i is **convex** if for all $x_i, x'_i, x''_i \in \mathbb{R}_+^\ell$, whenever $x'_i \succsim_i x_i$ and $x''_i \succsim_i x_i$, then

$$\alpha x'_i + (1 - \alpha)x''_i \succsim_i x_i \quad \text{for all } \alpha \in [0, 1].$$

Convexity is equivalent to convexity of upper contour sets. It is an expression of *diminishing marginal returns*. It can also be viewed as a preference for *diversification*.

Definition 7.5. A preference relation \succsim_i on \mathbb{R}_+^ℓ is **continuous** if for every bundle $x_i \in \mathbb{R}_+^\ell$, both the upper and the lower contour sets of x_i are closed.

If a preference relation \succsim_i is continuous, then for every endowment e_i and every strictly positive price vector $p \in \mathbb{R}_{++}^\ell$, the Walrasian demand $D_i(e_i, p)$ is non-empty. This is because a complete, transitive, and continuous preference relation can be represented by a continuous utility function. The budget set $B(e_i, p)$ is compact when prices are strictly positive, and therefore the continuous utility function attains a maximum on it. If preferences are also locally non-satiated, then the Walrasian demand $D_i(e_i, p)$ is contained in the budget hyperplane $\{x \in \mathbb{R}_+^\ell \mid p \cdot x = p \cdot e_i\}$.

7.2 Allocation rules and their properties

Let $F(E)$ be the set of feasible allocations. An **allocation rule** R maps an economy E to a subset of feasible allocations $R(E) \subseteq F(E)$.

Definition 7.6. An allocation x is a **Walrasian equilibrium** if there exist prices $p \in \mathbb{R}_{++}^\ell$ such that for all individuals i ,

$$x_i \in D_i(e_i, p).$$

Definition 7.7. An allocation rule R^W is **Walrasian** if for all economies E there exist prices $p \in \mathbb{R}_{++}^\ell$ such that

$$R^W(E) = \{x \in F(E) \mid x_i \in D_i(e_i, p) \text{ for all } i\}.$$

That is, an allocation rule is Walrasian if it selects all Walrasian equilibria of the economy.

Definition 7.8. An allocation rule R^{EW} is **Egalitarian Walrasian** if for all economies E there exist prices $p \in \mathbb{R}_{++}^\ell$ such that

$$R^{EW}(E) = \left\{ x \in F(E) \mid x_i \in D_i\left(\frac{\bar{e}}{n}, p\right) \text{ for all } i \right\}.$$

Definition 7.9. An allocation x is **Pareto optimal** if there is no other feasible allocation x' with $x'_i \succsim_i x_i$ for all i and $x'_j \succ_j x_j$ for some j .

Definition 7.10. An allocation rule R^{WT} is a **Walrasian equilibrium with transfers** if for all economies E there exist strictly positive prices $p \in \mathbb{R}_{++}^\ell$ and transfers $(T_i)_{i \in I}$ satisfying

$$\sum_{i \in I} T_i = 0 \quad \text{and} \quad e_i + T_i \in \mathbb{R}_+^\ell \text{ for all } i,$$

such that

$$R^{WT}(E) = \{x \in F(E) \mid x_i \in D_i(e_i + T_i, p) \text{ for all } i\}.$$

Things to read. It might be useful for you to review (or study, if you never encountered these topics before), Hildenbrand & Kirman (1976, pp. 51-70, 76-84). If you want (and you “should want”) to go deeper, study study Mas-Colell et al. (1995, pp. 17–23, 40–56). Arrow (2012).

7.3 Exercises

hey.

References

- Arrow, K. J. (2012). *Social choice and individual values* (3rd ed.). New Haven, CT: Yale University Press. 53
- Hildenbrand, W., & Kirman, A. P. (1976). *Introduction to equilibrium analysis: Variations on themes by edgeworth and walras* (Vol. 6). Amsterdam: North-Holland. 53
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 53

Lecture 8

First theorem of welfare economics

We start with a preliminary lemma. All the proofs here are by contradiction. The logic of these proofs is as follows. We want to prove some statement S . We assume that S is false, and we show that this assumption leads to a contradiction, that is, some conclusion of the type C and **not** C , which is impossible. Therefore, S must be true.

Lemma 8.1. *Assume preferences \succsim_i are locally non-satiated. Let $x_i \in D_i(p, e_i)$. If $x'_i \succsim_i x_i$, then $p \cdot x'_i \geq p \cdot x_i$.*

Proof. Suppose not. Then $p \cdot x'_i < p \cdot x_i$. By local non-satiation, there exists x''_i such that $\|x''_i - x'_i\| < \varepsilon$ and $x''_i \succ_i x'_i$. By choosing ε small enough, we can ensure that $p \cdot x''_i < p \cdot x_i$. But then $x''_i \in B(e_i, p)$ and $x''_i \succ_i x_i$, by transitivity, contradicting the fact that $x_i \in D_i(e_i, p)$. \square

Theorem 8.1. (First fundamental theorem of welfare economics) *If preferences in the economy E are locally non-satiated, then every allocation selected by a Walrasian equilibrium with transfers is Pareto optimal. That is,*

$$x \in R^{WT}(E) \implies x \text{ is Pareto optimal.}$$

Proof. Let E be an economy and suppose that $x \in R^{WT}(E)$. Then there exist strictly positive prices p and transfers $(T_i)_{i \in I}$ such that, for every individual i ,

$$x_i \in D_i(e_i + T_i, p),$$

that is, x_i is a most preferred bundle in the budget set $B(e_i + T_i, p)$.

Suppose, towards a contradiction, that x is not Pareto optimal. Then there exists a feasible allocation x' such that $x'_i \succsim_i x_i$ for all i , and $x'_j \succ_j x_j$ for some individual j . By the Lemma 8.1, local non-satiation implies

$$p \cdot x'_i \geq p \cdot x_i \quad \forall i, \quad p \cdot x'_j > p \cdot x_j.$$

Summing over all individuals,

$$\sum_{i \in I} p \cdot x'_i > \sum_{i \in I} p \cdot x_i.$$

On the other hand, feasibility of x' implies

$$\sum_{i \in I} x'_i \leq \sum_{i \in I} e_i = \sum_{i \in I} x_i,$$

since x is feasible as well. Multiplying the inequality $\sum_i (x'_i - x_i) \leq 0$ by the strictly positive price vector p yields

$$\sum_{i \in I} p \cdot x'_i \leq \sum_{i \in I} p \cdot x_i,$$

contradicting the strict inequality obtained above. Hence no such x' exists, and x is Pareto optimal. \square

Let us discuss why Local non-satiation is necessary for Theorem 8.1 to hold. Individual 1 has “thick” indifference curves, thus violating local non-satiation. The allocation x is not Pareto optimal, since we can find another feasible allocation x' that makes individual 2 strictly better off without making individual 1 worse off. However, x can still be supported as a Walrasian equilibrium with transfers at prices p . Thus, without local non-satiation, Theorem 8.1 fails.




Figure 8.1: Local Non-Satiation is necessary for the First Welfare Theorem.

Let us now interpret Theorem 8.1. A standard question in economics is how to allocate resources given data on preferences.¹ We might want such an allocation of resources to satisfy some good properties from a *normative* perspective. One such property is Pareto optimality. An allocation rule taking preferences and endowments as inputs and returning a Pareto optimal allocation as output might therefore be desirable. However, once one has an allocation rule, one might wonder whether such an allocation rule could be implemented in a decentralized way. A rule taking preferences and endowments as

¹In the most general form, a question of this kind is asked in Arrow (2012).

inputs and returning allocations as output does not tell us *how* to reach such allocations. Theorem 8.1 tells us that the Walrasian equilibrium with transfers implements an allocation rule always delivering Pareto optimal allocations. There is a bit more, however. A Walrasian equilibrium with transfers is not just a mechanism to implement Pareto optimal allocations. It delivers prices for each good allowing to trade so to reach such allocations. Prices may be interpreted as “values” for goods, where these values depends on the preferences all individuals in the economy. In fact, Debreu (1959) is titled *Theory of Value*. A lot of more or less sophisticated critiques of economics stem from the idea that it is inappropriate to view the value of goods as determined by prices. In fact, there is famous citation, misattributed to Oscar Wilde,² that says: “An economist is someone who knows the price of everything and the value of nothing”. Of course, there are legitimate reason to question weather values should be entirely derived from individual preferences. But there is nothing special in prices that is not related to preferences, in the setting under consideration here.

Unfortunately, an allocation rule delivering Pareto optimal allocations can sometimes be undesirable from other points of view. For instance, such an allocation rule might deliver very unequal allocations. Let us consider a second property we might want an allocation to satisfy.

Definition 8.1. *An allocation x is **envy-free** if for all individuals i, j , $x_i \succsim_i x_j$.*

An allocation is envy-free if no individual prefers someone else’s bundle to her own. Envy-freeness is a desirable property from a fairness perspective.³ In particular, envy-freeness is strongly related to the idea of equality of opportunity. A way of looking at such relationship is captured in the following proposition.

Proposition 8.1. *Every allocation selected by an Egalitarian Walrasian equilibrium is envy-free. That is,*

$$x \in R^{EW}(E) \implies x \text{ is envy-free.}$$

Proof. Let E be an economy and suppose that $x \in R^{EW}(E)$. By definition of the Egalitarian Walrasian rule, there exists a price vector $p \in \mathbb{R}_{++}^\ell$ such that, for every individual $i \in I$,

$$x_i \in D_i\left(\frac{\bar{e}}{n}, p\right),$$

where $D_i(e, p)$ denotes the set of most preferred bundles of i in the budget set

$$B(e, p) = \{x' \in \mathbb{R}_+^\ell \mid p \cdot x' \leq p \cdot e\}.$$

Because all individuals face the same “egalitarian” endowment $\frac{\bar{e}}{n}$ and the same price vector p , they all face the same budget set

$$B := B\left(\frac{\bar{e}}{n}, p\right) = \{x' \in \mathbb{R}_+^\ell \mid p \cdot x' \leq p \cdot \frac{\bar{e}}{n}\}.$$

²Apparently the original citation is.

³For recent and deeper analyses of envy-freeness, check Fleurbaey (2008) and Thomson (2011).

Fix any individual i . Since $x_i \in D_i(\frac{\bar{e}}{n}, p)$, x_i is a most preferred bundle for i in B . Therefore,

$$\forall x' \in B, \quad x_i \succeq_i x'. \quad (8.1)$$

Now consider any other individual $j \in I$. Because $x_j \in D_j(\frac{\bar{e}}{n}, p)$, we also have $x_j \in B$. Applying (8.1) to the specific bundle $x' = x_j$ yields

$$x_i \succeq_i x_j.$$

Thus, for every pair of individuals $i, j \in I$, consumer i (weakly) prefers her own allocation x_i to the allocation x_j of consumer j :

$$\forall i, j \in I, \quad x_i \succeq_i x_j.$$

In particular, this implies that there is no pair $i \neq j$ for which $x_j \succ_i x_i$. Hence no individual strictly prefers someone else's bundle to her own.

Therefore, the allocation x is envy-free. □

By Theorem 8.1 and Proposition 8.1, we know that the Walrasian Egalitarian allocation rule delivers allocations that are both Pareto optimal and envy-free. However, endowments might be distinct from the egalitarian endowment $\frac{\bar{e}}{n}$. We might therefore be interested in knowing how to implement such allocation rule. The Second Fundamental Theorem of Welfare Economics, which we will discuss in the next chapter, provides conditions under which this is possible.

Things to read. This lecture is based on Mas-Colell et al. (1995, pp. 545-550).

8.1 Exercises

hey.

References

- Arrow, K. J. (2012). *Social choice and individual values* (3rd ed.). New Haven, CT: Yale University Press. 55
- Debreu, G. (1959). *Theory of value: An axiomatic analysis of economic equilibrium* (Vol. 17). Yale University Press. 56
- Fleurbaey, M. (2008). *Fairness, responsibility, and welfare*. Oxford: Oxford University Press. 56
- Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 57
- Thomson, W. (2011). Fair allocation rules. In *Handbook of social choice and welfare* (Vol. 2, pp. 393–506). Elsevier. 56

Lecture 9

Second theorem of welfare economics

Theorem 9.1 (Supporting hyperplane theorem). *Let $B \subset \mathbb{R}^L$ be a convex set and let $x \notin \text{Int } B$ (the interior of B). Then there exists a nonzero vector $p \in \mathbb{R}^L$ such that*

$$p \cdot x \geq p \cdot y \quad \text{for every } y \in B.$$

In words: there is a hyperplane through x that supports B from one side.

Proof. We use the separating hyperplane theorem in the following form:

Separating hyperplane theorem. Let $B \subset \mathbb{R}^L$ be convex and let $z \notin \overline{B}$ (the closure of B). Then there exist $p \in \mathbb{R}^L$ with $p \neq 0$ and $a \in \mathbb{R}$ such that

$$p \cdot z > a \geq p \cdot y \quad \text{for all } y \in B.$$

Now take $x \notin \text{Int } B$. Then every neighbourhood of x contains points that are not in B . In particular, we can find a sequence $(x^m)_{m \geq 1}$ such that

$$x^m \rightarrow x \quad \text{and} \quad x^m \notin \overline{B} \quad \text{for all } m.$$

(Think of x^m approaching x from “outside” B .)

For each m , apply the separating hyperplane theorem to the convex set B and the point $x^m \notin \overline{B}$. We obtain a nonzero vector $p^m \in \mathbb{R}^L$ and a scalar $c^m \in \mathbb{R}$ such that

$$p^m \cdot x^m > c^m \geq p^m \cdot y \quad \text{for all } y \in B. \tag{9.1}$$

Normalize the vectors p^m so that $\|p^m\| = 1$ for every m (we can always divide p^m and c^m by the same positive constant without changing the inequalities). The sequence (p^m) lives on the unit sphere, which is compact, so there is a subsequence (still denoted (p^m) for simplicity) that converges:

$$p^m \rightarrow p \quad \text{for some } p \in \mathbb{R}^L \text{ with } \|p\| = 1.$$

In particular $p \neq 0$. Since (c^m) is a sequence of real numbers, we can also extract a further subsequence (again not relabelled) such that

$$c^m \rightarrow c \quad \text{for some } c \in \mathbb{R}.$$

Fix any $y \in B$. Inequality (9.1) gives, for each m ,

$$p^m \cdot x^m > c^m \geq p^m \cdot y.$$

Taking limits as $m \rightarrow \infty$ and using continuity of the dot product, and the convergences $x^m \rightarrow x$, $p^m \rightarrow p$ and $c^m \rightarrow c$, we obtain

$$p \cdot x \geq c \geq p \cdot y.$$

Since this holds for every $y \in B$, we have

$$p \cdot x \geq p \cdot y \quad \text{for all } y \in B,$$

which is exactly the desired supporting hyperplane inequality. \square

Theorem 9.2. (Second fundamental theorem of welfare economics) *If preferences in the economy E are locally non-satiated, convex, and continuous, and endowments are strictly positive $e_i \in \mathbb{R}_{++}^\ell$ for all individuals i , then every interior Pareto optimal allocation $x \in \mathbb{R}_{++}^{\ell n}$ can be supported as a Walrasian equilibrium with transfers. That is,*

$$x \text{ is Pareto optimal} \implies x \in R^{WT}(E).$$

Proof. Say we want to implement the interior Pareto optimal allocation x . Define transfers T_i by

$$T_i = x_i - e_i \quad \text{for each } i.$$

Feasibility of x implies $\sum_i x_i = \sum_i e_i$, hence $\sum_i T_i = 0$, so $(T_i)_i$ is a feasible vector of lump-sum transfers. We have to find strictly positive prices p such that for each individual, endowed with $e_i + T_i = x_i$, the bundle x_i is in the Walrasian demand of i :

$$x_i \in D_i(p, e_i + T_i) \quad \text{for each } i.$$

Step 1: “Strictly better–than” sets. For each individual i , let

$$\bar{U}^i(x_i) := \{x'_i : x'_i \succ_i x_i\}$$

denote the **strict** upper contour set at x_i . By continuity and convexity of \succsim_i this set is convex, and $x_i \notin \bar{U}^i(x_i)$. Define the set of aggregate improvements

$$\bar{U}(x) = \sum_i \bar{U}^i(x) := \left\{ \sum_i x'_i \in \mathbb{R}_{++}^\ell \mid x'_i \in \bar{U}^i(x_i) \text{ for each } i \right\}.$$

So $\bar{U}(x)$ is the set of all aggregate bundles that can be obtained by letting each individual choose a bundle strictly preferred to her allocation in x . Since it is the sum of convex sets, $\bar{U}(x)$ is convex. Pareto optimality of x says that there is no feasible allocation $x' = (x'_i)_i$ with $x'_i \succ_i x_i$ for all i . Equivalently,

$$\sum_i x_i \notin \bar{U}(x).$$

Step 2: A supporting price hyperplane. We have a convex set $\overline{U}(x)$ and a point $\sum_i x_i$ outside it. By the supporting hyperplane theorem, there exists a nonzero vector $p \in \mathbb{R}_+^\ell$ such that

$$p \cdot x' \geq p \cdot \left(\sum_i x_i \right) \quad \text{for all } x' \in \overline{U}(x).$$

In particular, for any profile $(x'_i)_i$ with $x'_i \in \overline{U}^i(x_i)$ for all i ,

$$\sum_i p \cdot x'_i = p \cdot \left(\sum_i x'_i \right) \geq p \cdot \left(\sum_i x_i \right) = \sum_i p \cdot x_i. \quad (9.2)$$

Step 3: Prices must be strictly positive. We now show that prices are strictly positive, i.e., $p \in \mathbb{R}_{++}^\ell$.

(i) *No component of p can be negative.* Suppose $p_\ell < 0$ for some ℓ . Pick any individual i . By monotonicity, for any small $\varepsilon > 0$ the bundle

$$x'_i := x_i + \varepsilon e_\ell$$

satisfies $x'_i \succ_i x_i$, hence $x'_i \in \overline{U}^i(x_i)$, while all other individuals $j \neq i$ keep $x'_j = x_j$. Thus $x' := \sum_i x'_i \in \overline{U}(x)$. By the supporting hyperplane inequality from Step 2,

$$p \cdot x' \geq p \cdot \sum_i x_i.$$

But

$$p \cdot x' = p \cdot \sum_i x_i + \varepsilon p_\ell < p \cdot \sum_i x_i,$$

a contradiction. Hence $p_\ell \geq 0$ for each ℓ , so $p \in \mathbb{R}_+^\ell$.

(ii) *No component of p can be zero.* Suppose $p_\ell = 0$ for some ℓ . Again choose any individual i . Because $x_i \in \mathbb{R}_{++}^\ell$, there is some small $\varepsilon > 0$ such that $x_i - \varepsilon \mathbf{1} \in \mathbb{R}_+^\ell$, where $\mathbf{1}$ is the vector of all ones. Consider bundles y_i of the form

$$y_\ell^i > x_\ell^i, \quad y_k^i = x_k^i - \varepsilon \quad \text{for all } k \neq \ell.$$

By continuity and monotonicity of preferences, we can choose y_i of this form (with ε small and y_ℓ^i large enough) so that $y_i \succ_i x_i$, hence $y_i \in \overline{U}^i(x_i)$. For all $j \neq i$, set $y_j := x_j$. Then $y := \sum_j y_j \in \overline{U}(x)$, so Step 2 gives

$$p \cdot y \geq p \cdot \sum_j x_j.$$

But

$$p \cdot y = p \cdot \sum_j x_j + \sum_{k \neq \ell} (y_k^i - x_k^i) p_k + (y_\ell^i - x_\ell^i) p_\ell.$$

Here $y_k^i - x_k^i = -\varepsilon < 0$ for all $k \neq \ell$ and $p_k \geq 0$, while $p_\ell = 0$. Since $p \neq 0$, at least one of the p_k with $k \neq \ell$ is strictly positive, so

$$\sum_{k \neq \ell} (y_k^i - x_k^i) p_k < 0,$$

and hence $p \cdot y < p \cdot \sum_j x_j$, a contradiction. Therefore no component of p can be zero either, and we conclude that $p \in \mathbb{R}_{++}^\ell$.

Step 4: Individual optimality. Fix an individual i . We show that x_i is optimal in her budget set. Suppose, by contradiction, that there exists $x'_i \in \bar{U}^i(x_i)$ with $p \cdot x'_i \leq p \cdot x_i$. Keep all other individuals at their original bundles: $x'_j := x_j$ for every $j \neq i$. Then the profile $(x'_k)_k$ satisfies $x'_k \in \bar{U}^k(x_k)$ for all k , so $\sum_k x'_k \in \bar{U}(x)$. By Equation (9.2) we must have

$$\sum_k p \cdot x'_k \geq \sum_k p \cdot x_k.$$

On the other hand,

$$\sum_k p \cdot x'_k = p \cdot x'_i + \sum_{j \neq i} p \cdot x_j \leq p \cdot x_i + \sum_{j \neq i} p \cdot x_j = \sum_k p \cdot x_k,$$

with strict inequality if $p \cdot x'_i < p \cdot x_i$. This contradicts (9.2). Hence no such x'_i exists, and x_i is optimal at prices p , that is,

$$x_i \in D_i(p, e_i + T_i).$$

Conclusion. We have found prices $p \in \mathbb{R}_{++}^\ell$ and transfers $(T_i)_i$ such that

$$x_i \in D_i(p, e_i + T_i) \quad \text{for all } i.$$

Hence x is a Walrasian equilibrium with transfers: $x \in R^{WT}(E)$. Since x was an arbitrary interior Pareto optimal allocation, the theorem follows. \square

Things to read. This lecture is based on Mas-Colell et al. (1995, pp. 545-550).

9.1 Exercises

hey.

References

Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 61

Lecture 10

Existence of competitive equilibria

10.1 Ciao

come va.

Things to read. This lecture is based on Mas-Colell et al. (1995, pp. 578-586).

10.2 Exercises

hey.

References

Mas-Colell, A., Whinston, M. D., & Green, J. R. (1995). *Microeconomic theory*. Oxford university press New York. 62