# GitHub NPM Registry

Use GitHub as package registry for your private packages

# Why?

- separation of concerns: split projects into one-purpose only module(s)
- cheap: github package registry is already included in paid accounts
- effortless: almost zero administration & maintenance of registry required

## Scopes

- Some package names also have a scope
- A scope follows the usual rules for package names. When used in package names, scopes are preceded by an "@" symbol and followed by a slash, e.g.
- Scopes are usually used company-wide

@scopename/somepackagename

## Checklist

- package name contains a scope which matches the GitHub organization / username name (lowercased)
- npm config set GitHub registry URL for specific scope(s)
- properly setup of NPM\_TOKEN

#### **Package Name**

The package's "scope" must match the organisation's name:

```
package.json

{
    "name": "@egoditor/somepackagename"
}
```

Name is lowercased cause naming convention doesn't allow uppercase letters.

#### Registry

Configure npm to use a different package registry URL for specific scope(s).

Note that the Organisation's name must exact match here. Do not lowercase!

```
npm config set --@Egoditor:registry --location project https://npm.pkg.github.com/
```

or for all projects

```
npm config set --@Egoditor:registry https://npm.pkg.github.com/
```

#### **NPM Token**

Using private NPM Packages from GitHub registry requires a *personal access token* (PAT) with "write:packages" for publishing and/or "read:packages" for pulling.

```
npm config set //npm.pkg.github.com/:_authToken <token-value>
```

(alternative) interactively login

```
npm login --scope=@Egoditor --registry=https://npm.pkg.github.com
```

(alternative) environment variable

```
NPM_TOKEN=value npm install
```

Personal Access Tokens can be created in the GitHub Settings > "Personal Access Tokens".

#### Install package

```
npm install --save @egoditor/my-package@1.0.0
```

- check project's and user's .npmrc file for scope "@egoditor"
- uses NPM\_TOKEN configured for the registry to authorize against the registry

## GitHub Actions (CI)

- Installing or publishing a private package in GitHub package registry is very easy when following the rules.
- Access to the package is handled by github and the repository and organisation user permissions.

#### **GITHUB\_TOKEN**

The github workflow environment automatically creates a secret GITHUB\_TOKEN which can be used to do different things.

#### **Permissions**

#### Defined by:

- workflow settings
- type of repository (fork or source)
- settings in workflow.yml
- more

#### depcheck

succeeded 16 hours ago in 31s

Q Search logs



#### Set up job

- 1 Current runner version: '2.289.2'
- 2 ▶ Operating System
- 6 ▶ Virtual Environment
- 11 ▶ Virtual Environment Provisioner
- 13 ▼GITHUB\_TOKEN Permissions
- 14 Actions: write
- 15 Checks: write
- 16 Contents: write
- 17 Deployments: write
- 18 Discussions: write
- 19 Issues: write
- 20 Metadata: read
- 21 Packages: write
- 22 Pages: write
- 23 PullRequests: write
- RepositoryProjects: write
- 25 SecurityEvents: write
- 26 Statuses: write
- 27 Secret source: Actions
- 28 Prepare workflow directory
- 29 Prepare all required actions
- 30 Getting action download info

## Install Local Package

### npm link

Before publishing a version use the local copy of the package in your project by linking it:

```
cd my-new-project
npm link ../../egoditor/my-funky-package
```

## Publishing Packages

- configure package.json "files" or .npmignore to publish only required files
- follow SEMVER
- use publishing channels (current, next, beta, alpha)
- easy to setup with semantic-release package

... will be covered in another talk

## Troubleshooting

npm ERR! Unable to authenticate, need: Basic realm="GitHub Package Registry"

The NPM Token is not valid, doesn't have the correct permissions. Double check the value.

npm ERR! 404 Not Found - GET <a href="https://npm.pkg.github.com/download/@egoditor...">https://npm.pkg.github.com/download/@egoditor...</a>

Authentification worked well but the package could not be found as the scope is not correct. Correct would be with uppercase "e".

## **Additional Resources**

- <u>GitHub Documentation</u>
- NPM config Documentation
- GITHUB TOKEN: How it Works, Change Permissions, Customizations



# Thanks for listening!