



October 30, 2017
Week 11, Class #30
Types of Testing

Mark Seaman
MWF – 10:00-11:30 - Kepner 0095F

Exam #2 – Projects, Technology, Design



✧ Excellent Work

- Wide variety of answers
- Thinking behind the answers

✧ Practice and Theory

- Theory – What and Why
- Practice – How and When

This Week – Test



✧ Monday, 10-30

- Lecture – Types of Test

✧ Wednesday, 11-1

- Lecture – Unit Tests

✧ Friday, 11-3

- Lecture – System Tests

Last Week

Code

Test

Next Week

Dev Ops

Exercises



✧ Version Control

- Markdown Exercise 10/20
- Github Login 10/30

✧ Development

- Design Plan 10/23
- Development Exercise 10/25
- Pair Programming Exercise 10/30
- Testing Exercise 11/3

Development Exercise



✧ Exercise Instructions

- <https://github.com/UNC-CS350>
- Repo - CS350
- Exercises
 - Pair_Programming.md
 - Results/Programming_Pairs.md
 - crud.py
 - crud-solved.py

✧ Exercise Results

- [seam1870/crud.py](#)

Pair Programming Guidelines



- ✧ Work in Pairs (1 keyboard + 2 brains)
- ✧ Switch for every iteration (micro-story)
- ✧ Test - Code - Refactor (Fail, Pass, Beautify)
- ✧ Typer - Talker
- ✧ Check your ego at the door —> Cooperate
- ✧ Save both product and test code
- ✧ Execute all tests for each micro-story
- ✧ Record a log of your time on each test
- ✧ Use the main script hack to run your code directly

Pair Programming Success



- ✧ Both people are fully engaged and focused on the problem.
- ✧ A major breakthrough happened
- ✧ Code works as desired
- ✧ Tests can be run 6 months from now
- ✧ Code is beautifully simple
- ✧ Either person is an expert

When do we do Pair Programming?



- ✧ Problematic code (nasty piece of work)
- ✧ Refactoring needed
- ✧ Tests needed
- ✧ Complex problem
- ✧ Cross-training
- ✧ Critical need for reliability

Types of Testing



- ✧ Unit testing – isolated features
- ✧ Component testing – features in context
- ✧ System testing – end-to-end

Development travels at the speed of test

Author CRUD - Functions



- `def add_author (name, email, password):`
- `def list_authors ():`
- `def get_author (name):`
- `def edit_author (name, email):`
- `def delete_author (name):`

Article CRUD - Functions



- def **add_article** (user, title, body):
- def **list_articles** (user, title):
- def **get_article** (user, title):
- def **edit_article** (user, title, body):
- def **delete_article** (user, title):

Development Exercise



✧ Development loop

- Edit
- Test
- Integrate

✧ Create Author and Article

- Create
- Read
- Update
- Delete

Test-Driven Development



✧ Each feature

- Select a feature
- Write a failing test
- Write just enough code to pass test
- Refactor until beautiful

✧ Development travels at the speed of test

Version Control



- ✧ Create a folder in the **Exercise Results** with your **BearID**
- ✧ Convert your plan into Markdown
 - Project Plan
 - Technology Plan
 - Design Plan
 - Development Plan

Power of Wishful Thinking



- ✧ Top-down design
- ✧ Bottom-up construction
- ✧ Middle-out testing