

Contents

Registry Software  
(/display/DOC/Registry+S  
Research Vocabularies  
(/display/DOC/Research+  
DOI Service  
(/display/DOC/DOI+Servic  
Handle Service  
(/display/DOC/Handle+Se  
IGSN Service  
(/display/DOC/IGSN+Serv  
Content Providers Guide  
(/display/DOC/Content+P  
About RIF-CS  
(/display/DOC/About+FC  
CS)  
Research Data Australi  
(/display/DOC/Researc  
RIF-CS elements  
(/display/DOC/RIF-  
CS+elements)  
Access policy  
(/display/DOC/Acces  
Access rights  
(/display/DOC/Acces  
Activity  
(/display/DOC/Activi  
Citation information  
(/display/DOC/Citati  
Collection  
(/display/DOC/Collec  
Coverage  
(/display/DOC/Cover  
Dates: collections  
(/display/DOC/Dates  
Description  
(/display/DOC/Descr  
Electronic address  
(/display/DOC/Electr  
Existence dates  
(/display/DOC/Existe  
Group  
(/display/DOC/Group  
Identifier  
(/display/DOC/Identi  
Key  
(/display/DOC/Key)  
Licence  
(/display/DOC/Licen  
Location  
(/display/DOC/Locat  
Name  
(/display/DOC/Name  
Originating source  
(/display/DOC/Origin  
Party  
(/display/DOC/Party)  
Physical address  
(/display/DOC/Physi  
Registry object  
(/display/DOC/Regis  
Related information  
(/display/DOC/Relate  
Related objects and i  
(/display/DOC/Relate

... / rif-cs elements (/display/doc/rif-cs+elements?src=breadcrumbs-parent)

# Citation information (/display/DOC/Citation+information)

Cr  e  e par Susannah Bacon, derni  re modification par Kerry Levett le 11 avr., 2018  
(/pages/diffpagesbyversion.action?pagelid=68290645&selectedPageVersions=3&selectedPageVersions=4)

Meaning & purpose | Citation Information attributes | Use in Research Data Australia | Best practice | XML encoding examples | Change history

## Meaning & purpose

Citation is the preferred form for citing a dataset or collection to enable data to be referenced in the same way as researchers routinely provide a bibliographic reference to publications. Use of this element enables datasets to be cited independently of any associated publications. Citation of datasets promotes recognition of their value as research outputs in their own right and facilitates reuse.

Citation metadata can be recorded as a single text string or split into its components that can be more readily machine-read (preferred). The CitationInfo element is a wrapper for the child elements:

- **CitationMetadata**: component elements that describe a citation; or
- **FullCitation**: a single text string that describes a citation

The child elements listed below are contained within the CitationMetadata wrapper element. The format and obligations of the elements ensure the CitationMetadata element is flexible and extensible enough to cater for citation requirements across disciplines, and is closely aligned with other standards including the DataCite Metadata Schema (<http://schema.datacite.org/>):

- an **Identifier**, and its Type (see the list of Citation Information Identifier Types below). The Identifier element and its Type are mandatory.
- a **Contributor**(s) for the main researchers involved in producing the data, or the authors of the publication, in priority order. A Contributor is mandatory. Optionally, Contributor names may be expressed using the NamePart (/display/DOC/Name) child element.
- a **Title** for the name of the dataset or collection. A Title is mandatory.
- the **Version** of the dataset or collection. Version is optional.
- a **Publisher** of the dataset or collection (the name of the entity that holds, archives, published, prints, distributes, releases, issues or produces the resource). As this property is used to formulate the citation, consider the prominence of the role. In the case of datasets, "publish" is understood to mean making the data available to the community of researchers. A Publisher is mandatory.
- the **PlacePublished** (location name) for the dataset or collection. A PlacePublished is optional.
- a **Date** associated with the publication of the dataset or collection. A Date is mandatory.
- the **Url** of the dataset or collection being described. A URL is only required if the Identifier does not resolve or provide access to the data.
- the **Context** (e.g. series title, database name) of the resource being cited. Context is optional.

## Citation Information attributes

### Citation Metadata

#### Citation Identifier Type

If CitationMetadata is used, an Identifier and its Type are required. Preferably specify a type from the Identifier Type vocabulary. Local types may also be used.

Click here to view table...

Type	Explanation
abn	Australian Business Number ( <a href="http://www.abr.business.gov.au/Index.aspx">http://www.abr.business.gov.au/Index.aspx</a> )
arc	Australian Research Council ( <a href="http://arc.gov.au/">http://arc.gov.au/</a> ) identifier (Grant ID)
ark	Archival Resource Key ( <a href="http://confluence.ucop.edu/display/Curation/ARK">http://confluence.ucop.edu/display/Curation/ARK</a> ) identifier administered by

Rights (/display/DOC/Right: Rights statement (/display/DOC/Right: Service (/display/DOC/Service Spatial coverage (/display/DOC/Spatial location (/display/DOC/Spatial location (/display/DOC/Spatial location Subject (/display/DOC/Subject Temporal coverage (/display/DOC/Temporal coverage Metadata for Impact: r (/display/DOC/Metadata for Impact: r CS+work+for+you) Help (/display/DOC/Help) RIF-CS Advisory Board (/display/DOC/RIF-CS+Advisory+Board) Technical Updates - Archive (/display/DOC/Technical Updates - Archive) Online Services User Guide (/display/DOC/Online+Services+User+Guide) ANDS DataCite Client API (/display/DOC/ANDS+DataCite+Client+API) Contact Us (/display/DOC/Contact+Us) ARDC Google account and (/display/DOC/ARDC+Google+Account)		the University of California Digital Library
	AU-ANL:PEAU	National Library of Australia party identifier ( <a href="http://www.andis.org.au/working-with-data/citation-and-identifiers/identifying-researchers/trove-and-tim">http://www.andis.org.au/working-with-data/citation-and-identifiers/identifying-researchers/trove-and-tim</a> ) (formerly nla:)
	doi	Digital Object Identifier Name ( <a href="http://www.doi.org/index.html">http://www.doi.org/index.html</a> )
	ean13	International Article Number ( <a href="http://en.wikipedia.org/wiki/International_Article_Number">http://en.wikipedia.org/wiki/International_Article_Number</a> )
	eissn	electronic International Standard Serial Number ( <a href="http://www.issn.org/">http://www.issn.org/</a> )
	fundref	CrossRef Funder Registry ( <a href="http://www.crossref.org/services/funder-registry/">http://www.crossref.org/services/funder-registry/</a> ) of standardised funder names
	grid	Global Research Identifier Database ( <a href="https://www.grid.ac/">https://www.grid.ac/</a> )
	handle	HANDLE ( <a href="http://www.handle.net/index.html">http://www.handle.net/index.html</a> ) System Identifier
	igsn	International Geo Sample Number ( <a href="http://www.geosamples.org/igsabout">http://www.geosamples.org/igsabout</a> )
	infouri	'info' URI scheme ( <a href="http://info-uri.info/registry/docs/misc/faq.html">http://info-uri.info/registry/docs/misc/faq.html</a> ) administered by OCLC on behalf of NISO
	isbn	International Standard Book Number ( <a href="http://www.isbn.org/">http://www.isbn.org/</a> )
	isil	International Standard Identifier for Libraries and Related Organizations ( <a href="https://www.iso.org/standard/57332.html">https://www.iso.org/standard/57332.html</a> )
	isni	International Standard Name Identifier ( <a href="http://www.isni.org/">http://www.isni.org/</a> )
	issn	International Standard Serial Number ( <a href="http://www.issn.org/">http://www.issn.org/</a> )
	istc	International Standard Text Code ( <a href="http://www.istc-international.org/">http://www.istc-international.org/</a> )
	lissn	linking ISSN (ISSN-L) ( <a href="http://www.issn.org/2-22637-What-is-an-ISSN-L.php">http://www.issn.org/2-22637-What-is-an-ISSN-L.php</a> )
	local	identifier unique within a local context
	mediaType	The Media Type (MIME type) of the information taken from the IANA assignment list ( <a href="http://www.iana.org/assignments/media-types/index.html">http://www.iana.org/assignments/media-types/index.html</a> )
	nhmrc	National Health and Medical Research Council grant identifier ( <a href="http://www.nhmrc.gov.au/">http://www.nhmrc.gov.au/</a> )
	orcid	Open Researcher and Contributor Identifier ( <a href="http://orcid.org/">http://orcid.org/</a> )
	pubMedID	US Library of Medicine PubMed Unique Identifier ( <a href="http://www.ncbi.nlm.nih.gov/pubmed/">http://www.ncbi.nlm.nih.gov/pubmed/</a> )
	purl	Persistent Uniform Resource Locator ( <a href="http://purl.org/">http://purl.org/</a> )
	raid	Research Activity Identifier ( <a href="https://www.raid.org.au/">https://www.raid.org.au/</a> )
	researcherID	Thomson Reuters ResearcherID ( <a href="http://www.researcherid.com/">http://www.researcherid.com/</a> )
	scopusID	Scopus ( <a href="https://www.scopus.com/">https://www.scopus.com/</a> ) author identifier
	upc	Universal Product Code ( <a href="http://www.upc-search.org/">http://www.upc-search.org/</a> )
	uri	Uniform Resource Identifier ( <a href="http://www.ietf.org/rfc/rfc3986.txt">http://www.ietf.org/rfc/rfc3986.txt</a> )
	urn	Uniform Resource Name ( <a href="http://www.ietf.org/rfc/rfc2141.txt">http://www.ietf.org/rfc/rfc2141.txt</a> )

## Citation Date Type

If CitationMetadata is used, a Date and its Type are required. Preferably specify a type from the Citation Date Type vocabulary. Local types may also be used.

[Click here to view table...](#)

Type	Explanation
publicationDate	the date when the data was or will be made publicly available
available	the date the resource is made publicly available. May be a range, or indicate the end of an embargo period
created	the date the resource itself was put together; this could be a date range or a single date for a final component, e.g. the finalised file with all of the data
date	any relevant date not otherwise specified

dateAccepted	the date that the publisher accepted the resource into their system
dateSubmitted	the date the creator submits the resource to the publisher. This could be different from dateAccepted if the publisher then applies a selection process
endPublicationDate	use when publicationDate is a range
issued	the date that the resource is published or distributed e.g. to a data centre
modified	the date of the last update to the resource, when the resource is being added to. (Equivalent to Datacite 'Updated')
startPublicationDate	use when publicationDate is a range
valid	the date or date range during which the dataset or resources are accurate

#### Citation Contributor Sequence attribute

If more than one contributor is recorded in CitationMetadata, the Sequence attribute can optionally be used to specify the order in which contributors should appear in a formatted citation. Use cardinal numbers to denote the sequence.

#### Full Citation

##### Citation Style attribute

If a citation is provided as a block of text within the FullCitation element, optionally the Style attribute can be specified, preferably from the Citation Style vocabulary. Local terms may also be used.

[Click here to view table...](#)

@style	Explanation
Harvard	Harvard University
APA	American Psychological Association
MLA	Modern Language Association of America
Vancouver	International Committee of Medical Journal Editors
IEEE	Institute of Electrical and Electronic Engineers
CSE	Council of Science Editors
Chicago	Chicago Manual of Style
AMA	American Medical Association
AGPS-AGIMO	Australian Style Manual
AGLC	Australian Guide to Legal Citation
ACS	American Chemical Society
Datacite	International Data Citation

#### Use in Research Data Australia

Where CitationInfo has been provided, the citation will display in Research Data Australia when the 'Cite' button is clicked:

- Citations provided in CitationMetadata will display (<http://researchdata.andcs.org.au/monthly-drought-data-for-australia-1890-2008-using-the-hutchinson-drought-index>) in the DataCite format (<http://www.datacite.org/cite-your-data.html>)
- Citations provided in FullCitation will display (<http://researchdata.andcs.org.au/water-research-australia-1008-bacteriology/561021>) in the style provided e.g. APA, Vancouver.

The citation can be exported (<http://services.ands.org.au/documentation/EndNoteHelp/>) to referencing software such as EndNote or EndNote Web.

Citation identifiers are displayed within Research Data Australia (<https://documentation.ands.org.au/display/DOC/Research+Data+Australia+functionality+and+display/#ResearchDataAustraliaIdentifier>) **as provided by the data provider**, as clickable links (when possible), and prefixed with the identifier type.

## Best practice

Providing a citation for collections in Research Data Australia is recommended. Citations support the reuse of, and long-term access to, collections.

- Use CitationMetadata in preference to FullCitation as it facilitates reuse of citation information by third parties, e.g.
  - exporting records to bibliographic software such as EndNote (<http://services.ands.org.au/documentation/EndNoteHelp/>) and Mendeley
  - citation tracking and indexing services such as the Data Citation Index (<http://www.ands.org.au/online-services/research-data-australia/data-citation-index>).
- Contributors included in the citation should be linked to the collection record containing the citation in either of two ways:
  - By providing the party identifier(s) (e.g. ORCID) in the RelatedInfo (/display/DOC/Related+information) element, or
  - By being described in party records and linked to the collection record in the RelatedObject (/display/DOC/Related+objects+and+relationships) element.
- Preferably specify a Citation Style if FullCitation is used.

### Identifier and URL elements in CitationMetadata

- The Identifier element is required to facilitate conformity with citation schemas such as DataCite which includes the identifier as a mandatory element. Preferably provide a globally unique, persistent and resolvable identifier for the collection (preferably a DOI) in the CitationMetadata Identifier element. (If a resolvable identifier is provided in the Identifier (/display/DOC/Identifier) element of the collection record, then use this in the CitationMetadata Identifier element).
- The URL element (to access the data) is required only where the CitationMetadata Identifier element is not resolvable or does not provide access to the data (URLs are not explicitly provided for in the DataCite schema, since DOIs are assumed to be resolvable). If the Identifier element already contains a URL, then this should not be repeated in the URL element.

## XML encoding examples

For the reference: Irino, T; Tada, R (2009): Chemical and mineral compositions of sediments from ODP Site 127-797. Geological Institute, University of Tokyo. doi:10.1594/PANGAEA.726855.

### CitationMetadata example (mandatory elements included):

```
<citationInfo>
  <citationMetadata>
    <identifier type="doi">https://doi.pangaea.de/10.1594/PANGAEA.726855 (https://doi.pangaea.de/10.1594/PANGAEA.726855)
    <contributor seq="1">
      <namePart type="family">Irino</namePart>
      <namePart type="given">T</namePart>
    </contributor>
    <contributor seq="2">
      <namePart type="family">Tada</namePart>
      <namePart type="given">R</namePart>
    </contributor>
    <title>Chemical and mineral compositions of sediments from ODP Site 127-797</title>
    <publisher>Geological Institute, University of Tokyo</publisher>
    <date type="publicationDate">2009</date>
  </citationMetadata>
</citationInfo>
```

### CitationMetadata example (some optional elements included):

```
<citationInfo>
  <citationMetadata>
```

```

<identifier type="local">CIT001</identifier>
<contributor seq="1">
  <namePart type="family">Butler</namePart>
  <namePart type="given">C</namePart>
</contributor>
<contributor seq="2">
  <namePart type="family">Stevenson</namePart>
  <namePart type="given">R</namePart>
</contributor>
<title>Oral History 2</title>
<version>1st edition</version>
<placePublished>Houston, Texas</placePublished>
<publisher>NASA Johnson Space Center</publisher>
<date type="date">1999</date>
<url>http://www11.jsc.nasa.gov/history/oral_histories/oral_histories.htm (http://www11.jsc
</citationMetadata>
</citationInfo>

```

**FullCitation example:**

```

<citationInfo>
  <fullCitationstyle="Datacite"> Irino, T; Tada, R (2009): Chemical and mineral compositions
</fullCitation>
</citationInfo>

```

## Change history


Click here to view...

Date	Change history
26 Oct 2010	First publication
24 Jan 2011	Corrected RIF-CS examples to reflect required sequence of elements; added link to Datacite examples page
13 July 2011	Additional information about exporting citation information
21 July 2011	Removed link to now-deleted DataCite examples page
21 Nov 2011	Added information about new publisher element introduced with RIF-CS v1.3.0, amended examples to include publisher, added definitions for date vocabulary
29 Nov 2011	Added link to information about URL displays for identifiers
30 Nov 2011	Corrected date type in second RIF-CS example (was "year", now "date")
10 Oct 2012	Removed "initial" name parts from xml examples
19 Nov 2012	Updated to reflect changes endorsed by RAB to align this element with the DataCite schema
12 Dec 2013	Added information to the Best Practice and Use in Research Data Australia sections.
15 July 2014	Added information about exporting Research Data Australia records to EndNote.

[Content Providers Guide \(/label/DOC/cpg\)](#)
**ANDS, NeCTAR, and RDS**

ANDS Services |  
[services@ands.org.au](mailto:services@ands.org.au)  
 (mailto:services@ands.org.au?  
 subject=Support%20Request)

**Site**

Home (/homepage.action)  
 Contact Us   
 (<http://ands.org.au/contact.html>)

**Resources**

Service Desk (<https://jira.ands.org.au>)  
 Developers.ands  
 (<http://developers.ands.org.au>)  
 Data Snippets Blog  
 (<http://andscentral.blogspot.com.au/>)

**Organisation**

ANDS Website  
 (<http://ands.org.au>)  
 Share Newsletter  
 (<http://ands.org.au/newsletters/>)

**Share**

Twitter (<https://twitter.com/andsd>)  
 Google (<https://plus.google.com/ur=https://researchdata.ands.org>)  
 Facebook (<http://www.facebook.cu=https://researchdata.ands.org.a>)

LinkedIn  
(<https://au.linkedin.com/company/national-data-service-and-s>)

Powered by [Atlassian Confluence](http://www.atlassian.com/software/confluence) (<http://www.atlassian.com/software/confluence>) with an Open-Source License.