

Object-Oriented Programming

Session: Week 7 Session 1

Instructor: Eric Pogue



Agenda:

1. Review this week's Assignments
2. Introduce the week's Learning Objectives
3. Topics
4. Leaving time for you to start working on "Create a Picture Viewer" tutorial

Review Questions Assignment

Week 7 Questions Assignment [\[link\]](#)

Week 7 Questions Assignment:

<http://www.epogue.info/CPSC-24500/Week07/2017SpringW07QuestionsAssignment.docx>

Review Programming Assignment

Week 7 Programming Assignment [\[link\]](#)

Week 7 Programming Assignment:

<http://www.epogue.info/CPSC-24500/Week07/2017SpringW07ProgrammingAssignment.pdf>

Learning Objectives – Week 7

Using Visual Studio 2017, C#, and .NET we will:

1. Review and implement information hiding
2. Download documents from remote Web (HTTP) servers
3. Parse data expressed in XML format
4. Perform basic drawing operations
5. Separate an application's functionality among classes
6. Separate code among files and libraries that you can reuse in other applications
7. Review a Model-View-Controller application

Encapsulation & Information Hiding

Encapsulation is used to hide data from outside classes. C# has three primary (five total) types of access modifiers to encapsulate data. In order to better encapsulate our code and implement data hiding prioritize our access modifiers:

1. Private: only elements of the same class has access
2. Protected: only elements off the same class and descendent classes have access
3. Public: any code has access

Additional C# modifiers include:

Internal: only code in the same assembly has access

Protected Internal: Either code from the derived type or code in the same assembly has access

Review Java Setters & Getters

Setters and Getters are a practice where public Methods are put in place to control how private Attributes are updated.

They can be beneficial in:

- Validation
- Optimization
- Converting types (English to metric)
- Debugging breakpoints
- Some libraries expect setters and getters

Shapes with Setters and Getters:

```
// Shapes Step: Setters and Getters
abstract class Shape {
    private int positionX;
    private int positionY;

    public int getPositionX() {
        return positionX;
    }

    public void setPositionX(int positionXIn) {
        positionX = positionXIn;
    }

    public int getPositionY() {
        return positionY;
    }

    public void setPositionY(int positionYIn) {
        positionY = positionYIn;
    }

    public Shape() {
        positionX = 0;
        positionY = 0;
    }
}
```

Why use Setters & Getters? Because 2 weeks (months, years) from now when you realize that your setter needs to do more than just set the value, you'll also realize that the property has been used directly in 238 other classes. (Internet quote)

C# Setters & Getters

Setters and Getters are a practice where public Methods are put in place to control how private Attributes are updated.

They can be beneficial in:

- Validation
- Optimization
- Converting types (English to metric)
- Debugging breakpoints
- Some libraries expect setters and getters

C# Auto-Implement Properties

A property is a member that provides a flexible mechanism to read, write, or compute the value of a private field. Auto-Implement Properties provide a very concise syntax for implanting setters and getters.

```
// Partial class from RandomNumberThreadedCS project
class GetRandomNumbers {
    private long timesToLookFor1024;
    public long getTimesToLookFor1024() { return timesToLookFor1024; }
    public void setTimesToLookFor1024(long timesToLookFor1024In) {
        timesToLookFor1024 = timesToLookFor1024In;
    }
    ...
}

// Same partial call using C# Auto-Implement properties
// Auto-Implemented Properties:
// https://msdn.microsoft.com/en-us/library/bb384054.aspx
class GetRandomNumbers {
    public long timesToLookFor1024 { get; set; }
    ...
}
```

Very concise, but really doesn't protect us from the most challenging parts of hiding data.

```
public string FirstName { get; set; } = "Jane";
```

Why use Setters & Getters? Because 2 weeks (months, years) from now when you realize that your setter needs to do more than just set the value, you'll also realize that the property has been used directly in 238 other classes. (Internet quote)

Encapsulation & Information Hiding Recommendation

1. Make everything local to a Method
2. Make everything a Method Parameter
3. Make everything Private...
4. If you must make it Protected or Public, provide “real” setters and getters

Encapsulation & Information Hiding Suggestions

1. Make everything local to a Method
2. Make everything a Method Parameter
3. Make everything Private...
4. If you must make it Protected or Public, provide “real” setters and getters

Download documents from remote Web (HTTP) servers

Multiple .NET (C#) classes and methods are provided that wrap various network protocols. For Web (HTTP) the .NET environment provides the WebClient class which:

- Is most often used to retrieve files
- Can access multiple Internet file types including HTML, XML, JSON, etc.
- Utilized HTTP or HTTPS for communication

There are a multitude of network and Internet protocols. It is beyond the scope of this class to cover them in detail.

XML

In computing, XML (Extensible Markup Language) is a markup language that defines a set of rules for encoding documents in a format that is both human-readable and machine-readable. It is an open standard that:

- Supports nearly all development languages and platforms
- Allows us to cross between many applications
- Can result in large files
- Supports schema to validate data

```
<?xml version="1.0" encoding="UTF-8"?>

<shiporder orderId="889923"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="shiporder.xsd">
  <orderperson>John Smith</orderperson>
  <shipto>
    <name>Ola Nordmann</name>
    <address>Langgt 23</address>
    <city>4000 Stavanger</city>
    <country>Norway</country>
  </shipto>
  <item>
    <title>Empire Burlesque</title>
    <note>Special Edition</note>
    <quantity>1</quantity>
    <price>10.90</price>
  </item>
  <item>
    <title>Hide your heart</title>
    <quantity>1</quantity>
    <price>9.90</price>
  </item>
</shiporder>
```

JSON

JSON (JavaScript Object Notation) is a lightweight data-interchange format. It is easy for humans to read and write. It is easy for machines to parse and generate. It is an open standard that:

- Supports nearly all development languages and platforms
- Allows us to cross between many applications
- Can result in large files

```
{
  "firstName": "John",
  "lastName": "Smith",
  "isAlive": true,
  "age": 25,
  "address": {
    "streetAddress": "21 2nd Street",
    "city": "New York",
    "state": "NY",
    "postalCode": "10021-3100"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "212 555-1234"
    },
    {
      "type": "office",
      "number": "646 555-4567"
    },
    {
      "type": "mobile",
      "number": "123 456-7890"
    }
  ],
  "children": [],
  "spouse": null
}
```

JSON is an open-standard format that uses human-readable text to transmit data objects consisting of attribute–value pairs. It is a very common data format used for asynchronous browser/server communication, including as a replacement for XML in some web service style systems.

Binary Files

A binary file is a computer file that is not a text file. The term "binary file" is often used as a term meaning "non-text file". They can be open or closed formats that are generally:

- Fast, small, and efficient*
- Often not very portable across applications and platforms
- Difficult to maintain backward compatibility

```
0000000 0000 0001 0001 1010 0010 0001 0004 0128
0000010 0000 0016 0000 0028 0000 0010 0000 0020
0000020 0000 0001 0004 0000 0000 0000 0000 0000
0000030 0000 0000 0000 0010 0000 0000 0000 0204
0000040 0004 8384 0084 c7c8 00c8 4748 0048 e8e9
0000050 00e9 6a69 0069 a8a9 00a9 2828 0028 fdfe
0000060 00fc 1819 0019 9898 0098 d9d8 00d8 5857
0000070 0057 7b7a 007a bab9 00b9 3a3c 003c 8888
0000080 8888 8888 8888 8888 288e be88 8888 8888
0000090 3b83 5788 8888 8888 7667 778e 8828 8888
00000a0 d61f 7abd 8818 8888 467c 505f 8814 8188
00000b0 8b06 e8f7 88aa 8388 8b3b 88f3 88bd e988
00000c0 8a18 880c e841 c988 b328 6871 688e 958b
00000d0 a948 5862 5884 7e81 3788 1ab4 5a84 3eec
00000e0 3d86 dcb8 5cbb 8888 8888 8888 8888 8888
00000f0 8888 8888 8888 8888 8888 8888 8888 0000
0000100 0000 0000 0000 0000 0000 0000 0000 0000
*
0000130 0000 0000 0000 0000 0000 0000 0000
000013e
```

Some people would say that binary files include all files, and that text files are just binary files that are being interpreted in a specific way.

Parse data expressed in XML format

Simple XML files can be parsed “by hand” without much difficulty. In addition, the .NET (C#) environment offers multiple classes that can assist in parsing XML including:

- XmlReader
- LINQ to XML [\[link\]](#)

Preview HideDataDownloadXML Example

Features:

1. Develop application entirely in Visual Studio 2017 and C#
2. Take in one command line argument that is the URL to download
3. Implement multiple C# classes that appropriately hide data
4. Download HTML and XML files from various URLs
5. Get ready for parsing XML

Object-Oriented Programming

Session: Week 7 Session 1

Instructor: Eric Pogue



Agenda:

1. Review this week's Assignments
2. Introduce the week's Learning Objectives
3. Topics
4. Leaving time for you to start working on "Create a Picture Viewer" tutorial

End of Session

Course Number: CPSC-24500

Week: 7

Session: 1

Instructor: Eric Pogue

Object-Oriented Programming

Session: Week 7 Session 2

Instructor: Eric Pogue



HideDataDownloadXML Example:

1. Develop application entirely in Visual Studio 2017 and C#
2. Take in one command line argument that is the URL to download
3. Utilize Web (HTTP) protocols to download HTML and XML files
4. Get ready for parsing XML
5. Implement multiple C# classes that appropriately hide data

Web (HTTP) Protocol

The Hypertext Transfer Protocol (HTTP) is an application protocol for distributed, collaborative, and hypermedia information systems. HTTP is the foundation of data communication for the World Wide Web [\[link\]](#):

- Network protocols like HTTP and HTTPS ARE used to protect data!
- HTTP defines methods (sometimes referred to as verbs) to indicate the desired action to be performed on the identified resource including:
 - GET: requests a resource
 - POST: requests that the server accept the entity enclosed in the request
 - Many, many more
- Most often uses a Web browser as a client
- A variety of Web servers are available
- TCP, IP, HTTP, HTTPS, HTML, XML, JSON
- Web Server: A server that utilizes TCP/IP and responds on Port 80 from a given IP address using HTTP or HTTPS and generally returns HTML (or XML or JSON)

TCP/IP: Transmission Control Protocol / Internet Protocol

HTTP: Hypertext Transfer Protocol

HTTPS: Hypertext Transfer Protocol Secure

SSL: Secure Sockets Layer

HTML: Hypertext Markup Language

XML: Extensible Markup Language

JSON:

Web Server: A server that utilizes TCP/IP and responds on Port 80 from a given IP address using HTTP and generally returns HTML.

End of Session

Course Number: CPSC-24500

Week: 7

Session: 2

Instructor: Eric Pogue

Object-Oriented Programming

Session: Week 7 Session 3

Instructor: Eric Pogue



HideDataDownloadXML Example:

1. Develop application entirely in Visual Studio 2017 and C#
2. Take in one command line argument that is the URL to download
3. Utilize Web (HTTP) protocols to download HTML and XML files
4. Parsing XML
5. Implement multiple C# classes that appropriately hide data

End of Session

Course Number: CPSC-24500

Week: 7

Session: 3

Instructor: Eric Pogue

Object-Oriented Programming

Session: Week 7 Session 1

Instructor: Eric Pogue



Agenda:

1. Reminder on Requesting Graded Homework Assignments
2. Review Week 7 To-do List [\[link\]](#)
 - Recognize that it may be valuable to review items “8a” and “8b” before this “Week 7 session 1” video
 - Don’t forget your Bb postings
3. Discuss this week’s Assignments
 - Week 7 Questions Assignment [\[link\]](#)
 - Week 7 Programming Assignment [\[link\]](#)
4. Review the week’s Learning Objectives
5. Continue with More Learning Objective Topics

Learning Objectives – Week 7

Using Visual Studio 2017, C#, and .NET we will:

1. Review and implement information hiding
2. Download documents from remote Web (HTTP) servers
3. Parse data expressed in XML format
4. Separate an application's functionality among classes
5. Separate code among files and libraries so that you can reuse in other applications
6. Review a Model-View-Controller application
7. Perform basic drawing operations... as time allows

"git clone <https://github.com/EricJPogue/CPSC-24500.git>

Separate C# Files

C# code can be easily separated into files and be shared between application as source code. Pros and cons include:

- Utilizing source code management (GIT) to manage it within or between applications
- Sharing actual C# source code required (pro or con)
- Compiling required in order to utilize (con)
- Utilizing C# required (con)
- Very similar to how we did it with Java and other languages

Libraries and Components

The terms Libraries, Components, and Frameworks are often used interchangeably. For our purposes we will utilize the term Component. C# code can be compiled into Components that can then be utilized in other applications. Pros and cons include:

- Distributing source code is optional (pro)
- Hiding of information and implementation enforced (pro)
- Multiple (often incompatible) methods including DLLS, COM, .NET, etc. on Windows (con)
- Language agnostic (pro)

Microsoft has a long history of providing (mostly incompatible) mechanisms to develop, deploy, and utilize component architectures. Over time component architectures have evolved into Service Oriented Architectures (SOA).

Components: A binary (compiled) package that contains local application functions/methods or APIs (Application Programming Interfaces) that can be utilized during development or run-time. JAR files are an example of a component. The functions/methods run locally on the same computer as the application. Note: the fact that they run on the same computer is why information hiding and components do not provide data security.

Service: A remote API that (generally) runs on a separate machine accessed by a network protocol (HTTP, REST, SOAP).

Service Oriented Architecture

Service Oriented Architectures (SOA) utilize standard network protocols to implement Encapsulation, Interface Inheritance (vs Implementation Inheritance), “limited” polymorphic abilities, operating system independence, and language independence. Pros and cons include:

- Security can be enforced at the network level (pro)
- “Components” do not have to run on the same operating system (pro)
- “Components” can be run remotely at different companies (pro)
- Cloud centric (pro)
- Performance can be an issue (con)
- Control and security is distributed (con... or pro)
- Legal & Privacy (?)

Components: A binary (compiled) package that contains local application functions/methods or APIs (Application Programming Interfaces) that can be utilized during development or run-time. JAR files are an example of a component. The functions/methods run locally on the same computer as the application. Note: the fact that they run on the same computer is why information hiding and components do not provide data security.

Service: A remote API that (generally) runs on a separate machine accessed by a network protocol (HTTP, REST, SOAP). XML or JSON are generally used within SOAP and REST.

Note: The Common Object Request Broker Architecture (CORBA) is a standard defined by the Object Management Group (OMG) designed to facilitate the communication of systems that are deployed on diverse platforms. It was a mostly failed attempt to implement “full” OOP across the network in a SOA implementation. Over time this gave way to simpler implementation (with less OOP functionality) like SOAP and REST.

Separate ShapeModel in DownloadAndParseXML

Features:

1. Develop application entirely in Visual Studio 2017 and C#
2. Take in one command line argument that is the URL to download
3. Utilize Web (HTTP) protocols to download HTML and XML files
4. Parsing XML
5. Implement multiple C# classes that appropriately hide data
6. Clone class source code
7. Add ToString method to Shape class
8. Separate ShapeModel into separate file called ShapeModel.cs
9. Update source code in Git repository

Steps:

1. git clone <https://github.com/EricJPogue/CPSC-24500.git>
2. Open DownloadAndParseXML solution
3. Add new ShapeModel class .cs file
4. Cut and past ShapeModel source into new file
5. Change NameSpace to ShapeModelXML
6. Update Program.cs to with "Using ShapeModelXML;"
7. Compile & debug
8. git add ShapeModel.cs
9. git commit
10. git push

Learning Objectives – Week 7

Using Visual Studio 2017, C#, and .NET we will:

1. Review and implement information hiding
2. Download documents from remote Web (HTTP) servers
3. Parse data expressed in XML format
4. Separate an application's functionality among classes
5. Separate code among files and libraries so that you can reuse in other applications
6. Review a Model-View-Controller application
7. Perform basic drawing operations

"git clone <https://github.com/EricJPogue/CPSC-24500.git>

Implement DownloadAndParseXML_MVC

Features:

1. Develop new application entirely in Visual Studio 2017 and C#
2. Implement ShapeController using "Project|Add New Item"
3. "Import" ShapeModel into ShapeController using "Project|Add Existing Item"
4. Implement ShapeConsoleView

Recognize that we may have multiple Models, Views, and Controllers in a complex application. We could end up with names like "SimpleShapeModel_ShapeConsoleView_Controller". We will keep it very simple for our example.

Steps:

1. Create a new Visual Studio 2017 project named "DownloadAndParseXML_MVC"
2. Add a new Class and .cs file called ShapeController
3. Create a new "ShapeController" in Main
4. "Import" ShapeModel from DownloadAndParseXML... copy ShapeModel.cs file
5. Add "Using ShapeModelXML;" to ShapeController
6. Enhance ShapeController with ShapeModel
7. Implement ShapeConsoleView

Learning Objectives – Week 7

Using Visual Studio 2017, C#, and .NET we will:

1. Review and implement information hiding
2. Download documents from remote Web (HTTP) servers
3. Parse data expressed in XML format
4. Separate an application's functionality among classes
5. Separate code among files and libraries so that you can reuse in other applications
6. Review a Model-View-Controller application
7. Perform basic drawing operations

Implement DrawShapes

Features:

1. Develop new application entirely in Visual Studio 2017 and C#
2. Create a new Windows Forms (.NET Framework) application called DrawShapes
3. Add a button called DrawNow with button text of "Draw"
4. Edit the button pressed code to draw Ovals and Rectangles
5. Create separate methods to draw and an Oval and a Rectangle
6. Draw a few Ovals and Rectangles

End of Session

Course Number: CPSC-24500

Week: 7

Session: 4

Instructor: Eric Pogue