## Take the Cue

# **Project Summary and Goals**

Ernest Selman selmae@mcmaster.ca 1201291

Eric Le Fort leforte@mcmaster.ca 1308609  $\begin{array}{c} {\rm Guy~Meyer} \\ {\rm meyerg@mcmaster.ca} \\ 1320231 \end{array}$ 

Andrew Danha danhaas@mcmaster.ca 1223881

 $\begin{array}{c} {\rm Max~Moore} \\ {\rm moorem8@mcmaster.ca} \\ {\rm 1320009} \end{array}$ 

Derek Savery saverydj@mcmaster.ca 1219142

## Contents

1	Project Summary	2
2	Success Criteria	2
3	Mid-Level Goals	2
4	High-Level Goals	2
$\mathbf{L}$	ist of Figures	
	1 Revision History	1

Date	Revision #	Comments	Authors
	0	- Initial document creation	Ernest Selman
			Eric Le Fort
DD/MM/YYYY			Guy Meyer
			Andrew Danha
			Max Moore
			Derek Savery

Figure 1: Revision History

### 1 Project Summary

The aim of this project is to create an automated pool playing robot. This robot will be able to play pool against a human opponent for recreation or training purposes as determined by the user.

What follows is a breakdown of what the system will do step-by-step in more specific detail. To initiate the robot's turn, the user will press a button signifying that the system should begin. A camera will then be used to view the table and, using visual recognition algorithms, map out the positions of the pool balls. Our system will then determine the best angle at which to take a shot and how to move the equipment to that position. Once that is done, the robot will move into place, lining up the shot. Using a specialized, built-in pool cue, the robot will then make its shot.

Once it is the user's turn, the user will also be able to press a button to indicate to the robot that it needs to move in order to give room for the human player's shot. The robot will then move to a position that is out of the way.

#### 2 Success Criteria

In order for the project to be considered a success, minimum criteria must be met. These minimums are that:

- 1. 90% of the time a straight shot will have the cue ball hit a ball that it chooses itself;
- 2. 50% of the time, the system should be able to sink the intended ball if it's a straight shot, and;
- 3. Users of this system must not be placed at risk by the system at any time.

### 3 Mid-Level Goals

Once success is achieved, these goals will be the immediate avenues toward improvement. These goals include:

- 1. 95% of the time, a straight shot will have the cue ball hit a ball that it chooses itself;
- 2. 70% of the time, a bank shot will have the cue ball hit the intended ball;
- 3. 80% of the time, the cue ball will not be sunk in a shot;
- 4. 75% of the time, the system should be able to sink the intended ball if it can with a straight shot;
- 5. 40% of the time, the system should be able to sink the intended ball with a bank shot when necessary, and;
- 6. The finished project is polished to the point of being marketable.

### 4 High-Level Goals

These goals are what will be going well above what we expect to be able to achieve. They will only be met if we can somehow complete all other goals well before deadline. These goals include:

- 1. 98% of the time, a straight shot will have the cue ball hit a ball that it chooses itself;
- 2. 80% of the time, a bank shot will have the cue ball hit the intended ball;
- 3. 90% of the time, the cue ball will not be sunk in a shot;
- 4. 90% of the time, the system should be able to sink the intended ball if it can with a straight shot;
- 5. 65% of the time, the system should be able to sink the intended ball with a bank shot when necessary;
- 6. shooting the cue ball in such a way that it is placed strategically to make the next player's shot more difficult, and;
- 7. being able to take advanced shots such as curving or putting front- or back-spin on the cue ball.