

Autonomous Pool Playing Robot

Project Summary and Goals

Ernest Selman
selmae@mcmaster.ca
1201291

Eric Le Fort
leforte@mcmaster.ca
1308609

Guy Meyer
meyerg@mcmaster.ca
1320231

Andrew Danha
danhaas@mcmaster.ca
1223881

Max Moore
moorem8@mcmaster.ca
1320009

Derek Savery
saverydj@mcmaster.ca
1219142

Contents

1	Project Summary	2
2	Success Criteria	2
3	Mid-Level Goals	2
4	High-Level Goals	3

List of Figures

1	Revision History	1
---	----------------------------	---

Date	Revision #	Comments	Authors
18/10/2016	0	- Initial document creation	Ernest Selman Eric Le Fort Guy Meyer Andrew Danha Max Moore Derek Savery
06/03/2017	1	- Corrected revision date -Clarified rules of shot selection -Added goal of being able to play a game to completion	Eric Le Fort

Figure 1: Revision History

1 Project Summary

The aim of this project is to create an automated pool playing robot. This robot will be able to play pool against a human opponent for recreation or training purposes as determined by the user.

What follows is a breakdown of what the system will do step-by-step in more specific detail. To initiate the robot's turn, the user will press a button signifying that the system should begin. A camera will then be used to view the table and, using visual recognition algorithms, map out the positions of the pool balls. Our system will then determine the best angle at which to take a shot and how to move the equipment to that position. Once that is done, the robot will move into place, lining up the shot. Using a specialized, built-in pool cue, the robot will then make its shot.

Once it is the user's turn, the user will also be able to press a button to indicate to the robot that it needs to move in order to give room for the human player's shot. The robot will then move to a position that is out of the way.

Shot selection will involve following the rules of pool. Scores will be assigned to sinking each type of ball based on whether the robot is assigned stripes or solids in two situations: shooting for the 8-ball or not shooting for the 8-ball. If the robot is shooting for the 8-ball, sinking the 8-ball gives a large score and sinking any other ball gives a larger negative score. If the robot is not shooting for the 8-ball, sinking the 8-ball gives a large negative score, sinking the cue ball gives a medium negative score, sinking a ball of the opposite type (i.e. stripes if shooting solids or vice versa) gives a small negative score, and sinking a ball of the correct type gives a small positive value. The optimal shot will be the one that maximizes this score.

2 Success Criteria

In order for the project to be considered a success, minimum criteria must be met. These minimums are that:

1. 90% of the time a straight shot will have the cue ball hit a ball that it chooses itself;
2. 50% of the time, the system should be able to sink the intended ball if it's a straight shot;
3. Users of this system must not be placed at risk by the system at any time, and;
4. 40% of games are able to be played to completion by the machine.

3 Mid-Level Goals

Once success is achieved, these goals will be the immediate avenues toward improvement. These goals include:

1. 95% of the time, a straight shot will have the cue ball hit a ball that it chooses itself;
2. 70% of the time, a bank shot will have the cue ball hit the intended ball;
3. 80% of the time, the cue ball will not be sunk in a shot;
4. 75% of the time, the system should be able to sink the intended ball if it can with a straight shot;
5. 40% of the time, the system should be able to sink the intended ball with a bank shot when necessary;
6. 70% of games are able to be played to completion by the machine, and;
7. The finished project is polished to the point of being marketable.

4 High-Level Goals

These goals are what will be going well above what we expect to be able to achieve. They will only be met if we can somehow complete all other goals well before deadline. These goals include:

1. 98% of the time, a straight shot will have the cue ball hit a ball that it chooses itself;
2. 80% of the time, a bank shot will have the cue ball hit the intended ball;
3. 90% of the time, the cue ball will not be sunk in a shot;
4. 90% of the time, the system should be able to sink the intended ball if it can with a straight shot;
5. 65% of the time, the system should be able to sink the intended ball with a bank shot when necessary;
6. 95% of games are able to be played to completion by the machine;
7. Shooting the cue ball in such a way that it is placed strategically to make the next player's shot more difficult, and;
8. Being able to take advanced shots such as curving or putting front- or back-spin on the cue ball.