# Parabéns! Você foi aprovado!

PARA SER APROVADO 75% ou superior

Continue aprendendo

76,92%

# **Graded quiz on Sets, Number Line,** Inequalities, Simplification, and Sigma **Notation**

**NOTA DO ENVIO MAIS RECENTE** 

76.92%

- Let  $B = \{3, 5, 10, 11, 14\}$ . Is the following statement true or false:  $3 \notin B$ 1 / 1 ponto
  - False
  - True
    - Correto

The symbol ∉ stands for "is not an element of." Since 3 is in an element of the set B, the given statement is not true.

Let  $A = \{1, 3, 5\}$  and  $B = \{3, 5, 10, 11, 14\}$ . Which of the following sets 0 / 1 ponto is equal

to the union  $A \cup B$ ?

- $\bigcirc$  {1, 10, 18}
- (3, 5, 10, 11, 14)
- $\bigcirc$  {1, 3, 5, 10, 11, 14}
- **(1, 3, 5, 3, 5, 10, 11, 14)**

#### **X** Incorreto

An element is never listed more than once in a set. You may find the discussion of "The Inclusion-Exclusion

3.	How many real numbers are there between the integers 1 and 4?	1 / 1 ponto
	None	
	O 4	
	O 2	
	<ul><li>Infinitely many</li></ul>	

Correto

There are in fact infinitely many real numbers between any pair of distinct integers, or indeed any pair of distinct real numbers!

Suppose I tell you that *x* and *y* are two real numbers which make the 1 / 1 ponto statement  $x \ge y$  true. Which pair of numbers <u>cannot</u> be values for x and y?

- $\bigcirc x = 2$  and y = 1

- x = 5 and y = 3.3

## Correto

Recall that the statement  $x \ge y$  means that x is either equal to y or xis to the right of y on the real number line. Since -1 is actually to the left of 0, these cannot be values for x and y.

- Suppose that z and w are two positive numbers with  $z \le w$ . Which of the following inequalities is false?
  - $\bigcirc w 7 > z 7$

1 / 1 ponto

- $\bigcirc z + 3 < w + 3$
- $\bigcirc -z > -w$ 
  - Correto

If we start with  $z \le w$  and multiply both sides by -5, we need to flip the less-than sign, which would give -5z > -5w. For an example, try z = 1 and y = 2 and see what happens!

Find the set of all *x* which solve the inequality  $-2x + 5 \le 7$ 

0 / 1 ponto

- $x \ge -1$
- $\bigcirc x \leq -1$
- $0 x \ge -6$
- x = -1
  - **X** Incorreto

To be fair, x = -1 does satisfy the given inequality, but there are infinitely many other numbers which do!

Which of the following real numbers is not in the closed interval [2,3]

1 / 1 ponto

- 1
- $\bigcirc$  2.1
- 2
- $\bigcirc$  3
  - Correto

Recall that the closed interval [2, 3] consists of all real numbers x which satisfy  $2 \le x \le 3$ . Since  $2 \le 1$  is false,  $1 \not\in$ [2, 3]

- 8. Which of the following intervals represents the set of all solutions to:
- 1 / 1 ponto

- -5 < x + 2 < 10?
- $\bigcirc$  [-5, 10)
- $\bigcirc$  (7,8)
- $\bigcirc [-7, 8]$ 
  - Correto

Subtracting 2 from all sides of the inequalities gives  $-7 \le x < 8$ , and the set of all real numbers x which make that true is exactly the half-open interval [-7, 8).

- Which of the numbers below is equal to the following summation:  $\sum_{k=2}^{5} 2k$ ?

- 28
- ) 4
- 14 (
- $\bigcirc$  10

We compute  $\sum_{k=2}^{5} 2k = 4 + 6 + 8 + 10 = 28$ .

- Suppose we already know that  $\Sigma_{k=1}^{20} k = 210$ . Which of the numbers below is equal to  $\sum_{k=1}^{20} 2k$ ?
  - 40
  - 210
  - **420**

1 / 1 ponto

- $\bigcirc$  2
  - Correto

By applying one of our Sigma notation simplification rules, we can rewrite the summation in question as  $2\left(\sum_{k=1}^{20}k\right)=2\times210=420.$ 

Which of the numbers below is equal to the summation  $\sum_{i=2}^{10} 7$ ?

0 / 1 ponto

- $\bigcirc$  48
- $\bigcirc$  7
- O 63
- 70
  - **X** Incorreto

If you got here, you probably added up 10 copies of the number 7. But look at the bottom of the Sigma symbol!

<sup>12.</sup> Which of the following numbers is the variance of the set  $Z = \{-2, 4, 7\}$ ?

1 / 1 ponto

- $\bigcirc$  42
- 14
- O 69
  - Correto

To get the variance of a set of numbers, you need to perform four steps:

First compute the mean (which is 3)

Then calculate all the squared differences between the numbers in the set and this mean (here you get 25, 1, 16)

Then add all these up (here you get 42)

Then divide by the number of elements in the set (which is 3).

Therefore, the variance of Z

$$= \frac{1}{3} \left[ (-2-3)^2 + (4-3)^2 + (7-3)^2 \right]$$

$$= \frac{1}{3}[25+1+16] = \frac{42}{3} = 14$$

- 13. Which of the following sets does not have zero variance? (hint: don't do any 1 / 1 ponto calculation here, just think!)
  - $\bigcirc$  {0,0,0,0,0,0,0}
  - $\bigcirc$  {1, 1, 1, 1}
  - $\bigcirc$  {2, 5, 9, 13}
  - **O** {5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5}

### Correto

Intuitively, the numbers in this set are spread out.