Evaluate the following expressions, and provide the output in each case.	
(1)	[4,3,2][-1]
(2)	a man a pan a canal'.split()[3][0]
(3)	[float(j) for j in [2,3,4]]
(4)	a man a pan a canal'[2:5][::-1]
(5) s	sorted([4,3,2])
(6)	a man a pan a canal'.split()[:2]

(7) "computing".upper()

(9) 'a man a pan a canal'[2:5][-1]

(10)	'a man a pan a canal'[0]
(11)	<pre>bool("apples" and "oranges")</pre>
(12)	'a man a pan a canal'[-1]
(13)	<pre>int("2345"[0])</pre>
(14)	<b>str</b> (5/2)
(15)	bool(5 % 2)
(16)	4 > 3 <b>or</b> 1 == 1.0
(17)	[i for i in range(1,4) if i > 2]
(18)	bool(2 in [23,4,5])
(19)	bool("six" or False)

```
(20) [2,3,4] + ["five"]
(21) float("45"[0])
(22) sorted({2: "two", 3: "three"}.keys())
(23) "ab" in list("abc")
(24) sorted({2: "two", 3: "three"}.items())[-1][-1]
(25) [str(i) for i in range(4)]
(26) 'a man a pan a canal'.split()[-1]
(27) sorted({2: "two", 3: "three"}.items())
(28) "two" in {2: "two", 3: "three"}
(29) sorted({2: "two", 3: "three"})
```

- (30) len("string") > 0
- (31) **sorted**({2: "two", 3: "three"}.values())[0][-1]

4