# Release Notes

# Cloudera JDBC Driver for Apache Hive 2.5.10

The release notes provide details of enhancements and features in Cloudera JDBC Driver for Apache Hive 2.5.10, as well as the version history.

# **Enhancements & New Features**

The following are highlights of the new features and functionalities that have been added to Cloudera JDBC Driver for Apache Hive 2.5.10.

Support added for write-back when connected to Hive 0.14 or later

You can now execute INSERT, UPDATE, and DELETE statements when connected to Apache Hive 0.14 or later.

Support added for dynamic service discovery with Apache ZooKeeper

You can now connect to Hive servers that are registered against a ZooKeeper service by connecting to the ZooKeeper service.

# **Known Issues**

The following are known issues and limitations in Cloudera JDBC Driver for Apache Hive 2.5.10.

Hive Server 1 and Hive Server 2 drivers cannot run at the same time in the same JVM

HS1Driver and HS2Driver cannot coexist in the same JVM; loading both drivers at the same time causes a Hive Server 2 connection failure. This issue will be addressed in a future release of the driver.

# **Version History**

Version 2.5.9

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.9.

Using Java services to load the driver classes may cause a Hive Server 2 connection failure

When working in Java 6 or later, you have the option of loading the required driver classes using Java services instead of using Class.forName(). Java services sometimes loads HS1Driver before loading HS2Driver, which prevents HS2Driver from operating correctly.

As a short-term workaround for this issue, this release of the driver prevents Java services from performing the loading.

#### Version 2.5.8

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.8.

# Driver misinterprets newer version of Hive

This issue has been resolved. Before, the Hive version was being misinterpreted, which caused the driver to establish connections using V3 of the protocol and to apply Hive 0.10 translations to queries. The driver now correctly exhibits updated Hive behavior.

# When using Kerberos authentication, the driver returns an error message

This issue has been resolved. Before, the driver did not retrieve the JAAS configuration file from the **KRB5\_CONFIG** system property as expected, and attempting to authenticate through Kerberos would return the following error message: "unable to find principal name for authentication". The driver now correctly handles Kerberos authentication.

#### Version 2.5.6

#### **Enhancements & New Features**

The following are highlights of the new features and functionalities that were added to Cloudera JDBC Driver for Apache Hive 2.5.6.

# JDBC 4.1 now supported

The driver now supports JDBC 4.1. To use the driver with JDBC 4.1, use the HiveJDBC41\_2.5.14 package.

# Support added for Kerberos authentication through AccessControlContext

The driver now provides an alternative method for obtaining Kerberos tickets. Instead of obtaining a ticket-granting ticket (TGT) from the ticket cache, the driver can now check whether there are any Subjects associated with the AccessControlContext and whether those Subjects have a TGT. If so, the driver can use the TGT from the Subject.

#### Support added for Kerberos authentication on IBM Java 1.6

You can now use Kerberos authentication when running IBM Java 1.6.

# Support added for the Connection.isValid() and Connection.getClientInfo() methods for JDBC 4 and JDBC 4.1

The driver now supports the Connection.isValid() and Connection.getClientInfo() methods.

# Support added for connection pooling

The driver now supports the JDBC ConnectionPoolDataSource interface via the following classes:

- com.cloudera.hive.jdbc3.DataSource
- com.cloudera.hive.jdbc4.DataSource
- com.cloudera.hive.jdbc41.DataSource

# SSLTrustStore and SSLTrustStorePwd configuration parameters implemented

The SSLTrustStore and SSLTrustStorePwd parameters are optional parameters that you can use in the connection string. Use these parameters to configure the driver to use a specific TrustStore when connecting through SSL. If these parameters are not set, then the driver uses the default TrustStore located in jre\lib\security\cacerts

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.6.

#### Query cancellation requests fail when schema is not defined in the connection string

Fixed an issue where the query cancellation from version 2.5.5 does not work properly if the schema is not defined in the connection string.

#### Queries that include comments fail to execute

This issue has been resolved. Now, queries that contain comments can be processed.

# Version 2.5.5

#### **Enhancements & New Features**

The following are highlights of the new features and functionalities that were added to Cloudera JDBC Driver for Apache Hive 2.5.5.

# Support for Hive 0.13.0 data types added to the Hive Server 1 client

Support for the CHAR(n) and DECIMAL(precision, scale) data types have been added to the Hive Server 1 client. The client now fully supports all the data types in Hive 0.13.0.

# Support added for PreparedStatements with parameters

Previously, the driver did not support the use of PreparedStatements with parameters because the Thrift API did not support this functionality. You can now use parameters in PreparedStatements. However, the workaround for supporting this feature is not a typical method for doing PreparedStatements. The driver replaces the question mark (?) in the query with the actual parameter value and executes the query during the execution stage.

It is not recommended that you use prepareStatement.getParameterMetadata or prepareStatement.getResultSetMetadata before prepareStatement.executeQuery, because the PreparedStatement does not return the expected values.

# Direct integration with Kerberos Key Distribution Center added

You can now configure the driver to get a ticket from your Key Distribution Center directly. To do this, in the JVM environment, configure a JAAS configuration file that directs the driver to use a generated keytab file as the credentials.

#### **Resolved Issues**

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.5.

#### Column metadata fails to be retrieved from Hive 0.9 servers

Fixed an issue where column metadata failed to be retrieved from servers running Hive 0.9.

# Query cancellation request fails to stop queries

Fixed an issue where the driver ignores query cancellation requests from the application and continues to execute the query. Now, when the application sends a query cancellation request, the query stops executing and the server stops processing the query.

# REPLACE commands that include a meta-character as a parameter are not translated correctly

Fixed an issue where queries that use the REPLACE command "replace(expression, pattern, replacement)" with a meta-character as a parameter are not translated correctly. The solution for the issue enables escaping of all meta-characters, including the following:

#### Version 2.5.4

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.4.

# Certain known connection string properties could be incorrectly "SET" on the server

In order to support server property configuration in Hive at startup, any unrecognized properties specified in the connection string would cause a "SET" command to be executed automatically on the server side. When this happened, certain combinations of known properties stopped working correctly. This issue has been resolved.

#### Version 2.5.3

#### **Enhancements & New Features**

The following are highlights of the new features and functionalities that were added to Cloudera JDBC Driver for Apache Hive 2.5.3.

# statement.setMaxRows function implemented

The statement.setMaxRows function has been implemented. This function allows you to limit the number of rows fetched from the result set.

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.3.

# Wrong class path in MANIFEST file

Fixed an issue where the MANIFEST file contained an incorrect class path caused by branding.

# Multiple TCP connections created by ZooKeeper from the server side

Fixed an issue where generating ROWCOUNT set results caused ZooKeeper to open new TCP connections until ZooKeeper reached the maximum number of connections that it can handle. This issue was fixed by properly closing the operation that is opened on the client when a ROWCOUNT set is generated.

# Version 2.5.2

#### **Enhancements & New Features**

The following are highlights of the new features and functionalities that were added to Cloudera JDBC Driver for Apache Hive 2.5.2.

# Hive variables supported in connection string

The driver now supports the use of Hive variables in the connection string.

#### DatabaseMetadata added

DatabaseMetadata information has been added for DBMS name and DBMS version.

#### Resolved Issues

The following issues were resolved in Cloudera JDBC Driver for Apache Hive 2.5.2.

# **USE** statement causing memory leaks

Fixed an issue where using the USE statement caused server-side memory leaks to occur.

# **SET statement causing errors**

Fixed an issue where using the SET statement caused errors to occur.

# Version 2.5.1

#### **Enhancements & New Features**

The following are highlights of the new features and functionalities that were added to Cloudera JDBC Driver for Apache Hive 2.5.1.

# LIMIT ZERO query feature added for prepareStatement

This feature supports queries with LIMIT 0 attached during the query prepare stage, improving the performance of the prepareStatement process.

# Version 2.5.0

Version 2.5.0 was the initial release of Cloudera JDBC Driver for Apache Hive.

# **Contact Us**

If you have difficulty using the driver, you can contact Cloudera Technical Support. We welcome your questions, comments, and feature requests.

**Important:** To help us assist you, prior to contacting Technical Support please prepare a detailed summary of the client and server environment including operating system version, patch level, and configuration.

For details on contacting Technical Support, see <a href="http://www.cloudera.com/content/cloudera/en/products/cloudera-support.html">http://www.cloudera.com/content/cloudera/en/products/cloudera-support.html</a>