CSGE602055 Operating Systems CSF2600505 Sistem Operasi Week 05: Virtual Memory

Rahmat M. Samik-Ibrahim (ed.)

University of Indonesia

https://os.vlsm.org/
Always check for the latest revision!

REV235 13-Sep-2020

Operating Systems 2020-2 – (A, I, M) from HOME A/M [Tu 10-12, ZOOM] — I [Tu 08-10, ZOOM]

| Week | Schedule | Topic | OSC10 |
|---------|----------------------|--|----------------|
| Week 00 | 15 Sep - 21 Sep 2020 | Overview 1, Virtualization & Scripting | Ch. 1, 2, 18. |
| Week 01 | 22 Sep - 28 Sep 2020 | Overview 2, Virtualization & Scripting | Ch. 1, 2, 18. |
| Week 02 | 29 Sep - 05 Oct 2020 | Security, Protection, Privacy, | Ch. 16, 17 |
| | | & C-language | |
| Week 03 | 06 Oct - 12 Oct 2020 | File System & FUSE | Ch. 13, 14, 15 |
| Week 04 | 13 Oct - 19 Oct 2020 | Addressing, Shared Lib, & Pointer | Ch. 9 |
| Week 05 | 20 Oct - 26 Oct 2020 | Virtual Memory | Ch. 10 |
| Week 06 | 27 Oct - 16 Nov 2020 | Concurrency: Processes & Threads | Ch. 3, 4 |
| | 29 Oct 2020 | Maulid Nabi | · |
| Week 07 | 17 Nov - 23 Nov 2020 | Synchronization & Deadlock | Ch. 6, 7, 8 |
| Week 08 | 24 Nov - 30 Nov 2020 | Scheduling + W06/W07 | Ch. 5 |
| Week 09 | 01 Dec - 07 Dec 2020 | Storage, Firmware, Bootldr, & Systemd | Ch. 11 |
| Week 10 | 08 Dec - 16 Dec 2020 | I/O & Programming | Ch. 12 |
| | 09 Dec 2020 | Pil Kada | |

STARTING POINT — https://os.vlsm.org/

- ☐ **Text Book** Any recent/decent OS book. Eg. (**OSC10**) Silberschatz et. al.: **Operating System Concepts**, 10th Edition. 2018. See also http://codex.cs.yale.edu/avi/os-book/OS10/. Resources Extra Scele from Home https://scele.cs.ui.ac.id/course/view.php?id=3020. ■ Download Slides and Demos from GitHub.com https://github.com/UI-FASILKOM-OS/SistemOperasi/ □ **Problems** — https://rms46.vlsm.org/2/: 195.pdf (W00), 196.pdf (W01), 197.pdf (W02), 198.pdf (W03), 199.pdf (W04), 200.pdf (W05), 201.pdf (W06), 202.pdf (W07), 203.pdf (W08), 204.pdf (W09), 205.pdf (W10).
 - Build your own Virtual Guest

https://osp4diss.vlsm.org/

Week 05: Memory

- Start
- Schedule
- 3 Week 05
- 4 Week 05
- Virtual Memory
- 6 Memory Allocation Algorothm
- TOP
- 8 06-memory
- The End

Week 05 Virtual Memory: Topics¹

- Review of physical memory and memory management hardware
- Virtual Memory
- Caching
- Memory Allocation
- Memory Performance
- Working sets and thrashing

¹Source: ACM IEEE CS Curricula 2013

Week 05 Virtual Memory: Learning Outcomes¹

- Explain memory hierarchy and cost-performance trade-offs.
 [Familiarity]
- Summarize the principles of virtual memory as applied to caching and paging. [Familiarity]
- Describe the reason for and use of cache memory (performance and proximity, different dimension of how caches complicate isolation and VM abstraction). [Familiarity]
- Defend the different ways of allocating memory to tasks, citing the relative merits of each. [Assessment]
- Evaluate the trade-offs in terms of memory size (main memory, cache memory, auxiliary memory) and processor speed. [Assessment]
- Discuss the concept of thrashing, both in terms of the reasons it occurs and the techniques used to recognize and manage the problem. [Familiarity]

¹Source: ACM IEEE CS Curricula 2013

Virtual Memory

- Reference: (OSC10-ch10 demo-w05)
- Virtual Memory: Separation Logical from Physical.
- Virtual Address Space: logical view.
- Demand Paging
- Page Flags: Valid / Invalid
- Page Fault
- Demand Paging Performance
- Copy On Write (COW)
- Page Replacement Algorithm
 - Reference String
 - First-In-First-Out (FIFO)
 - Belady Anomaly
 - Optimal Algorithm
 - Least Recently Used (LRU)
 - LRU Implementation
 - Lease Frequently Used (LFU)
 - Most Frequently Used (MFU)

Allocation Algorothm

- Page-Buffering Algorithms
- Allocation of Frames
- Fixed Allocation
- Priority Allocation
- Global vs. Local Allocation
- Non-Uniform Memory Access (NUMA)
- Thrashing
- Working-Set Model
- Shared Memory via Memory-Mapped I/O
- Kernel
 - Buddy System Allocator
 - Slab Allocator

TOP



Figure: top

TOP (2)

| гоо × | | × @r × | | | @je × | | | Фг × | | × @r × 🕂 🔻 | |
|---|------|----------|------|--------|-------|--------|-----|------|---------|-------------|--|
| top - 18:37:28 up 14:07, l user, load average: 2.77, 2.71, 2.74 Tasks: 128 total, l running, 127 sleeping, 0 stopped, 0 zombie %Cpu(s): 14.6 us, 17.2 sy, 0.0 ni, 68.1 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st | | | | | | | | | | | |
| KiB Mem: 8197060 total, 935152 used, 7261908 free, 191512 buffers KiB Swap: 683004 total, 0 used, 683004 free. 639140 cached Mem | | | | | | | | | | | |
| | USER | | | VIRT | RES | | | | | COMMAND | |
| | root | PR 20 | | 162032 | 112 | SHR S | | 0.0 | 1882:33 | | |
| 3448 | | 20 | 0 | 0 | 0 | 0 5 | | 0.0 | | kworker/0:2 | |
| 3198 | | 20 | | 0 | 0 | 0 5 | | 0.0 | | kworker/4:0 | |
| 3062 | | 20 | | 0 | 0 | 0 5 | | 0.0 | | kworker/1:2 | |
| 3289 | | 20 | | ő | 0 | 0 5 | | 0.0 | | kworker/6:1 | |
| | root | 20 | | Õ | Õ | 0 5 | | 0.0 | | rcu sched | |
| 3376 | | 20 | Ö | õ | Õ | 0 5 | | 0.0 | | kworker/5:0 | |
| | root | 20 | 0 | 0 | 0 | 0 5 | | 0.0 | | kworker/2:1 | |
| 1 | root | 20 | 0 | 28684 | 4736 | 3012 5 | 0.0 | 0.1 | 0:02.91 | systemd | |
| 2 | root | 20 | 0 | 0 | 0 | 0 9 | 0.0 | 0.0 | | kthreadd . | |
| 3 | root | 20 | 0 | 0 | 0 | 0 9 | 0.0 | 0.0 | 0:15.26 | ksoftirgd/0 | |
| 5 | root | 0 | - 20 | 0 | 0 | 0 9 | 0.0 | 0.0 | 0:00.00 | kworker/0:+ | |
| 8 | root | 20 | 0 | 0 | 0 | 0 9 | 0.0 | 0.0 | 0:00.00 | rcu bh | |
| 9 | root | rt | 0 | 0 | 0 | 0 9 | 0.0 | 0.0 | 0:00.00 | migration/0 | |
| 10 | root | rt | 0 | 0 | 0 | 0 5 | | 0.0 | 0:00.25 | watchdog/0 | |
| 11 | root | rt | 0 | 0 | 0 | 0 5 | 0.0 | 0.0 | | watchdog/1 | |
| 12 | root | rt | 0 | 0 | 0 | 0 5 | 0.0 | 0.0 | 0:00.00 | migration/1 | |
| 13 | root | 20 | 0 | 0 | 0 | 0 9 | 0.0 | 0.0 | 0:06.80 | ksoftirqd/1 | |

Figure: "h" = help

TOP (3)

```
@rmsbase: ~
      | @r... × |
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'q' or <Esc> to end!
 PID
          = Process Id
                            TTY
                                     = Controlling T
                                                       USED
                                                                = Res+Swap Size
 USFR
          = Effective Use
                            TPGTD
                                     = Tty Process G
                                                       nsIPC
                                                                = IPC namespace
 PR
          = Priority
                            SID
                                     = Session Id
                                                       nsMNT
                                                                = MNT namespace
 NI
          = Nice Value
                            nTH
                                     = Number of Thr
                                                       nsNET
                                                                = NET namespace
 VIRT
          = Virtual Image
                            P
                                     = Last Used Cpu
                                                       nsPID
                                                                = PID namespace
 RES
          = Resident Size
                            TIME
                                     = CPU Time
                                                       nsUSER
                                                                = USER namespac
 SHR
                            SWAP
                                                       nsUTS
                                                                = UTS namespace
          = Shared Memory
                                     = Swapped Size
          = Process Statu
                            CODE
                                     = Code Size (Ki
 %CPU
         = CPU Usage
                            DATA
                                     = Data+Stack (K
 %MEM
         = Memory Usage
                            nMai
                                     = Major Page Fa
 TIME+
          = CPU Time, hun
                            nMin
                                     = Minor Page Fa
 COMMAND = Command Name/
                            nDRT
                                     = Dirty Pages C
 PPID
          = Parent Proces
                            WCHAN
                                     = Sleeping in F
 UID
                                     = Task Flags <s
          = Effective Use
                            Flags
 RUID
                            CGROUPS = Control Group
          = Real User Id
 RUSER
                            SUPGIDS = Supp Groups I
          = Real User Nam
 SUID
          = Saved User Id
                            SUPGRPS = Supp Groups N
 SUSER
          = Saved User Na
                            TGID
                                     = Thread Group
 GID
                            ENVIRON = Environment v
          = Group Id
 GROUP
          = Group Name
                            vMj
                                     = Major Faults
  PGRP
          = Process Group
                            vMn
                                     = Minor Faults
```

Figure: Moving Fields: "f"

TOP (4)

```
@rmsbase: ~
      @r... × @r... × @r... × @je... × @r... × @r... ×
                                                           @r... × @r... × @r... ×
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'g' or <Esc> to end!
 PID
         = Process Id
                            SUID
                                    = Saved User Td
                                                       vMn
                                                               = Minor Faults
                                    = Saved User Na
 VIRT
         = Virtual Image
                            SUSFR
                                                      nsIPC
                                                               = IPC namespace
 RES
         = Resident Size
                            GID
                                                      nsMNT
                                    = Group Id
                                                               = MNT namespace
 SHR
         = Shared Memory
                            GROUP
                                    = Group Name
                                                      nsNET
                                                               = NET namespace
 SWAP
         = Swapped Size
                            PGRP
                                    = Process Group
                                                      nsPID
                                                               = PID namespace
 CODE
         = Code Size (Ki
                            TTY
                                    = Controlling T
                                                      nsUSER
                                                               = USER namespac
 DATA
         = Data+Stack (K
                            TPGID
                                                      nsUTS
                                                               = UTS namespace
                                    = Tty Process G
 USED
         = Res+Swap Size
                            SID
                                    = Session Id
 nDRT
         = Dirty Pages C
                            nTH
                                    = Number of Thr
 PPID
         = Parent Proces
                            P
                                    = Last Used Cpu
 %MEM
         = Memory Usage
                            TIME
                                    = CPU Time
 USER
         = Effective Use
                            nMaj
                                    = Major Page Fa
 PR
         = Priority
                            nMin
                                    = Minor Page Fa
 NI
         = Nice Value
                            WCHAN
                                    = Sleeping in F
         = Process Statu
                            Flags
                                    = Task Flags <s
 %CPU
         = CPU Usage
                            CGROUPS = Control Group
 TIME+
         = CPU Time. hun
                            SUPGIDS = Supp Groups I
                            SUPGRPS = Supp Groups N
 COMMAND = Command Name/
 UID
                            TGID
         = Effective Use
                                    = Thread Group
 RUID
                            ENVIRON = Environment v
         = Real User Id
 RUSER
         = Real User Nam
                            vMi
                                    = Maior Faults
```

Figure: Moving Fields

TOP(5)

| ⊗ ⊜ ⊕ | @rmsbase: ~/ | Downloads | | | | | | | |
|---|----------------|----------------|----------|----------------|-----------|----------------|-------------------|---------------|------------------------------|
| гоо × | @г × | @r × | @r × [@ |)r × | e × @r. | × Ог | × @r | × @г × | @r × @r × |
| top - | 19:57:14 | 4 up 11 | :38, 1 | user, | load av | verage: (| 9.43, 0 | .54, 0.5 | 8 |
| Tasks: | 285 to | tal, | 2 runni | ng, 283 | sleepin | ng, 0 s | stopped | , θ zo | mbie |
| %Cpu(s | 5): 3.8 | us, 1 | .3 sy, | 0.0 ni, | 94.6 | id, 0.3 | wa, 0 | .0 hi, | 0.0 si, 0.0 st |
| | | | | | | | | | buff/cache |
| KiB Sv | vap: 10 | 00444 t | otal, | 994752 | free, | 5692 | used. | 12649780 | avail Mem |
| | *** | | | | | | | | |
| PID | VIRT | RES | | | | | | nDRT | |
| 100000000000000000000000000000000000000 | 2377296 | | | 0 | | 1642748 | | | |
| 1234 | 278216 | 87880 | 59116 | | 2288 | 25164 | 87880 | | |
| | 2683572 | | | | | 1856708 | | | |
| | 1687448 | | | | | 1179008 | | | |
| 2841 | 679488 | | | | 292 | 389096 | 50860 | | |
| | 1896812 | | | | | 1474084 | The second second | | |
| | 2047252 | | | | | 1587052 | | | |
| 32501 | 630768 | 33500 | | | 76 | 373220 | 33500 | | |
| | 8554396 | | | | | 7954584 | | | |
| | 2391592 | | | | | 1717824 | | | |
| | 2198448 | 274812 | | 0 | | 1532152 | 274812 | | |
| 1292 | | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 2514 | | | | | 36 | 448864 | | | |
| | 4515228 | | | 0 | 133688 | 3757984 | 360812 | 0 | |
| 32495 | 33488 | 3380 | | Θ | 96 | 1264 | 3380 | | |
| 2388 | 44036 | | | | 212 | | 4424 | | |
| 2412 | 423204 | 11380 | | 0 | 152 | | 11380 | | |
| 2512 | 685824 | 74188 | 36868 | 0 | 552 | 399836 | 74188 | 0 | |

Figure: Write Configuration .toprc: "W"

06-memory

```
/* Copyright (C) 2016-2018 Rahmat M. Samik-Ibrahim
 * https://rahmatm.samik-ibrahim.vlsm.org/
 * This program is free script/software. This program is distributed in the
 * hope that it will be useful, but WITHOUT ANY WARRANTY; without even the
 * implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 * REVO4 Mon Mar 12 17:33:30 WIB 2018
 * START Mon Oct 3 09:26:51 WIB 2016
 */
#define MSIZEO 0x10000
#define MSIZE1 0x10008
#define MSTZE2 0x10009
#define MSTZE3 0x1000A
#define MSIZE4 0x20978
#define MSIZE5 0x20979
#define MSIZE6 0x2097A
#define MSIZE7 0xF0000
#define MSTZE8 0x10000
#define MSTZE9 0x1000
#define LINE
#define MAXSTR 80
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <sys/types.h>
void printLine(int line) {
   while(line-- > 0) putchar('x');
  putchar('\n'):
  fflush(NULL):
```

06-memory (2)

```
void main (void) {
   int
        msize[] = {MSIZE0, MSIZE1, MSIZE2, MSIZE3, MSIZE4,
                    MSIZE5, MSIZE6, MSIZE7, MSIZE8, MSIZE97:
   int ii. ii:
   int myPID = (int) getpid();
   char strSYS1[MAXSTR], strOUT[MAXSTR];
   char* chrStr = strSYS1:
   char* chrPTR:
   printLine(LINE):
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -5", myPID);
   system (strSYS1);
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -1", mvPID);
  for (ii=0; ii< (sizeof(msize)/sizeof(int)); ii++){
     chrStr = malloc(msize[ii]);
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
     strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr):
   7
  for (ii=0: ii< (sizeof(msize)/sizeof(int)): ii++){
     chrPTR = chrStr = malloc(msize[ii]):
     for (ii=0:ii<msize[ii]:ii++)
         *chrPTR++='x':
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
      strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr);
  }
}
```

06-memory (2)

>>>> \$./06-memory KiB Mem: 8197060 total, 957928 used, 7239132 free, 192520 buffers 660108 cached KiB Swap: 683004 total, 0 used, 683004 free. Mem PID VIRT RES SHR. SWAP CODE DATA USED nDRT [10000] [10008] Γ100091 [1000A] [20978] [20979] [2097A] [F0000] [10000] [1000]

06-memory (3)

| 4362 | 4376 | 1200 | 1068 | 0 | 4 | 524 | 1200 | 0 | [1000] |
|---------|------|------|------|---|---|------|------|---|---------|
| 4362 | 4376 | 1200 | 1068 | 0 | 4 | 524 | 1200 | 0 | [10000] |
| 4362 | 4376 | 1276 | 1068 | 0 | 4 | 524 | 1276 | 0 | [10008] |
| 4362 | 4376 | 1276 | 1068 | 0 | 4 | 524 | 1276 | 0 | [10009] |
| 4362 | 4376 | 1284 | 1068 | 0 | 4 | 524 | 1284 | 0 | [1000A] |
| 4362 | 4376 | 1284 | 1068 | 0 | 4 | 524 | 1284 | 0 | [20978] |
| 4362 | 4376 | 1352 | 1068 | 0 | 4 | 524 | 1352 | 0 | [20979] |
| 4362 | 4376 | 1352 | 1068 | 0 | 4 | 524 | 1352 | 0 | [2097A] |
| 4362 | 5340 | 2144 | 1068 | 0 | 4 | 1488 | 2144 | 0 | [F0000] |
| 4362 | 5340 | 2324 | 1068 | 0 | 4 | 1488 | 2324 | 0 | [10000] |
| 4362 | 5340 | 2324 | 1068 | 0 | 4 | 1488 | 2324 | 0 | [1000] |
| >>>> \$ | | | | | | | | | |

The End

- \square This is the end of the presentation.
- extstyle ext
- This is the end of the presentation.