

Telephone:  
Fax:  
VAT Registration No.:

|      |  |
|------|--|
| X88  | AC connector                                     |
| 31   | Battery -  |
| 30   | Battery +  |
| S57  | Closed throttle position (CTP) switch            |
| X1   | Data link connector (DLC)                        |
| A35  | Engine control module (ECM)                      |
| B24  | Engine coolant temperature (ECT) sensor          |
| H63  | Engine malfunction indicator lamp (MIL)          |
| B75  | Engine speed (RPM) sensor                        |
| Y104 | Evaporative emission (EVAP) canister purge valve |
| M12  | Fuel pump  |
| F    | Fuse   |
| B72  | Heated oxygen sensor (HO2S)                      |
| Y56  | Idle speed control (ISC) actuator                |
| T1   | Ignition coil                                    |
| 15   | Ignition switch - ignition ON                    |
| X90  | Immobilizer system connector                     |
| S39  | Inertia fuel shut-off (IFS) switch               |
| Y3   | Injector   |
| R41  | Injector series resistor                         |
| B25  | Intake air temperature (IAT) sensor              |
| K46  | Relay module                                     |
| C3   | Suppressor                                       |
| P7   | Tachometer                                       |
| B147 | Throttle position (TP) sensor                    |
| B33  | Vehicle speed sensor (VSS)                       |
| P9   | Vehicle speedometer                              |

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1  
 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20  
 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38

AD72618

|                   |                  |                          |              |
|-------------------|------------------|--------------------------|--------------|
| bl = blue         | br = brown       | el = cream               | ge = yellow  |
| gn = green        | gr = grey        | nf = neutral             | og = orange  |
| rs = pink         | rt = red         | sw = black               | vi = violet  |
| ws = white        | hbl = light blue | hgn = light green        | rbr = maroon |
| x = braided cable | y = high tension | z = non-cable connection |              |

**NOTE:** In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

