# Detector induced assymetry in CP violation measurements

Eugenia Spedicato, Lina Maria Ortiz Parra, Jonah Blank

May 25, 2020

#### Comments - efficiencies

- very small errors in  $D = \frac{\epsilon_+ \epsilon_-}{\epsilon_+ + \epsilon_-}$  $\rightarrow D = 0$  out of  $5\sigma$ -range
- *D* is much smaller in for the *UP*-polarity
- smaller error for UP due to higher statistics
- no difference in the efficiencies between UP and DOWN within scope of the error
- in the MC:  $\epsilon_{D^*}=0$ (Dst\_reconstructed always 0) in our computation:  $\epsilon_{D^*}=\epsilon_{\pi,s}\cdot\epsilon_{D^0}$

#### Comments - plots

- lacksquare structure of  $\epsilon(\phi)$  probably due to rectangular detector shape
- peak in  $\epsilon_{D^*}(\theta)$  within scope of error

#### Total: Efficiencies

Polarity	$\epsilon_{\pi}$	$\epsilon_{\mathcal{K}}$	$\epsilon_{\pi,s}$	$\epsilon_{D^0}$	$\epsilon_{D^*}$
UP	$86.65 \pm 0.01$	$84.63 \pm 0.01$	$76.65 \pm 0.02$	$\textbf{73.34} \pm \textbf{0.02}$	$56.31 \pm 0.02$
DOWN	$86.68 \pm 0.01$	$84.67 \pm 0.01$	$76.66 \pm 0.02$	$73.39 \pm 0.02$	$56.35 \pm 0.02$

## Charge +: Efficiencies

Polarity	$\epsilon_{\pi}$	$\epsilon_{K}$	$\epsilon_{\pi,s}$	$\epsilon_{D^0}$	$\epsilon_{D^*}$
UP DOWN	$86.66 \pm 0.02 \\ 86.70 \pm 0.02$	$\begin{array}{c} 85.02 \pm 0.02 \\ 85.07 \pm 0.02 \end{array}$	$76.37 \pm 0.02 \\ 76.98 \pm 0.02$	$73.01 \pm 0.03 \\ 73.06 \pm 0.03$	$55.86 \pm 0.03 \\ 56.33 \pm 0.03$
UP	$\pi$	К	soft $\pi$	$D^0$	D*
			2 352 910 3 081 050		
DOW	$N \pi$	K	soft $\pi$	$D^0$	<i>D</i> *
$N_{ m reco}$			0 2374360 0 3084220		

## Charge -: Efficiencies

Polarity	$\epsilon_{\pi}$	$\epsilon_{\mathcal{K}}$	$\epsilon_{\pi,s}$	$\epsilon_{D^0}$	$\epsilon_{D^*}$
UP DOWN	$86.65 \pm 0.02 \\ 86.66 \pm 0.02$	$\begin{array}{c} 84.25 \pm 0.02 \\ 84.27 \pm 0.02 \end{array}$	$76.93 \pm 0.02 \\ 76.34 \pm 0.02$	$73.67 \pm 0.03 \\ 73.72 \pm 0.03$	$56.76 \pm 0.03 \\ 56.36 \pm 0.02$
UP	$\pi$	K	soft $\pi$	$D^0$	D*
			2 371 060 3 082 060		
DOW	N $\pi$	K	soft $\pi$	$D^0$	$D^*$
N <sub>reco</sub>	•		2 356 980 3 087 370		

## Asymmetry


Table: The asymmetry  $\frac{N_+ - N_-}{N_+ + N_-}/10^{-3}$ 

 $\pi$	K	$soft\pi$	$D^0$	D*
 $-0.1 \pm 0.4$	— •		•.•	
 $-0.1 \pm 0.4$ $-0.3 \pm 0.4$	— •		•.•	


• interesting:  $D_{soft \pi} \& D_{D^0}$  cancel partially in DOWN, but add up in UP




## Comparison of different charges with UP polarity - $D^*$




#### Comparison of different charges with DOWN polarity - $D^*$




# Comparison - $D^*\phi$







#### D\* asymmetry dependencies - UP polarity




#### D\* asymmetry dependencies - DOWN polarity



## $D^*$ asymmetry - $\phi$





- left UP, right DOWN
- clear dependency in  $\phi$ , inverted  $UP \leftrightarrow DOWN$
- doesn't seem to have dependency on other topological variables
  - $\rightarrow$  form of the detector is biggest source of induced CPV

# $D^*$ asymmetry UP+DOWN

