

Detector induced assymetry in CP violation measurements



Eugenia Spedicato, Lina Maria Ortiz Parra, Jonah Blank

March 23, 2020

- normalization ($N_{tot} = 3 \cdot 10^6$) has no measurable effect
- mean origin vertex:
 - UP: $(0.84 \pm 0.03, -0.18 \pm 0.03, -2.64 \pm 44.56)$
 - DOWN: $(0.84 \pm 0.03, -0.18 \pm 0.03, -3.14 \pm 37.46)$
- x and y many σ from 0
→ asymmetric distribution of particles flying into the detector

Idea 1

- form of detector: difference in eff. of different charges with $\pm\phi$
- for $|\phi| < 0.3$ & $|\phi| > 2.5$ big differences in reconstruction for both charges
→ cut these out



Total Efficiencies - before cut

Polarity	ϵ_{π}	ϵ_K	$\epsilon_{\pi,s}$	ϵ_{D^0}	ϵ_{D^*}
<i>UP</i>	86.65 ± 0.01	84.63 ± 0.01	76.65 ± 0.02	73.34 ± 0.02	56.31 ± 0.02
<i>DOWN</i>	86.68 ± 0.01	84.67 ± 0.01	76.66 ± 0.02	73.39 ± 0.02	56.35 ± 0.02

Total Efficiencies - after cut

Polarity	ϵ_{π}	ϵ_K	$\epsilon_{\pi,s}$	ϵ_{D^0}	ϵ_{D^*}
<i>UP</i>	86.65 ± 0.01	84.63 ± 0.01	55.18 ± 0.02	73.34 ± 0.02	40.31 ± 0.02
<i>DOWN</i>	86.68 ± 0.01	84.67 ± 0.01	55.20 ± 0.02	73.39 ± 0.02	40.35 ± 0.02

Charge: +

Numbers - before cut

UP	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 669 990	2 620 280	2 352 910	2 249 370	1 720 940
N_{tot}	3 000 000	3 000 000	3 000 000	3 000 000	3 000 000
DOWN	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 674 000	2 626 350	2 374 360	2 253 370	1 737 460
N_{tot}	3 000 000	3 000 000	3 000 000	3 000 000	3 000 000

Numbers - after cut

UP	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 669 990	2 620 280	1 706 180	2 249 370	1 241 100
N_{tot}	3 000 000	3 000 000	2 157 840	3 000 000	2 157 840
DOWN	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 674 000	2 626 350	1 697 140	2 253 370	1 234 900
N_{tot}	3 000 000	3 000 000	2 159 820	3 000 000	2 159 820

Charge: -

Numbers - before cut

UP	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 669 990	2 620 280	2 352 910	2 249 370	1 720 940
N_{tot}	3 000 000	3 000 000	3 000 000	3 000 000	3 000 000
DOWN	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 674 000	2 626 350	2 374 360	2 253 370	1 737 460
N_{tot}	3 000 000	3 000 000	3 000 000	3 000 000	3 000 000

Numbers - after cut

UP	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 669 990	2 620 280	1 694 780	2 249 370	1 243 450
N_{tot}	3 000 000	3 000 000	2 157 560	3 000 000	2 159 560
DOWN	π	K	$soft\ \pi$	D^0	D^*
N_{reco}	2 674 000	2 626 350	1 709 630	2 253 370	1 255 180
N_{tot}	3 000 000	3 000 000	2 161 820	3 000 000	2 161 820

Deviation before & after cut





Table: The deviation $\frac{N_+ - N_-}{N_+ + N_-} / 10^{-3}$

Polarity	π	K	$soft\pi$	D^0	D^*
<i>UP</i>	-0.1 ± 0.4	4.7 ± 0.4	-3.8 ± 0.5	-4.7 ± 0.5	-8.2 ± 0.5
<i>DOWN</i>	-0.3 ± 0.4	5.2 ± 0.4	3.7 ± 0.5	-5.0 ± 0.5	-0.8 ± 0.5

Polarity	π	K	$soft\pi$	D^0	D^*
<i>UP</i>	-0.1 ± 0.4	4.7 ± 0.4	-3.7 ± 0.5	-4.7 ± 0.5	-8.1 ± 0.6
<i>DOWN</i>	-0.3 ± 0.4	5.2 ± 0.4	3.3 ± 0.5	-5.0 ± 0.5	-0.9 ± 0.6





- slightly different deviation in π & D^*
- $\approx 30\%$ of events is rejected

Comparison of different charges with UP polarity - soft π





Comparison of different charges with *DOWN* polarity - soft



π





Comparison - soft πp_T





Comparison - soft $\pi\phi$







Comparison - soft $\pi\theta$







Comparison - soft $\pi\eta$





soft π deviation dependencies - UP polarity



soft π deviation dependencies - *DOWN* polarity



soft π deviation - ϕ



soft π deviation UP+DOWN

