Detector induced assymetry in CP violation measurements


Eugenia Spedicato, Lina Maria Ortiz Parra, Jonah Blank


March 23, 2020

- normalization ($N_{tot} = 3 \cdot 10^6$) has no measurable effect
- mean origin vertex:
 - UP: $(0.84 \pm 0.03, -0.18 \pm 0.03, -2.64 \pm 44.56)$
 - **DOWN**: $(0.84 \pm 0.03, -0.18 \pm 0.03, -3.14 \pm 37.46)$
- \blacksquare x and y many σ from 0
 - \rightarrow asymmetric distribution of particles flying into the detector

Idea 1

- \blacksquare form of detector: difference in eff. of different charges with $\pm\phi$
- \bullet for $|\phi|<0.5\&|\phi|>2.5$ big differences in reconstruction for both charges
 - \rightarrow cut these out





Total Efficiencies - before cut

Polarity	ϵ_{π}	$\epsilon_{\mathcal{K}}$	$\epsilon_{\pi,s}$	ϵ_{D^0}	ϵ_{D^*}
UP	86.65 ± 0.01	84.63 ± 0.01	76.65 ± 0.02	$\textbf{73.34} \pm \textbf{0.02}$	56.31 ± 0.02
DOWN	86.68 ± 0.01	84.67 ± 0.01	76.66 ± 0.02	73.39 ± 0.02	56.35 ± 0.02

Total Efficiencies - after cut

Polarity	ϵ_{π}	$\epsilon_{\mathcal{K}}$	$\epsilon_{\pi,s}$	ϵ_{D^0}	ϵ_{D^*}
UP	86.65 ± 0.01	84.63 ± 0.01	50.23 ± 0.02	$\textbf{73.34} \pm \textbf{0.02}$	36.61 ± 0.02
DOWN	86.68 ± 0.01	84.67 ± 0.01	50.25 ± 0.02	73.39 ± 0.02	36.58 ± 0.02

Charge: +

Numbers - before cut

UP	π	K	soft π	D^0	<i>D</i> *
			2 352 910 3 000 000		
DOWN	V π	K	soft π	D^0	<i>D</i> *
$N_{\rm reco}$	2 674 00	0 2626350	2 374 360	2 253 370	1737460

Numbers - after cut

UP	π		K	soft π	D^0	D*
					2 249 370 3 000 000	
			1/	Cı	D^0	
DOW	N	π	K	soft π	D°	<i>D</i> *

Charge: -

Numbers - before cut

UP	π	K	soft π	D^0	<i>D</i> *
			2 352 910 3 000 000		
DOWN	V π	K	soft π	D^0	<i>D</i> *
$N_{\rm reco}$	2 674 00	0 2626350	2 374 360	2 253 370	1737460

Numbers - after cut

UP	π		K	soft π	D^0	D*
				1 549 090 1 960 630		
DOW	NI.	π	K	soft π	D^0	D*
	IN	π	/\	3011 N	D	D

Deviation before & after cut


Table: The deviation
$$\frac{N_+ - N_-}{N_+ + N_-}/10^{-3}$$


Polarity	π	К	$soft\pi$	D^0	D*
UP	-	$4.7 \pm 0.4 - 5.2 \pm 0.4$			
Polarity	π	К	$soft\pi$	D^0	<i>D</i> *
IIP -	0.1 + 0.4	47+04	-0.8 ± 0.6	-4.7 ± 0.5	-5.1 + 0.7

- slightly different deviation in $\pi \& D^*$
- ightharpoonup pprox 30% of events is rejected





Comparison of different charges with $\it UP$ polarity - soft π







Comparison - soft πp_{T}







Comparison - soft $\pi\phi$







Comparison - soft $\pi\theta$






Comparison - soft $\pi\eta$







soft π deviation dependencies - UP polarity




soft π deviation dependencies - *DOWN* polarity



soft π deviation - ϕ





soft π deviation UP+DOWN

