


# October Math Gems

## PROBLEM OF THE WEEK 28


### §1 Problems

**Problem 1.1.** Find the total area of the following figure:



(Diagram not to scale)

*Solution.* As we know, the area of any triangle is  $\frac{1}{2} \cdot B \cdot h$ , if you divided the following figure:



As you can see it's clear that every 2 triangles carrying the same letter have the same base and height.

since,  $a+b=16$ ,  $b+c=20$ , and  $c+d= 32$ .

since the sum of opposite areas are equal.

$$\therefore (a+b)+(c+d)=(b+c)+(a+d)$$

$$\therefore 16+32=20+(a+d)$$

$$\therefore (a+d)= 28$$

then, the total area of the figure=

$$20+16+32+28= 96cm^2$$

□

**Problem 1.2.** If  $3X-Y=12$ ,

what is the value of  $\frac{8^x}{2^y}$

$$\text{Solution. } \because 2^3 = 8$$

$$\therefore \frac{8^X}{2^Y} = \frac{2^{3 \cdot X}}{2^Y}$$

$$\therefore \frac{X^Y}{X^Z} = X^{Y-Z}$$

$$\therefore \frac{2^{3 \cdot X}}{2^Y} = 2^{3X-Y}$$

$$= 2^{12} = 4096$$

□

**Problem 1.3.**

$$(4 + \sqrt{15})^x + (4 - \sqrt{15})^x = 62$$

find the value of x.

*Solution.*  $\because 4 + \sqrt{15}$  and,  $4 - \sqrt{15}$  are conjugates

$$\therefore 4 - \sqrt{15} = \frac{1}{4 + \sqrt{15}}$$

then, let  $Y = (4 + \sqrt{15})^x$  and  $\frac{1}{y} = (4 - \sqrt{15})^x$

$$\therefore y + \frac{1}{y} = 62$$

$$\therefore y^2 + 1 = 62y$$

$$\therefore y^2 - 62y + 1 = 0$$

$$\therefore y = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$= \frac{62 \pm \sqrt{(-62)^2 - 4(1)(1)}}{2(1)}$$

$$= \frac{62 \pm 16\sqrt{15}}{2}$$

$$= \frac{62}{2} \pm \frac{16\sqrt{15}}{2}$$

$$= 31 \pm 8\sqrt{15}$$

$$y = 16 + 15 \pm 2.4\sqrt{15}$$

$$= 4^2 \pm 2.4\sqrt{15} + (\sqrt{15})^2$$

$$= (4 \pm \sqrt{15})^2$$

$$\therefore y = (4 - \sqrt{15})^2 \text{ or } (4 + \sqrt{15})^2$$

$$\therefore Y = (4 + \sqrt{15})^x \text{ and } \frac{1}{y} = (4 - \sqrt{15})^x$$

$$\therefore (4 + \sqrt{15})^x = Y = (4 + \sqrt{15})^2$$

$$\therefore x = 2$$

$$\therefore (4 + \sqrt{15})^x = (4 - \sqrt{15})^2$$

$$\therefore (4 + \sqrt{15})^x = \frac{1}{(4 + \sqrt{15})^2}$$

$$\therefore (4 + \sqrt{15})^x = (4 + \sqrt{15})^{-2}$$

$$\therefore x = -2$$

$$\therefore x = \pm 2$$

□

**Problem 1.4.**

$$3^{x+2} = 9^{2x-3}$$

find the value of x.

$$\text{Solution. } \therefore 3^2 = 9$$

$$\therefore 9^{2x-3} = 3^{2(2x-3)}$$

$$\text{Then, } 3^{x+2} = 3^{2(2x-3)}$$

$$\therefore \text{ If } x^y = x^z, \text{ then } y = z$$

$$\therefore x + 2 = 2(2x - 3)$$


$$\therefore x + 2 = 4x - 6$$

$$\therefore, 3x = 8$$

$$\therefore x = \frac{8}{3}$$

□

**Problem 1.5.** Find the area of the green part (where units are in cm).




*Solution.*  $\frac{CD}{BD} = \frac{CH}{AB}$

$$\therefore \frac{9}{24} = \frac{CH}{15}$$

$$\therefore CH = \frac{45}{8}$$

$$\therefore GH = 15 - \frac{45}{8} = \frac{75}{8}$$

$\frac{GIH}{GIA} = \frac{IH}{IA} = \frac{GH}{GA}$  Draw a straight line from point p to h as shown in the following



**A circle is inscribed in the region between a quarter-circle arc and an isosceles right triangle in a 1 by 2 rectangle shown above. Find the radius of the circle.**

$$\begin{aligned} \text{then, } APHG &= 15 \cdot \frac{75}{8} \\ AGH &= \frac{15.75}{16} = GIH + GIA \\ \frac{GIH}{GIA} &= \frac{IH}{IH+IA} = \frac{GH}{AG+GH} \\ \therefore \frac{GIH}{\frac{15.75}{16}} &= \frac{\frac{75}{8}}{\frac{15.75}{16}} \end{aligned}$$

$$= \frac{5625}{208} \text{ cm}^2$$

□

**Problem 1.6.**

$$\sqrt[3]{44X - 7} - 5 = 0$$

find the value of  $x$ .

*Solution.*  $\sqrt[3]{44X - 7} - 5 = 0$

$$\sqrt[3]{44X - 7} = 5$$

$$44X - 7 = 5^3$$


$$44X = 125 + 7$$

$$X = \frac{132}{44}$$

$$\therefore X = 3$$

□


**Problem 1.7.** find the area of the blue part, where  $r=4$ .



*Solution.* Firstly, connect each circle's center to other centers, intersection points, points of tangency, etc.

Secondly, break down areas into circular sectors and polygons.

After doing the previous, you must end up with this shape:



The area of the orange part is equal to the difference between the area of the sector and the area of the green triangle, as the following figure shows:



The area of the white sector is equal to:  $\pi(4^2) \cdot \frac{60}{360} = \frac{16\pi}{6}$


The area of the green triangle is equal to  $\frac{4^2\sqrt{3}}{4} = 4\sqrt{3}$ .

$\therefore$  the area of the orange part is equal to  $\frac{16\pi}{6} - 4\sqrt{3}$

Now, to calculate the area of the blue part we will use the fact that the middle circle area is equal to the sum of the areas of the blue, yellow, and green parts.

As we know the area of the circle is equal to  $\pi r^2$

So, we will use the following equation in order to calculate the area of the blue part:



$$\therefore 16\pi = x + 4(4\sqrt{3}) + 8(\frac{16\pi}{6} - 4\sqrt{3})$$

$$16\pi = x + 16\sqrt{3} + \frac{128\pi}{6} - 32\sqrt{3}$$

$$0 = x - 16\sqrt{3} + \frac{32\pi}{6}$$

$$\therefore x = 16\sqrt{3} - \frac{16\pi}{3} \simeq 10.958$$

□

**Problem 1.8.** The surface area of a human's lungs is equal to half of a tennis court ( $2100 \text{ ft}^2$ ). How many square feet would the lungs of a 30-person baseball team cover?

$$\text{Solution. } \frac{1050 \text{ ft}^2}{1 \text{ lungs}} = \frac{A}{30 \text{ lungs}}$$

$$\therefore A = 31500$$

□

**Problem 1.9.** At a shop in Times Square one "I LOVE NY" t-shirt is sold every 10 minutes for 19.95 dollars each. The shop opens from 9 am until 9 pm every day. How many t-shirts are sold in a week?

*Solution.* The shop opens from 9 am to 9 pm, so it opens 12 hours a day.  $\therefore 12\text{h} = 5040 \text{ min.}$   $\therefore$  the shop opens 5040 min. each week.  $\therefore$  there is a T-shirt sold every 10 min.  $\therefore$  by making the ratio  $\frac{1}{10 \text{ min}} = \frac{x}{5040}$ , then the shop sells 504 shirts every week. □

**Problem 1.10.**

$$(x + 3)(x - 5) = 5$$

Find all the solutions to the equation above.

*Solution.*  $\therefore (x+3)(x-5)=5$

$$\therefore x^2 - 2x - 15 = 5$$

$$\therefore x^2 - 2x - 20 = 0$$


$$\therefore \text{by applying the rule } x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$\therefore x = 1 \pm \sqrt{21}$$

□

**Problem 1.11.** The leaning tower of Pisa in Italy leans at an angle of 84.7 degrees. 171ft from the base of the tower, the angle of elevation to the top is 50 degrees. Find the height of the tower if it was sitting straight up.

*Solution.* draw the given thin like the following



let c be the height of the tower.

the measure of angle B is  $180 - (84.7 + 50) = 45.3$

then to calculate AB which is c, we will apply the sin law.


$$\therefore \frac{b}{\sin(B)} = \frac{c}{\sin(C)}$$

$$\therefore \frac{171}{\sin(45.3)} = \frac{c}{\sin(50)}$$

$$\therefore c = 184ft$$


□

**Problem 1.12.** Find the area of the following figure:





*Solution.* To calculate the area separate the figure into two rectangles.



Calculate the area of the vertical and the horizontal ones separately, then add them.


The area of the vertical rectangle equals,  $8 \cdot 3 = 24 \text{ in}^2$

The area of the horizontal one equals,  $7 \cdot 2 = 14 \text{ in}^2$


$$\therefore \text{ the total area equals } 24 + 14 = 38 \text{ in}^2$$

□

**Problem 1.13.** Find the area of the yellow part, knowing that the dimensions are in cm unit.



*Solution.* First, let's name each part on the figure



Now, the area of the shaded part can be determined as  $h \cdot y$  (as it's clearly a rectangle)


to calculate the value of  $h$ ,

$$h^2 = (h-3)^2 + b^2 = h^2 - 6h - 9 + 64$$

$$\therefore 0 = 64 - 6h - 9$$

$$\therefore h = \frac{73}{6} \text{ cm}^2$$

Now, to find  $y$ , number the triangles in the vertical rectangle like this



so, we get that,  $\frac{x}{h-3} = \frac{b}{h}$

$$\therefore \frac{x}{\frac{73}{6}-3} = \frac{8}{\frac{73}{6}}$$

$$\therefore x = \frac{144}{73} \text{ cm}^2$$

$$\therefore y = 8 - \frac{144}{73} \simeq 1.973 \text{ cm}^2$$

$$\therefore \text{the area of the yellow part} = \frac{73}{6} \cdot 1.973$$

$$= 24 \text{ cm}^2$$

□

**Problem 1.14.** Suppose A and B are positive real numbers for which  $\log_A B = \log_B A$ . If neither A nor B is 1 and  $A \neq B$ , find the Value of AB

$$\begin{aligned} \text{Solution. } \log_a b &= \log_b a \\ \frac{\log(b)}{\log(a)} &= \frac{\log(a)}{\log(b)} \\ (\log(a))^2 &= (\log(b))^2 \\ (\log(a))^2 - (\log(b))^2 &= 0 \\ (\log(a) - \log(b)) \cdot (\log(a) + \log(b)) &= 0 \\ \therefore (\log(a) + \log(b)) &= 0 \\ \log(a \cdot b) &= 0 \\ \therefore 10^0 &= ab \end{aligned}$$

$$\therefore ab = 1$$

□

**Problem 1.15.**

$$\log_2(11 - 6x) = 2\log_2(x - 1) + 3$$

find the value x.

$$\begin{aligned} \text{Solution. } \log_2(11 - 6x) &= 2\log_2(x - 1) + 3 \\ \log_2(11 - 6x) - (\log_2(x - 1))^2 &= 3 \\ \log_2 \frac{11-6x}{(x-1)^2} &= 3 \\ \frac{11-6x}{(x-1)^2} &= 2^3 \\ 11 - 6x &= 8(x - 1)^2 \\ 11 - 6x &= 8(x^2 - 2x + 1) \\ 11 - 6x &= 8x^2 - 16x + 8 \\ \therefore 8x^2 - 10x - 3 &= 0 \\ \therefore x &= \frac{-1}{4} \text{ or } \frac{3}{2} \end{aligned}$$

If you check the answer you will find that only  $\frac{3}{2}$  is the value of x, as  $x - 1 > 0$ .

□

**Problem 1.16.** if  $f(x) = x^2 + 1$  then what is  $(f \circ f)(x)$ ?

$$\begin{aligned} \text{Solution. } \therefore f(x) &= x^2 + 1 \\ \therefore f(f(x)) &= (x^2 + 1)^2 + 1 \\ &= (x^2)^2 + 2x^2 + 1 + 1 \\ &= x^4 + 2x^2 + 2 \end{aligned}$$

□

**Problem 1.17.** Solve  $\cos^2(\frac{x}{2}) = \cos^2(x)$ , on the interval  $0 \leq x < 2\pi$ .

$$\begin{aligned} \text{Solution. } \therefore \cos^2(\frac{x}{2}) &= \cos^2(x) \\ \therefore (\cos(\frac{x}{2}))^2 &= \cos^2(x) \\ \therefore (\pm \sqrt{\frac{1+\cos(x)}{2}})^2 &= \cos^2(x) \\ \therefore \frac{1+\cos(x)}{2} &= \cos^2(x) \\ \therefore 1 + \cos(x) &= 2\cos^2(x) \\ \therefore 2\cos^2(x) - \cos(x) - 1 &= 0 \end{aligned}$$

$$\therefore (2\cos(x) + 1)(\cos(x) - 1)$$

$$\therefore \cos(x) = \frac{-1}{2} \text{ or } \cos(x) = 1$$

$$\therefore x = 0, \frac{4\pi}{3} \text{ and } \frac{2\pi}{3}$$

□

**Problem 1.18.** Determine the period of

$$y = 8 + 6\cos\left(\frac{2\pi x}{15}\right)$$


*Solution.*  $\therefore$  the period of  $\cos$  is  $\frac{2\pi}{b}$

$$\therefore \frac{2\pi}{b} = \frac{2\pi}{15}$$

then, multiply both sides by  $\frac{15}{2\pi}$   
so, the final answer will be 15.

□

**Problem 1.19.** Find angle F



*Solution.* using the cos law

$$\therefore \cos(f) = \frac{d^2 + e^2 - f^2}{2(1.5)(3.5)}$$

$$\therefore \cos(f) = \frac{3.5^2 + 1.5^2 - 2.9^2}{2(1.5)(3.5)}$$

$$\therefore \cos(f) = 0.58$$

$$\therefore F \simeq 54.5 \text{ degrees}$$

□

**Problem 1.20.** Determine the range of the function

$$f(x) = 4 - 2\sin(3x)$$

*Solution.*  $\therefore f(x) = 4 - 2\sin(3x)$

$$\therefore f(x) = -2\sin(3x) + 4$$

$\therefore$  the function has an amplitude of 2

But, the +4 at the end of the function means that it will be shifted up by 4.

$$\therefore \text{the range is } [2, 6]$$

□