

# {xaringanBuilder}

Build xaringan slides to different outputs

John Paul Helveston

2020/09/27 (updated: 2021-02-26)



# Installation

You can install the current version of xaringanBuilder from GitHub:

```
# install.packages("remotes")  
remotes::install_github("jhelvy/xaringanBuilder")
```

# Installation

You can install the current version of xaringanBuilder from GitHub:

```
# install.packages("remotes")  
remotes::install_github("jhelvy/xaringanBuilder")
```

## Supported output types:

- html
- pdf
- gif
- mp4
- pptx
- png
- social: png image of first slide  
sized for social media sharing  
(e.g. Twitter)

# Installation


You can install the current version of xaringanBuilder from GitHub:

```
# install.packages("remotes")
remotes::install_github("jhelvy/xaringanBuilder")
```

## Supported output types:

- html
- pdf
- gif
- mp4
- pptx
- png
- social: png image of first slide sized for social media sharing (e.g. Twitter)

## Build hierarchy:



# Partial / incremental slides

For pdf, png, gif, mp4, and pptx output types, if you want to build a new slide for each increment on **incremental slides**, set `partial_slides = TRUE` in any of the following build functions:

```
build_pdf()  
build_png()  
build_gif()  
build_mp4()  
build_pptx()  
build_all()
```

# Partial / incremental slides

For pdf, png, gif, mp4, and pptx output types, if you want to build a new slide for each increment on **incremental slides**, set `partial_slides = TRUE` in any of the following build functions:

```
build_pdf()  
build_png()  
build_gif()  
build_mp4()  
build_pptx()  
build_all()
```

For example, the following code would render this slide as two slides in a pdf instead of one:

```
build_pdf("slides.Rmd", partial_slides = TRUE)  
build_pdf("slides.html", partial_slides = TRUE)
```

■ **Note:** This option requires the **chromote** and **pdftools** packages.

# Complex slides

"Complex" slides are slides that contain **panelsets** (like the one on this slide) or other html widgets / advanced features that might not render well as a pdf. To render these on separate slides, set `complex_slides = TRUE` in `build_pdf()`, `build_png()`, `build_gif()`, `build_mp4()`, `build_pptx()`, or `build_all()`.

Chunk	Output
<pre>head(mtcars)</pre>	



# Complex slides

"Complex" slides are slides that contain **panelsets** (like the one on this slide) or other html widgets / advanced features that might not render well as a pdf. To render these on separate slides, set `complex_slides = TRUE` in `build_pdf()`, `build_png()`, `build_gif()`, `build_mp4()`, `build_pptx()`, or `build_all()`.

Chunk	Output
##	mpg cyl disp hp drat wt
## Mazda RX4	21.0 6 160 110 3.90 2.620
## Mazda RX4 Wag	21.0 6 160 110 3.90 2.875
## Datsun 710	22.8 4 108 93 3.85 2.320
## Hornet 4 Drive	21.4 6 258 110 3.08 3.215
## Hornet Sportabout	18.7 8 360 175 3.15 3.440
## Valiant	18.1 6 225 105 2.76 3.460
##	qsec vs am gear carb
## Mazda RX4	16.46 0 1 4 4
## Mazda RX4 Wag	17.02 0 1 4 4
## Datsun 710	18.61 1 1 4 1
## Hornet 4 Drive	19.44 1 0 3 1
## Hornet Sportabout	17.02 0 0 3 2
## Valiant	20.22 1 0 3 1

# Thanks!

Slides created via the R package **xaringan**.

More at <https://jhelvy.github.io/xaringanBuilder>