## Ground Station and Control Center Annual Cost

Eva María Urbano González

November 30, 2016

# List of Figures

### List of Tables

1	Costs per year for the control centre	3
2	Annual costs	3
3	Total annual cost of the ground segment consumption and maitenance	4

#### 0.1 Annual cost of GS and MCC

In this section the maintenance of the ground stations and the control center, which is located in Terrassa, will be explained and its cost will be approximated.

#### 0.1.1 Control center

The control center will be located in Terrassa and it will act as a center from which the activity of the Astrea group will be monitored. The most important cost in this building will be the energy consumption. To approximate the energy consumption the energy use intensity (EUI) can be used. The EUI is a recommended benchmark metric for all type of buildings and tells the amount of energy used in buildings per meter square during one year as an average. The EUI depends is calculated depending on the type of building (hospital, school, etc). The type of building of the control center can be considered as a set of officines, because the most important features of it will be the computers and the internet communications. Taking as a reference an usual officine floor from a building, the average surface it occupies is  $500 \ m^2$ . The EUI has been obtained from [1] and is  $212 \ kWh/m^2$ . The cost of a kWh according to [2] is of 0,141033  $\epsilon/kWh$ , taking into account that the main type of consumption is of electricity. Then, doing the calculation:

$$212 \cdot 500 \cdot 0, 141033 = 14960 \tag{1}$$

This is the cost of the energy consumed. However, the fixed term has also to be taken into account. This term is of 3,170286 €/month/kW. It does not depend on the kW consumed, but the ones that have been contracted. Considering a tariff of 11,5 kW, the cost per year will be of 440 €. Then, the total cost of electricity per year is 15400 €.

Another important cost is the one of the maintenance. The maintenance include cleaning service, industrial maintenance and possible failures of the systems that would need to be repaired. There are companies that offers these services, so to know the cost of the maintenance a research on the market will be done. In most of these companies, no available information about the cost can be found if no information about the exact needs is provided. However, there are some of them that have few standards tariff that can be used. The maintenance will be divided into two: informatic maintenance and cleaning service. The cost of informatic maintenance for a business extracted from [3] is of  $206 \in \text{per month}$ . So in one year the cost will be of  $2500 \in \text{.}$  For the cleaning service, the average market cost is of  $10 \in \text{per hour}$  according to [?], for contracted maintenance. If there are 250 laborable days and every day there is 2 hour of cleaning service, the total cost of it is of  $5000 \in \text{.}$ 

In the following table the results are exposed:

Concept	Cost€
Energy:Power term	14960
Energy:Fixed term	440
Maintenance:Informatics	2500
Maintenance:Cleaning	5000
Total cost	22900

Table 1: Costs per year for the control centre

#### 0.1.2 Ground Stations

The same procedure as the previous one will be done. The costs of maintenance (informatics and cleaning) will be the same, but the difference will be on the energy consumed. In this case the energy will be much higher, so the EUI has to be adapted to an industrial building instead of an officine building. Looking again at reference [1], the EUI in this case is of 260 kWh/ $m^2$ . The surface of the building of the ground station will be of approximately  $100 \ m^2$ , enough for the comfortability of 4 people working there. Then, the energy consumption per year will be of 26000kWh. Now the cost of the kWh is needed, and it depends on the countries, so in the following lines the cost will be calculated for each of the ground stations. The cost of kWh supplied has been extracted from [4] and is an average because it depends on many factors as for example the company selected, the type of tariff, the fixed term, etc.

#### Canada

In Canada, the average cost of 1kWh is of 10 US cents, that are  $0.0945 \in$ . Doing the calculation:

$$26000 \cdot 0,0945 = 2460 \tag{2}$$

The total cost of energy will be of  $2460 \in$ .

#### United Kingdom

As the other two ground stations are located under the administration of the United Kingdom, its costs will be used. In the UK the average cost per kWh is of 20 US cents, that are  $0.189 \in$ . Doing the calculation:

$$26000 \cdot 0,189 = 4920 \tag{3}$$

The total cost of energy will be of  $4920 \in$ .

#### 0.1.3 Total annual cost

In the following table all the data that has been calculated is exposed in order to know the annual cost of the control centre (MCC) and the ground stations (GS).

Concept	MCC	GS Canada	GS Scotland	GS Malvinas
Energy	15400€	2460 €	4920 €	4920 €
Maintenance	7500€	7500€	7500€	7500€
Total	22900€	9960€	12420€	12420€

Table 2: Annual costs

Total annual cost | 57700 €

Table 3: Total annual cost of the ground segment consumption and maitenance

## **Bibliography**

- [1] Energy Star. US Energy Use Intensity by Property Type, 2016.
- [2] Endesa. Precios de Tarifas Reguladas Luz y Gas.
- [3] Precios de contratos de mantenimiento en Madrid Fojenet.
- [4] OVO Energy. Average electricity prices around the world.