## CSci 4270 and 6270 Computational Vision, Spring Semester, 2022 Lecture 05 Exercise

Due: Saturday, January 29 at 5 pm EST

## **Preliminary Note**

Until further notice, we will keep the 48-hour time from the end of class until the due date, even though the exercise(s) are designed to take the average student an hour or less.

## Problem

Given a 3x3 array how can you determine the simplest type of 2d transformation it describes? Is it rigid? Is it a similarity? Is it affine? Or, is it homogeneous? The rules for these can be determined from today's lecture.

You are to write a short python script, starting from the provided template, that takes a series of 3x3 arrays and for each outputs one of five different words: rigid, similarity, affine, homography or none. You may assume that the last entry (lower right corner) of the array is 1. To avoid numerical issues, if any values a and b are such that |a-b| < 1e-6 then the values should be considered equal.

Finally, if the matrix is not full rank then none is the correct answer. I used the determinant (np.linal.det) to check.

As examples, for the input

```
1.4 0.6 -1244
-0.6 1.4 989
0 0 1
2.6 0.6 244
-0.6 1.4 90
0 0
    1
0
     0
         114
     0
 0
         255
0.1 0.4
0.82533561
             0.56464247
                          163
-0.56464247
             0.82533561
                          -45
  0
              0
                            1
 1
      0
          114
 0
      0
          255
0.01 0.04
```

the script should output

similarity affine

none rigid homography