Background and Objectives

Change to the working directory of the assignment, run the test and open it up in Sublime

```
cd ~/code/lewagon-weekend-workshop/day-1-ruby-basics/05-Guess-Number
rake
stt
```

This exercise is a synthesis to validate the core concepts you have seen so far, common to most programming languages:

- Read user input / Print output to user
- Variables and methods
- Program flow and control structures

Guess a Number rules

We will implement a simple game to have the user guess a number.

- The game starts by picking a random number between two numbers
- Then the player has to guess the right number
- If he picks the right number, the game is over and the player wins
- If he picks the wrong number, the game tells him if he is over or under the right number and the player picks another number.

Specs

guess_number.rb

- Implement the #random_number method which returns a random number between 1 and 20.
- Implement the #right_number? method which returns true if the player guesses the correct number.
- Implement the #greater_number? method which returns true if the player guess is larger than the right number, and false if it's smaller.

interface.rb

- Implement the #too_much method which builds a message telling the player his guess was too high.
- Implement the #not_enough method which builds a message telling the player his guess was too low.
- Implement the #well_done method which builds a message telling the player his guess was right.
- Implement the main #play method which runs the game from the terminal. It should work this way:

```
$ ruby lib/run_game.rb
Guess a number between 1 and 20
> 15
That's too much! Guess again.
> 8
That's not enough! Guess again.
> 12
Well done! you won!
$
```

Key learning points

- What are the different ways of looping?
- What are the different conditional structures available?

Further suggestions & resources

- You might want to use the Random class.
- When looping, you need a condition to make your game loop stop at some point.