

# Trends in Mortality Among Shelter Residents: : Closely Tied To Virus Outbreaks\*

Analyzing period: 2007 to 2024

Mandy He

September 27, 2024

Homelessness remain pressing issues in today's society, particularly evident in downtown Toronto, due to harsh living conditions, these individuals often face severe health issues, leading to an increased risk of mortality. This paper analyzes the trends in mortality rates among shelter residents in the City of Toronto from 2007 to 2024, highlighting patterns over time and exploring the factors contributing to these rates. This paper found that the trend in the mortality rate of this minority group reflects the overall health conditions in the macro-environment. Therefore, examining these patterns can help improve provisions and reduce the number of deaths among both this vulnerable population and society at large.

## Table of contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Data</b>	<b>3</b>
2.1	Raw Data . . . . .	3
2.2	Limitation of Data . . . . .	4
<b>3</b>	<b>Results</b>	<b>5</b>
<b>4</b>	<b>Discussion</b>	<b>8</b>
4.1	First discussion point . . . . .	8
4.2	Second discussion point . . . . .	9
4.3	Third discussion point . . . . .	9
4.4	Weaknesses and next steps . . . . .	10

---

\*Code and data are available at: <https://open.toronto.ca/dataset/deaths-of-shelter-residents/>

<b>A Appendix</b>	<b>11</b>
<b>References</b>	<b>14</b>

# 1 Introduction

Homelessness is a well-known issue worldwide, particularly in impoverished cities and countries. It was reported approximately 15 million homeless individuals globally by the World Economic Forum in 2021 (Homeless World Cup Foundation (2024)). Although homelessness is more severe in developing countries, it does not mean that developed places are free from this problem. In downtown Toronto, a city that hosts numerous corporate headquarters and some of the Canada's top educational institutions, homelessness remains a significant issue. Homeless individuals can be seen on the streets and even in subway stations, showing the persistent challenges faced by the city and those without stable housing.

Homeless individuals often live and sleep in harsh and unsanitary conditions, which severely compromises their health. They are more likely to get diseases and suffer from various health problems due to limited access to proper healthcare and nutrition. Consequently, this significantly increases their risk of mortality. The City of Toronto is also deeply concerned about this issue and has implemented numerous aid programs and support services to assist homeless individuals. Despite these efforts, many homeless individuals continue to face significant challenges, and there are still a considerable number of deaths occurring at relatively young ages.

In this paper we will look at the data Toronto (2024), which explore the trends in mortality rates among shelter residents in the City of Toronto from 2007 to 2024, highlighting patterns over time and exploring the factors contributing to these rates. The data indicates that mortality rates were relatively low, with fewer than five deaths per month in the prior 2019. However, after 2019, there was a sharp increase in the number of deaths, peaking in 2021 and 2022. This surge can be attributed to the onset of the COVID-19 pandemic in 2019, which significantly impacted public health and resulted in many fatalities.

The data was examined more in depth by analyzing the mortality rate and average mortality rate between male and female homeless individuals in shelter residences. There are a lot more male death compare to female death every single year. Additionally, the average age at death is around 50 to 60 years old, which is relatively young compared to Canada's life expectancy. These trends are crucial for helping the city improve services provided to this population. Furthermore, from a social and economic perspective, supporting minority populations is essential for community and economic growth. If individuals in these communities are healthier and live longer, they can contribute more effectively to society.

The remainder of this paper is structured as follows. Section 2 will discuss the data used in the study, highlighting key aspects and limitations. Section 3 will focus on generating graphs

using the data presented in Section 2. Section 4 will elaborate on the graphs from Section 3, providing interpretations and possible explanations for the findings.

## 2 Data

### 2.1 Raw Data

The data used in this paper is access in from Open Data Toronto and the particular data set used was the Deaths of Shelter Residents (Toronto (2024)). To analysis the data and creating graphs using the data, following package that was build in the (R program R Core Team (2023)) was used: tidyverse (Wickham et al. (2019)), dplyr (Wickham et al. (2023)), tidyr (Wickham (2023b)), gridExtra (Tang and Smith (2023)), knitr (Xie (2023)), and ggplot2 (Wickham (2023a)). LLM (OpenAI (2023)) was also use for this paper in term of helping with coding in R to graph data, simulating a data, cleaning data, and revising writing.

The data used in this paper was collected by the Toronto Shelter and Support Services Division since 2007. Shelters are required to notify the City of Toronto within 24 hours of a death and submit a written report within 30 days. Accordingly, the data is updated monthly on the Open Data Toronto website. The raw data set includes 10 variables and 18 observations, covering the period from 2007 to 2024, as shown in Table 1. The key variables used in this paper include: year, total decedents, average age at death for all decedents, male decedents, average age at death for male decedents, female decedents, and average age at death for female decedents. Additionally, the monthly death counts from 2007 to 2024 will be used for graphing, comprising 212 observations.

**Variable in the data are as following:**

**id:** A unique row identifier is used in the Open Data database, as names are not reported due to confidentiality.

**Year:** The calendar year during which the number of deaths is reported.

**Month:** The month during which the number of deaths is reported.

**Total decedents:** Total number of shelter residents who died in the reported month/year.

**Male:** Total number of male shelter residents who died in the reported month/year.

**Female:** Total number of female shelter residents who died in the reported month/year.

**Transgender/Non-binary/Two-Spirit:** Total number of transgender, non-binary, and Two-Spirit shelter residents who died in the reported month/year.

Table 1: Variable In The Data - Detah Among Shelter Residents (2007-2024)

Year	Total Dece- dents	Avg Age of Death (All)	Male Dece- dents	Avg Age of Death (Male)	Female Dece- dents	Avg Age of Death (Female)	Trans/NB/2SAvg Age of Dece- dents	Death (Trans/NB/2S)
2007	24	52	22	53	2	50	0	0
2008	26	50	19	47	7	58	0	0
2009	16	56	14	59	2	37	0	0
2010	21	54	11	53	10	56	0	0
2011	21	54	15	53	6	56	0	0
2012	18	53	18	53	0	0	0	0
2013	16	52	13	51	3	59	0	0
2014	30	57	26	57	4	58	0	0
2015	45	58	41	58	4	64	0	0
2016	33	57	27	58	6	47	0	0
2017	35	56	23	54	12	58	0	0
2018	26	57	23	58	3	45	0	0
2019	48	54	38	57	10	43	0	0
2020	74	51	54	51	19	50	1	0
2021	132	47	96	48	31	48	5	33
2022	110	51	81	52	29	49	0	0
2023	91	51	78	52	12	45	1	0
2024	47	50	35	49	7	52	5	50

## 2.2 Limitation of Data

The Deaths of Shelter Residents data is part of a larger database shared by Toronto Public Health (TPH), which also includes deaths of homeless individuals living in shelters and outdoors (City of Toronto (2024a)). Therefore, the findings in this paper focus solely on homeless individuals residing in shelters, which may limit the data set and lead to potential biases that do not fully represent the mortality of all homeless individuals.

Other limitations include the absence of certain data points, such as the cause of death and additional information that could identify the deceased, due to confidentiality concerns. This lack of information may impact the reasoning behind the findings, as possible explanations will need to be drawn from other research and sources.

### 3 Results

The following graph (Figure 1) shows the overall trend in the number of decedents living in shelters from 2007 to 2024. It reveals that between 2007 and 2013, the number of deaths remained quite low, under 30 each year. However, starting in 2013, the number of deaths increased, and the mortality rate never returned to the low levels seen from 2007 to 2013. The graph also highlights two significant peaks in 2015 and 2021. The increase in deaths was more pronounced in 2021 compared to 2015. Further discussion on the reasons for these peaks can be found in discussion sections (Section 4.1 and Section 4.2). Furthermore, in the appendix (Section A), there are graph for number of death per month for each individual year.




Figure 1: Yearly Mortality rate from 2007-2024

Figure 2 provides a close-up view of the years 2019 to 2024, covering the period of the COVID-19 pandemic and a bit of the post-pandemic phase. During this time, the number of deaths does not exhibit a clear trend as time progresses. However, in many months during these years, the number of deaths remains notably high, often fluctuating between 10 and 15 deaths per month. Detailed discussion found in Section 4.2.




Figure 2: Yearly Mortality rate during COVID (2019-2023)

Figure 3 illustrates the number of deaths among genders. The bar graph clearly shows that the number of male decedents is significantly greater than that of female decedents, a trend consistent across all the years presented. Additionally, the graph indicates that the mortality rate among males is more volatile over the years, particularly from 2019 to 2022. These results may be attributed to the proportion of males living in shelters; further details can be found in Section 4.3.




Figure 3: Total Decedents Split by Gender (Female VS Male)

Figure 4 further examines the differences in average age at death between females and males. It's important to note that there are significantly more male deaths than female deaths, which could result in a lower average age for males due to the larger sample size. Although the graph does not definitively indicate whether males generally die at an older age than females or vice versa, it does suggest that the average age at death for males appears to be considerably higher than that for females during many periods indicated in the graph. More information is available in Section 4.3.




Figure 4: Average Age of Death (Female VS Male)

## 4 Discussion

### 4.1 First discussion point

Figure 1 shows the total number of decedents among homeless individuals living in shelters. The graph visualizes two notable increases in 2013 and 2019. According to making connection with other sources, the primary causes of these increases are linked to macro health conditions occurring during those times.

In 2013, there was an influenza outbreak across Ontario that lasted from 2013 to 2016. Influenza is a viral infection that affects the nose, throat, and sometimes the lungs, leading to respiratory illness. Symptoms can range from mild to severe, and in some cases, the flu can result in death. The best way to prevent infection is to get vaccinated each year (Centers for Disease Control and Prevention (2023)). Thus, the clear trend of increasing deaths from 2013 up until 2015, followed by a drop in 2016 shown in Figure 1 perfectly aligns the duration of the outbreak. This pattern closely resembles the total number of influenza outbreaks reported in the article “Influenza Outbreaks in Ontario Hospitals” (Cameron et al. (2019)). According to Table 1 in the article, the number of outbreaks increased from 38 in ‘2013-2014’ to 117 in ‘2014-2015’, then decreased to 36 in ‘2015-2016’. This rise and fall in outbreaks corresponds with the trends observed in Figure 1, where the number of deaths peaked in 2015 and then significantly declined in 2016, coinciding with the flu being brought under control.



One notable point is that in the article (Cameron et al. (2019)), the fatality rate for the 2014-2015 outbreak was only 2.4%, despite the hundreds of flu outbreaks that occurred that year. However, Figure 1 shows that the number of deaths in 2015 was around 45. This discrepancy can be explained by the fact that the data in the article pertains to hospital outbreaks, where individuals have access to better medical care. In contrast, homeless individuals may lack the resources to seek treatment, leading to a higher number of deaths in this population.

## 4.2 Second discussion point

Another clear increasing trend in the mortality rate is evident in 2019, as shown in Figure 1. This is not surprising, given that people around the world were experiencing and still recovering from the COVID-19 pandemic, which began in 2019 and continued until the end of 2023. To better understand the impact, the Government of Canada (Government of Canada (2024)) continuously updates the numbers of cases and deaths related to the pandemic, showing a significant rise in fatalities from 2021 to 2022, followed by a decline after 2023.

Additionally, the challenging living conditions faced by homeless individuals, compared to those of wealthier individuals who also experienced hardships during this time, suggest that the mortality rates among shelter residents are likely to remain elevated. COVID-19 was also a primary driver behind the large number of deaths, as evidenced by the immediate decrease in the number of deaths following the post-pandemic period shown in Figure 2.

## 4.3 Third discussion point

From Figure 3, it is evident that the mortality rate for males is significantly higher than that for females. One reason for this observation is that the proportion of male residents in shelters is greater than that of female residents, with 60% male and only 40% female (City of Toronto (2024b)). Nonetheless, research has shown that females tend to live longer than males at all stages of life, from infancy to young adulthood and into retirement (Our World in Data (2024)). The overall reason for the higher male mortality rate compared to females can be attributed to genetic factors as well as differences in health awareness and behaviors between the two genders.

Figure 4 indicates that the average age at death for homeless individuals living in shelters ranges from 50 to 60 years. According to data from the World Bank, the life expectancy in Canada is approximately 81 years, which suggests that the average age at death for homeless individuals is relatively young (Data Commons (2024)). Despite the increasing life expectancy in today's society, as health and technology continue to evolve, homeless individuals still die at a younger age due to financial constraints and limited access to resources.

#### **4.4 Weaknesses and next steps**

The findings in this paper represent a small aspect of what is happening in the world, focusing specifically on the homeless population. While these results cannot be used to draw definitive conclusions about broader trends, they do provide awareness into patterns that may be occurring on a larger scale.

The connections discussed in this section are not statistically proven, as no models were run to demonstrate the correlation between the deaths of homeless individuals residing in shelters and the various possible explanations mentioned. In addition, the actual causes of death may remain unknown due to confidentiality restrictions and are inferred based on global events that could have contributed to these fatalities.

Other data will have to be gathered and analyzed using appropriate models to establish a solid scientific connection. For instance, to establish a connection between the increase in death numbers in 2013 and 2019 and the flu outbreak and pandemic, data on flu-related deaths and pandemic-related deaths should be gathered and analyzed. A model should be run to test the relationship between these variables.

## A Appendix




Figure 5: Monthly Mortality rate from 2007-2010




Figure 6: Monthly Mortality rate from 2011-2014




Figure 7: Monthly Mortality rate from 2015-2018




Figure 8: Monthly Mortality rate from 2019-2022




Figure 9: Monthly Mortality rate from 2023-2024

## References

- Cameron, C. et al. 2019. “A Systematic Review of the Evidence for the Effectiveness of Community-Based Interventions to Increase Access to Preventive Health Services in Community-Based Organizations.” *BMC Public Health* 19 (1): 1–13. <https://doi.org/10.1186/s12889-019-6525-0>.
- Centers for Disease Control and Prevention. 2023. “Key Facts about Influenza (Flu).” <https://www.cdc.gov/flu/about/keyfacts.htm#:~:text=Flu%20is%20a%20contagious%20respiratory,a%20flu%20vaccine%20each%20year>.
- City of Toronto. 2024a. “Monitoring Deaths of Homeless People.” <https://www.toronto.ca/community-people/health-wellness-care/health-inspections-monitoring/monitoring-deaths-of-homeless-people/>.
- . 2024b. “Shelter System Flow Data.” <https://www.toronto.ca/city-government/data-research-maps/research-reports/housing-and-homelessness-research-and-reports/shelter-system-flow-data/>.
- Data Commons. 2024. “Life Expectancy by Country in North America.” [https://datacommons.org/ranking/LifeExpectancy\\_Person/Country/northamerica?h=country%2FCAN](https://datacommons.org/ranking/LifeExpectancy_Person/Country/northamerica?h=country%2FCAN).
- Government of Canada. 2024. “COVID-19 Current Situation.” [https://health-infobase.canada.ca/covid-19/current-situation.html?stat=num&measure=deaths\\_last14&map=pt#a2](https://health-infobase.canada.ca/covid-19/current-situation.html?stat=num&measure=deaths_last14&map=pt#a2).
- Homeless World Cup Foundation. 2024. “Global Homelessness Statistics.” <https://www.homelessworldcup.org/homelessness-statistics#:~:text=As%20many%20as%201.6%20billion,global%20homelessness%20is%20extremely%20challenging>.
- OpenAI. 2023. “ChatGPT: A Language Model.” <https://www.openai.com/chatgpt>.
- Our World in Data. 2024. “Why Do Women Live Longer Than Men?” <https://ourworldindata.org/why-do-women-live-longer-than-men#:~:text=Older%20age%20death%20rates%20tend%20to%20be%20higher%20among%20men%20than%20women&text=These%20differences%20are%20partly%20due,have%20growing%20consequences%20with%20age>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Tang, A., and D. Smith. 2023. “gridExtra: Miscellaneous Functions for Grid Graphics.” <https://cran.r-project.org/web/packages/gridExtra/index.html>.
- Toronto, City of. 2024. “Deaths of Shelter Residents.” <https://open.toronto.ca/dataset/deaths-of-shelter-residents/>.
- Wickham, Hadley et al. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Wickham, Hadley. 2023a. *Ggplot2: Elegant Graphics for Data Analysis*. <https://ggplot2.tidyverse.org/>.
- . 2023b. “Tidyr: Tidy Data in r.” <https://cran.r-project.org/web/packages/tidyr/index.html>.

- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Xie, Yihui. 2023. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://yihui.org/knitr/>.