Table 1. ICEES feature variables: name, description, and binning strategy.\*

Feature Variable	Description and binning strategy
CohortID	Cohort ID# & input variables used to define cohort
PatientID	Randomly assigned patient identifier
StudyPeriod	Years 2010, 2011, 2012, 2013, 2014, 2015, 2016
CDWH Clinical Data (years 2010-2016)	
AgeStudyStart	Age at 'study' start date: calculated from birth date and binned as 02, 317, 1834, 3550, 5169, 70–89 years†
AgeStudyStart2	Age at 'study' start data: calculated from birth date and binned by US Census Bureau groups as <5, 5-17, 18-44, 45-64, 65-89 years
Sex	Male, Female, Unknown, Other
Sex2	Male, Female
Race	Caucasian, African American, Asian, Native Hawaiian/Pacific Islander, American/Alaskan Native, Other
Ethnicity	Hispanic (1=Yes, 0=No)
ObesityDx	ICD code†† for obesity anytime over 'study' period (1=Yes, 0=No)
ObesityBMI	BMI ≥ 30 anytime over 'study' period (1=Yes, 0=No)
Diagnoses:  Asthma and asthma-like diagnoses:  AsthmaDx CroupDx ReactiveAirwayDx CoughDx PneumoniaDx  Diagnoses with known or suspected sex differences:	One or more diagnoses for select conditions (see list in left column) (defined by high-level ICD categories) over 'study' period; 1=Yes, 0=No)

UterineCancerDx

CervicalCancerDx

OvarianCancerDx

ProstateCancerDx

TesticularCancerDx

KidneyCancerDx

PregnancyDx

MenopauseDx

EndometriosisDx

OvarianDysfunctionDx

TesticularDysfunctionDx

DiabetesDx

AlopeciaDx

FibromyalgiaDx

AlcoholDependenceDx

DrugDependenceDx

DepressionDx

AnxietyDx

AutismDx

Medications Prescribed or Administered:

Medications for asthma-like conditions:

Prednisone

Fluticasone

Mometasone

Budesonide

Beclomethasone

Ciclesonide

Flunisolide

Albuterol

Metaproterenol

Diphenhydramine

Fexofenadine

Cetirizine

Ipratropium

Salmeterol

Arformoterol

Formoterol

Indacaterol

Theophylline

Omalizumab

Mepolizumab

Medications with known or suspected sex differences:

# Anti-depressants

- Sertraline hydrochloride (Zoloft)\*
- Citalopram hydrobromide (Celexa)

One or more prescriptions/administrations of select medications (see list in left column) over 'study' period (1=Yes, 0=No)

- Fluoxetine hydrochloride (Prozac)
- Paroxetine (Paxil)
- Trazodone hydrochloride (Desyrel)
- Escitalopram oxalate (Lexapro)
- Duloxetine hydrochloride (Cymbalta)
- Venlafaxine (Effexor)

Anti-anxiety drugs (in addition to the above)

- Propranolol
- Hydroxyzine

## Estrogens

- Estradiol\*
- Estropipate\*
- Estrogen\*

## **Progrestins**

- Progesterone\*
- Medroxyprogresterone\*

# Androgens

- Testosterone\*
- Androstenedione\*
- Nandrolone\*
- Prasterone\*

#### Prostate cancer

- Leuprolide
- Goserelin
- Triptorelin
- Histrelin

#### Breast cancer

Tamoxifen

# US Census Bureau ACS Data (years 2007-2011 & 2012-2016 survey samples)

EstResidentialDensity	US Census Bureau ACS 2012-2016 estimated total population [block group], binned according to US Census Bureau definitions (1=rural [0,2500), 2=urban cluster [2500,50000), 3=urbanized area [50000,inf))
ur	US Census Bureau ACS 2012-2016 estimated urban or rural residence, binned according to US Census Bureau definitions
EstResidentialDensity25Plus *2012-2016 sample only	US Census Bureau ACS 2012-2016 estimated total population aged 25 years or older [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)

<sup>\*</sup>Key meds to use as positive controls for sex differences

EstPropNonHispWhite	US Census Bureau ACS 2012-2016 estimated proportion of persons who are non-Hispanic white [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHouseholdNonHispWhite	US Census Bureau ACS 2012-2016 estimated proportion of households that are non-Hispanic white [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHighSchoolMaxEducation	US Census Bureau ACS 2012-2016 estimated proportion persons aged 25 y or older with a HS diploma or less at their highest level of schooling [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHighSchoolDropout	US Census Bureau ACS 2012-2016 estimated proportion persons aged 16-19 y who are neither attending school nor HS graduates [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHighSchoolDropoutNoWork	US Census Bureau ACS 2012-2016 estimated proportion persons aged 16-19 y who are neither attending school nor HS graduates and are without work [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHouseholdsNoAuto	US Census Bureau ACS 2012-2016 estimated proportion of households without an automobile [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstPropHouseholdsNoHealthIns  *2012-2016 sample only	US Census Bureau ACS 2012-2016 estimated proportion of persons without health insurance [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstProp5PlusESL	US Census Bureau ACS 2012-2016 estimated proportion of persons 5 years or older who sometimes speak a language other than English at home [block group], binned as quartiles (pandas qcut) (1, 2, 3, 4)
EstMedianHouseholdIncome	US Census Bureau ACS 2012-2016 estimated median household income [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)

EstPropMaleLittleWork	US Census Bureau ACS 2012-2016 estimated proportion of males aged 16-64 years who worked less than 26 weeks in previous year [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)
EstPropHouseholdSSI	US Census Bureau ACS 2012-2016 estimated proportion of households receiving Supplemental Security Income block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)
EstPropHouseholdPA	US Census Bureau ACS 2012-2016 estimated proportion of households receiving Public Assistance [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)
EstPropFemaleHouseholdNoSpouse	US Census Bureau ACS 2012-2016 estimated proportion of family households headed by a female (no male partner present) [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)
EstPropFemaleHouseholdFamilyChild	US Census Bureau ACS 2012-2016 estimated proportion of total households headed by a female with family children aged 18 y or less (no male partner present) [block group], binned as quintiles (pandas qcut) (1, 2, 3, 4, 5)
EstPropFemaleHouseholdAnyChild	US Census Bureau ACS 2012-2016 estimated proportion of total households headed by a female with any children aged 18 y or less (no male partner present) [block group], binned as quintiles (1, 2, 3, 4, 5)
US Census TIGERline Roadway Data (year 2016)	
MajorRoadwayHighwayExposure	US Census TIGERline distance in meters from household to nearest major road/highway (1 = 0-49, 2 = 50-99, 3 = 100-199, 4 = 200-299, 5 = 300-499, 6 = >=500 meters)
MajorRoadwayHighwayExposure2	US Census TIGERline distance in meters from household to nearest major road/highway (1 = 0-49, 2 = 50-99, 3 = 100-149, 4 = 150-199, 5 = 200-249, 6 = >=250 meters)
US DOT Roadway Data (year 2016)	

RoadwayDistanceExposure	US DOT distance in meters from household to nearest roadway (1 = 0-49, 2 = 50-99, 3 = 100-199, 4 = 200-299, 5 = 300-499, 6 = >=500 meters)
RoadwayDistanceExposure2	US DOT distance in meters from household to nearest roadway (1 = 0-49, 2 = 50-99, 3 = 100-149, 4 = 150-199, 5 = 200-249, 6 = >=250 meters)
RoadwayType	UNC DOT roadway classification (e.g., major highway)
RoadwayAADT	US DOT Annual average daily traffic estimate
RoadwaySpeedLimit	US DOT Roadway speed limit
RoadwayLanes	UNC DOT Roadway number of lanes
NC DEQ Data	
CAFO_Distance	TBD
LandfillDistance	TBD
NC Public School Data	
PublicSchoolDistance	TBD

UNC IE 2010 & 2011 CMAQ exposure estimates: PM2.5, ozone§	
Variable nomenclature format:	
AvgDaily <b>XX</b> Exposure_StudyAvg	UNC IE average of estimated average daily PM2.5 exposure over 'study' period, binned by data values (pandas cut) (1, 2, 3, 4, 5)
MaxDaily <b>XX</b> Exposure_StudyAvg	UNC IE average of estimated maximum daily exposure over 'study' period, binned by data values (pandas cut) (1, 2, 3, 4, 5)
AvgDaily <b>XX</b> Exposure_StudyMax	UNC IE maximum of estimated average daily PM2.5 exposure over 'study' period, binned by data values (pandas cut) (1, 2, 3, 4, 5)
MaxDaily <b>XX</b> Exposure_StudyMax	UNC IE maximum of estimated maximum daily exposure over 'study' period, binned by data values (pandas cut) (1, 2, 3, 4, 5)
AvgDaily <b>XX</b> Exposure_StudyAvg_qcut	UNC IE average of estimated average daily PM2.5 exposure over 'study' period, binned by quintiles (pandas qcut) (1, 2, 3, 4, 5)
MaxDaily <b>XX</b> Exposure_StudyAvg_qcut	UNC IE average of estimated maximum daily exposure over 'study' period, binned by quintiles (pandas qcut) (1, 2, 3, 4, 5)
AvgDaily <b>XX</b> Exposure_StudyMax_qcut	UNC IE maximum of estimated average daily PM2.5 exposure over 'study' period, binned by quintiles (pandas qcut) (1, 2, 3, 4, 5)
MaxDaily <b>XX</b> Exposure_StudyMax_qcut	UNC IE maximum of estimated maximum daily exposure over 'study' period, binned by quintiles (pandas qcut) (1, 2, 3, 4, 5)

US EPA 2002-2016 conUS CMAQ exposure estimates: PM2.5, ozone; 2002-2014 conUS CMAQ exposure estimates: CO, NO, NO2, NOx, SO2, acetaldehyde, formaldehyde, benzene**	
(Benzene is only available for select years)  Variable nomenclature format:  AvgDailyXXExposure_2  MaxDailyXXExposure_2	US EPA conUS CMAQ daily exposure estimates for PM2.5, CO, NO, NO2, NOx, SO2, acetaldehyde, formaldehyde, or benzene, averaged over 'study' period, binned by data values (pandas cut) (1,2,3,4,5)
	US EPA conUS CMAQ 8-hour ozone maximum exposure estimate, averaged over 'study' period, binned by data values (pandas cut) (1, 2, 3, 4, 5)
AvgDaily <b>XX</b> Exposure_2_qcut MaxDaily <b>XX</b> Exposure_2_qcut	US EPA conUS CMAQ daily exposure estimates for PM2.5, CO, NO, NO2, NOx, SO2, acetaldehyde, formaldehyde, or benzene, averaged over 'study' period, binned by quintiles (pandas.qcut) (1,2,3,4,5)  US EPA conUS CMAQ 8-hour PM2.5 exposure estimate, averaged over 'study' period, binned by quintiles (pandas.qcut) (1,2,3,4,5)
TotalEDInpatientVisits	Total # ED/inpatient visits for respiratory issue(s) (defined by same ICD codes used to pull patients with asthma-like conditions) over 'study' period (0, 1, 2, 3,)

## See "NIEHS EPR FeatureVariables.xlsx" file

Variables include EPR survey data, SNP data, and data from Green Team Exposures APIs (generated by independent batch pull, using geocodes associated with EPR)

Differentiated from UNC survey by prefix "EPR"

Abbreviations:  $ACS = American \ Community \ Survey; \ DOT = Department of \ Transportation; \ ED = Emergency \ Department; \ IE = Institute for the Environment; \ PM25 = particulate matter <math>\leq 2.5 \ \mu m$  in diameter

\*The feature variables listed in the table are those for the patient-level tables, which include data on each patient for each year of available data (i.e., data on individual patients are represented as rows in the table). Similar feature variables are available for the visit-level tables, although the variables are sometimes treated differently. For example, PM<sub>2.5</sub> exposures are expressed in relation to the 24-hour and two-week period before visits, not in relation to the one-year 'study' period, as was done for the patient-level tables. Additional feature variables (e.g., laboratory measures) are available for select years. Further information can be accessed via the ICEES OpenAPI.

<sup>†</sup> Maximum age is 89 years, per HIPAA regulations

<sup>††</sup>The ICD codes for obesity and for the selection of patients with asthma-like conditions can be found in footnote two of the main manuscript.

§From first batch of CMAQ output, hourly estimates, 36-km (2010) or 12-km (2011) resolutions
\*\*From second batch of CMAQ output, US Census tract resolution, 2002-2015 for PM2.5 and ozone, 2002 only for other chemicals

Note: ICEES is currently restricted to patients with an asthma-like condition from UNC Health Care System and the NIEHS Environmental Polymorphism Registry.

The following codes and parameters were used to identify patients with an 'asthma-like' phenotype:

Diagnostic codes for asthma and asthma-like conditions ICD9 493.% asthma ICD10 J45.% asthma ICD9 464.% croup ICD10 J05.% croup ICD9 496.% reactive airway ICD10 J44.% reactive airway ICD10 J66.% reactive airway ICD9 786.% cough ICD10 R05.% cough ICD9 481.% pneumonia ICD9 482.% pneumonia ICD9 483.% pneumonia ICD9 484.% pneumonia ICD9 485.% pneumonia ICD10 J12.% pneumonia ICD10 J13.% pneumonia ICD10 J14.% pneumonia ICD10 J15.% pneumonia ICD10 J16.% pneumonia ICD10 J17.% pneumonia ICD10 J18.% pneumonia

Tests and procedures for asthma and asthma-like conditions CPT 94010 spirometry CPT 94070 multiple spirometry CPT 95070 methacholine challenge test CPT 94620 simple exercise stress test CPT

94621 complex exercise stress test CPT 31624 bronchoscopy CPT 94375 flow-volume loop CPT 94060 spirometry (pre/post bronchodilator test) CPT 94070 bronchospasm provocation CPT 95070 inhalation bronchial challenge CPT 94664 bronchodilator administration CPT 94620 pulmonary stress test CPT 95027 airborne allergen panel

Medications prescribed for patients with asthma-like phenotype MEDCTN prednisone MEDCTN fluticasone MEDCTN mometasone MEDCTN budesonide MEDCTN beclomethasone MEDCTN ciclesonide MEDCTN flunisolide MEDCTN albuterol MEDCTN metaproterenol MEDCTN diphenydramine MEDCTN fexofenadine MEDCTN cetirizine MEDCTN ipratropium MEDCTN salmeterol MEDCTN arformoterol MEDCTN formoterol MEDCTN indacaterol MEDCTN theophylline MEDCTN omalizumab MEDCTN mepolizumab