

Đ · · · · · Z · · · · · e · · ·
· · · · · e · · · · · · · · · · · · · · ·
·
· · · · · B · · · · · e · · · · · e ·
·
· · · · · e · · · · · e · · · · ·

· · · · · ã11 Đ ã11 · · · · ·
· · · · · x Z · · · · · ã11 · · · · · 11 ã ã† · · ·
· · · · · O · · · · · · · · · · · · · · · Đ ·
· ·

· ã ·
i · · · · · Z · · · · ·

• õ · · · · · õ · · · · ·
· · · · · õ · · · · · õ · · · · ·

• ”
• õ ·

• õ ·

• v ·

œ " ^ Bã õ B

h Ç ÇãÇ Þ å Ø Ç Þ üå å

• 1 · · · · · B · · · · ·
· · · · · õ · · · · ·
· · · · · Đ · · · · ·
·
· ·



· · · · · e · · · · · Z · · · · ·
· · · · · õ ·

Z ·


õ Y B
Đ e

ı Ā
[Shaded box]

Z Ā x
[Shaded box]

o
" [Shaded box]
fl
"

. ĩ ĩ Z
e
Ā
fl [Shaded box]


õ
• v
fl [Shaded box]

Y †

h Ç Ç o o Ç o o

Đ • O Y
e8B
Z
[Shaded box]

õ



† 1 e
i
• e i e
• e e
• ã

Z
° 1
†

fi[~] 1

Z
fi[~] 1

õ
° 1

i 0
D
e ã

° 1

D
i
Y
x
x

Figure 1: A diagram illustrating the relationship between the variables \tilde{f}_i and \tilde{f}_j . The diagram shows a sequence of nodes labeled $\tilde{f}_1, \tilde{f}_2, \dots, \tilde{f}_i, \tilde{f}_{i+1}, \dots, \tilde{f}_j, \tilde{f}_{j+1}, \dots, \tilde{f}_n$. The nodes are arranged in a horizontal line, with arrows indicating a sequence from left to right. The nodes \tilde{f}_i and \tilde{f}_j are highlighted with a larger font size and a bold underline. The nodes \tilde{f}_1 and \tilde{f}_n are also highlighted with a larger font size and a bold underline. The nodes $\tilde{f}_2, \dots, \tilde{f}_{i-1}$ and $\tilde{f}_{i+1}, \dots, \tilde{f}_{j-1}$ are arranged in a sequence between \tilde{f}_i and \tilde{f}_j . The nodes $\tilde{f}_{j+1}, \dots, \tilde{f}_{n-1}$ are arranged in a sequence between \tilde{f}_j and \tilde{f}_n .

$\tilde{\text{O}}$

$$\times \begin{array}{c} \text{I} \\ \text{Z} \end{array}$$

" Ç Ç

\tilde{A}

[illegible]
$$\times_{\mathbb{Z}} \mathbf{X}^{\bullet} \rightarrow \mathbf{X}^{\bullet} \rightarrow \mathbf{Z}^{\bullet}$$

Đ 0 Y
 0 e
 ĩ x
 1


B " Ç Ø ù õ


0 ã 1 1
 8 8
 Đ Z

e, , • » Đ ° † Đ e e
 Đ
 0
 †



Ã Z Đ
 Z

 ĩ 0





Đ 0
 8 e
 ĩ
 Z
 Z
 B ° 8
 • v B ° 8 B
 0 Y 0
 †



ĩ
 B ° 8 Ñ °
 Ñ ° ĩ Đ
 B ° 8 0
 ĩ B ° 8
 0 Y B

 † 0 Y
 » †
 0
 x



3×ü0ëã4çÇ10100

 †

 110

h a õ õ Ç Þ ^ â x Ç õ

Đ

»

Đ

Đ e

Đ 0

Đ

Đ 0
Ã e

”
° 0 Y 1 • † Y x e l Đ
” 0 Y

Đ
Z



”
(
° 1

Ã ĩ 0 Y
~ B ° 8

e ~ B ° 8
1
” 0 Y
†

e † • Đ e

† Đ 0 Y


$$\tilde{A}_x \gg eDB$$
[illegible]

1. $\tilde{a} \in \mathbb{Z}$
 \dagger
 e

»B° 8„ B

† t

1

õ

»B° 8„ B 1 †

• B •


e

»

× » x

»

Z`



»B° 8„ B Y B

e

†

ž ž

/ fi ž

/ fi

õ

Z` e ÃÃ

»B° 8„ B Z` õ

† Æ e õ

ĩ î »

x

i B
 . ã . Z

[illegible]

Z » B° 8 „ B † . . .

x \rightarrow $\frac{1}{2} \ln \frac{1+x}{1-x}$, $\frac{1}{2} \ln \frac{1+x}{1-x} = \frac{1}{2} \ln \frac{1+x}{1-x}$

ii) $\mathcal{B}^{\circ} \subseteq \mathcal{B}$ is a σ -algebra of \mathcal{B} such that $\mathcal{B}^{\circ} \cap \mathcal{B}^{\circ} = \emptyset$ and $\mathcal{B}^{\circ} \cup \mathcal{B}^{\circ} = \mathcal{B}$.

[illegible]

\dagger

† Z 0 †

• » B° 8„ B

» B° 8„ B Z

1 Z

†

31.11.2011 09:00

[illegible][illegible]

