Instituto Superior Técnico

ISR

REPORT

CONTEXTUALISATION MILESTONE

Project and Clinical Environment Presentation

Author: Francisco Maria Calisto Coordinator:
Professor Jacinto
PEIXOTO

20/11/2015



1 Project Summary

Making a compilation [1] of sketches asked by Professor Jacinto to a better understand of the project as well as to third party who also might need this information, then will outlined the architecture of the issue.

There will be two features, a 1st functionality that will be our focus of the problem and a 2nd feature that will be something developed depending on the course of the project.

1.1 1st Functionality

Get the ground-truth [2] (reference measurements), contours, marking the BI-RAD [3] in multi-modality:




Figure 1: Ground-Truth




Figure 2: Ground-Truth

1.2 2nd Functionality

Proceed to the "follow-up" of the patient, to make the comparison of past data, so we will compare the evolution of the patient thus who we are following by the closer form of injury.

2 The Meeting

In the presence of Doctor Clara Aleluia the following questions where the feedback has been made:

2.1 Questions made to the Doctor

- 1. Ask if the Doctor just want to have the viewing of 2 breasts or just those that have high probability of occurrence.
 - For this question Doctor said that usually the viewing is done observing both breasts at the same time to compare the symmetries of the images, for this same symmetry is the first act in checking something wrong in the breast.
- 2. Understand the meaning of traits for the Doctor.

For the Doctor this feature will serve as we have for example a situation where we go as the points are taken there will be lines that connect them to each other and this is the defining traits. It is important to have an undo feature and undo the points made (redo and undo) also giving the possibility to change a given point (example: alter the 3rd point). For the Doctor it is needed about 10 points on an average estimated by itself and informally.

3. Understand what are calcifications and aggregate of a breast as clinical terms.

In this part I was pretty savvy and demonstrate step by step the means by using images:




Figure 3: Breast Aggregates




Figura 3. Em A. mamografía (detalhe ampliado). Numerosas calcificações puntiformes emnitido trajeto ductal, observando-se que, embora algumas calcificações pareçam lineares, elas correspondem a calcificações puntiformes justapostas, Em B, corte histológico. Ductos mostrando proliferação de celulas atípicas, formando papilas e arcos, um deles com calcificação arredondada no seu interior (CDIS tipo micropapilar).

Figure 4: Breast Calcifications

4. What are the Doctor preferences and medical routines for interaction with the machine?

Here it was also observed with the Doctor an attention need for the interaction with the machine and it was observed a much greater choice thereof to handle a computer mouse.

5. Understand if the doctor wants to write down all the slices, or otherwise, which slice you want to note?

To this question the Doctor said that would depend on where the changes are sweeping the slices and then selecting the slice to note.

6. Is it important to have always visible state of the system, even if it means losing screen space?

In this case, we have to be careful about the relevance of this question in given circumstances, it is important to tell the interface image where you are watching over the others and whether it is right breast or the left breast. The rest of the information it seemed negligible and not useful, being most important for the Doctor gain screen space face to have less visible information system.

7. Can we have access to the software currently being used?

The software is all available online, with a range of software for this type of clinical evaluations is called a PACS [4]. There is enough information about this range of software in Google Scholar [5] as shown as well as some papers [6]. The software used in Hospital Amadora Sintra Carestream Vue PACS [7] is nevertheless also have the OsiriX [8].

2.2 Comments

There was indeed a greater importance in the use and iteration mouse over the keyboard by the Doctor. Where the right side of the mouse is not used at the moment by the Software that Doctor uses and has the potential to be used in ours.

It is important to have text notations and notations using symbols, such as arrows and other symbols to write down calcifications, masses and corresponding Bi-RADS.

There are no visible calcifications in MRI and is usually a later your visualisation process.

There are masses in Mamo, Echo and MRI.

It must have a labelling field on the images.

The 2nd functionality, the functionality of the "follow-up" primarily has the objective of information selection, as well as display information (VI), which in general controls are done a minimum of 6 months having 1 inspections at 1 year and evolutions They are usually seen in space five years.

3 Project Management

It is essential that the Coordinator proceed to a meeting with the Co-Coordinator, in this phase, to define what the goals, objectives and methodologies to address in this project, because only from here I can move forward. Ideally will be Professor Jacinto talk with Professor Daniel and after that arrange a meeting three to better discuss what they said. I would like therefore to be aware of the meeting between the two.

Regarding methodologies have been analysing calmly a few ways to address developments in this order. There are basic and general ways of treating these projects such as the DSR [9] technique for iterating projects:




Figure 5: DSR

In this case we are talking not of Interface but the whole development of the Project of Masters, which for is no longer our main concern.

In terms of interface have two methodologies that consider they are the only ones in the academic course attended:

- Human-Computer Interaction Methodologies [10] (Figure 6);
- User-Centered Design Methodologies [11] (Figure 7);




Figure 6: HCI Methodologies




Figure 7: UCD Methodologies

References

- [1] Project and Clinical Environment Presentation (PCEP) Report Repository, github.com[online], (https://github.com/FMCalisto/master-project/tree/master/reports/hospital-meetings/report_1).
- [2] Ground-truth, wikipedia.org[online], (https://en.wikipedia.org/wiki/Ground_truth).
- [3] BI-RADS, wikipedia.org[online], (https://en.wikipedia.org/wiki/BI-RADS).
- [4] Picture archiving and communication system, wikipedia.org[online], (https://en.wikipedia.org/wiki/Picture_archiving_and_communication_system).
- [5] PACS Picture Archiving and Communication System, scholar.google.com[online], (http://tinyurl.com/pfoqfvt).
- [6] PACS Picture Archiving and Sys-Communication Maximilian Vi-Hecht, cq.tuwien.ac.at[online], tem, Technology, Paderborn, enna University of University of (https://www.cg.tuwien.ac.at/courses/Seminar/WS2009/PACS.pdf).
- [7] CARESTREAM Vue PACS, carestream.com[online], (http://www.carestream.com/vue-pacs.html).
- [8] Osirix, osirix-viewer.com[online], (http://www.osirix-viewer.com/).
- [9] Design science research, wikipedia.org[online], (https://en.wikipedia.org/wiki/Design_science_research).
- [10] Human-computer interactio, Methodologies, wikipedia.org[online], (https://en.wikipedia.org/wiki/Human%E2%80%93computer_interaction#Methodologies).
- [11] User-centered design, wikipedia.org[online], (https://en.wikipedia.org/wiki/User-centered_design).