

# Argüello

## Simple, typographic beamer theme

*June 2, 2022*

### Place Holder

University of T<sub>E</sub>X

✉ username@domain.com



UNIVERSIDAD  
D SEVILLA  
1505

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Ordered list:

1. First item
  - a) 1st item 2nd level
    - (i) 1st item 3rd level
    - (ii) 2nd item 3rd level
  - b) 2nd item 2nd level
2. Second item
3. Third item

Unordered list:

- First level
  - Second level
    - Third level

# A frame with title only

Theorem

$$e^{i\pi} + 1 = 0$$

Proof

$$e^{iz} = \cos z + i \sin z$$

*therefore*

$$\begin{aligned} e^{i\pi} + 1 &= \cos \pi + i \sin \pi + 1 \\ &= -1 + i \times 0 + 1 \\ &= 0 \end{aligned}$$



Let's cite a paper by Amiot [2007](#) and another one by Bergh, Jasso, and Thaule [2016](#).

# Frames have no headline

\Alegreya	Lorem ipsum dolor sit amet
\AlegreyaExtraBold	<b>Lorem ipsum dolor sit amet</b>
\AlegreyaBlack	<b>Lorem ipsum dolor sit amet</b>
\AlegreyaMedium	Lorem ipsum dolor sit amet
\AlegreyaSans	Lorem ipsum dolor sit amet
\AlegreyaSansThin	Lorem ipsum dolor sit amet
\AlegreyaSansLight	Lorem ipsum dolor sit amet
\AlegreyaSansMedium	Lorem ipsum dolor sit amet
\AlegreyaSansExtraBold	<b>Lorem ipsum dolor sit amet</b>
\AlegreyaSansBlack	<b>Lorem ipsum dolor sit amet</b>

**Alert!** A plain frame does not show the progress bar but it still appears in the progress bar of other frames unless it is placed after \ThankYou.

A ***STANDOUT*** frame can be used to focus attention

# Acknowledgements

This beamer theme is based in the Argüelles theme, originally developed by Michele Piazzai under the MIT license:

<https://github.com/piazzai/Arguelles>

- ☰ Amiot, C. (2007). “On the Structure of Triangulated Categories with Finitely Many Indecomposables”. *Bull. Soc. Math. France* 135, no. 3, pp. 435–474.
- ☰ Balmer, P. and M. Schlichting (2001). “Idempotent Completion of Triangulated Categories”. *J. Algebra* 236, no. 2, pp. 819–834.
- ☰ Bergh, P. A., G. Jasso, and M. Thaule (Feb. 2016). “Higher  $n$ -angulations from local rings”. *J. London Math. Soc.* 93, no. 1, pp. 123–142.
- ☰ Bergh, P. A. and M. Thaule (July 2, 2013). “The axioms for  $n$ -angulated categories”. *Algebraic & Geometric Topology* 13, no. 4, pp. 2405–2428.
- ☰ Bondal, A. I. and M. M. Kapranov (1991). “Enhanced Triangulated Categories”. *Mat. USSR Sb.* 70, no. 1, pp. 93–107.
- ☰ Geiss, C., B. Keller, and S. Oppermann (2013). “ $n$ -angulated categories”. *J. Reine Angew. Math.* 675, pp. 101–120.

- ☰ Iyama, O. and Y. Yoshino (Jan. 16, 2008). “Mutation in Triangulated Categories and Rigid Cohen–Macaulay Modules”. *Inventiones mathematicae* 2008 172:1 172, no. 1, pp. 117–168.
- ☰ Jasso, G. (2016). “ $n$ -abelian and  $n$ -exact categories”. *Math. Z.* 283, no. 3-4, pp. 703–759.
- ☰ Muro, F. (2020a). “Enhanced Finite Triangulated Categories”. *Journal of the Institute of Mathematics of Jussieu*, pp. 1–43.
- ☰ – (2020b). “The First Obstructions to Enhancing a Triangulated Category”. *Math. Z.* 296, no. 1-2, pp. 719–759.
- ☰ Muro, F., S. Schwede, and N. Strickland (2007). “Triangulated Categories without Models”. *Invent. Math.* 170, no. 2, pp. 231–241.



In combination with *plain*,  
it makes a nice thank-you slide!



<https://github.com/FMuro/Arguello>