Supplementary Material

A Derivation from feature interaction component in NFM to Aggregated pairwise analysis component in FG-DCF

This appendix is going to show the details of the derivation in FG-DCF paper.

$$\begin{split} &MLP(f_{BI})\\ =&MLP(\sum_{i=1}^{N}\sum_{j=i+1}^{N}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j}))\\ =&\mathbf{W}_{L}(\dots(\mathbf{W}_{1}(\sum_{i=1}^{N}\sum_{j=i+1}^{N}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j}))+b_{1})\dots)+b_{L}\\ =&\mathbf{W}_{L}\dots\mathbf{W}_{1}\sum_{i=1}^{N}\sum_{j=i+1}^{N}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j})+(\mathbf{W}_{L}\dots\mathbf{W}_{2}b_{1})+\dots+b_{L}\\ =&\sum_{i=1}^{N}\sum_{j=i+1}^{N}(\mathbf{W}_{L}\dots\mathbf{W}_{1}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j}))+(\mathbf{W}_{L}\dots\mathbf{W}_{2}b_{1})+\dots+b_{L})\\ =&\sum_{i=1}^{N}\sum_{j=i+1}^{N}(\mathbf{W}_{L}\dots\mathbf{W}_{1}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j})+(\mathbf{W}_{L}\dots\mathbf{W}_{2}b_{1})+\dots+b_{L})-C\\ =&\sum_{i=1}^{N}\sum_{j=i+1}^{N}(\mathbf{W}_{L}(\dots(\mathbf{W}_{1}(x_{i}\mathbf{v}_{i}\odot x_{j}\mathbf{v}_{j})+b_{1})\dots)+b_{L})-C\\ =&\sum_{i,j\in R_{k},j>i}(MLP_{pairwise}(x_{i}\mathbf{v}_{i}\odot x_{i}\mathbf{v}_{j}))-C\\ =&\sum_{i,j\in R_{k},j>i}(MLP_{pairwise}((\mathbf{v}_{i}\odot \mathbf{v}_{j})e_{ij}))-C\\ =&\sum_{i,j\in R_{k},j>i}(\phi_{p}(e_{ij},\mathbf{v}_{i},\mathbf{v}_{j}))-C,\\ \text{where }&C=(\frac{N(N-1)}{2}-1)((\mathbf{W}_{L}\dots\mathbf{W}_{2}b_{1})+\dots+b_{L}). \end{split}$$