

Page 1 of 5

#### This information was generated by the HP KEYMARK database on 21 Jun 2022

 $\sim$	$\alpha$	in
_U	u	

<u> </u>			
Summary of	DAIKIN / ROTEX MONOBLOC DOMESTIC HOT WATER HEAT PUMP 260L FOR SOLAR	Reg. No.	011- 1W0217
Certificate Holde	r		
Name	DAIKIN Europe N.V.		
Address	Zandvoordestraat 300	Zip	B-8400
City	Oostende Country Belgium		
Certification Body  DIN CERTCO Gesellschaft für Konformitätsbewertung mbH			
Subtype title	DAIKIN / ROTEX MONOBLOC DOMESTIC HOT WATER HEAT PUMP 260L	FOR SOLA	٩R
Heat Pump Type	Heat Pump for Domestic Hot Water (DHW)		
Refrigerant	R134a		
Mass of Refrigerant	0.9 kg		
Certification Date	09.10.2018		
Testing basis	HP KEYMARK certification scheme rules rev. no. 6		



# Model: EKHH2E260PAV3(3)

Configure model		
Model name	EKHH2E260PAV3(3)	
Units	Indoor	
Climate zone (for heating)	n/a	
Heat Source	Indoor Air	
Any additional heat sources	n/a	

General Data		
Power supply	1x230V 50Hz	
Off-peak product	No	



#### Domestic Hot Water (DHW)

#### Average Climate

EN 12102-2	
Sound power level indoor	53 dB(A)

EN 16147	
Declared load profile	XL
Efficiency ηDHW	117 %
СОР	2.62
Heating up time	09:50 h:min
Standby power input	39.6 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	329 I

## Operating test

EN 16147		
To any order to a second black and a second black a		
Temperature operating range	passed	
Safety devices checking test	passed	
Condensate draining	passed	



## Model: RKHH2E260PAV33

Configure model		
Model name	RKHH2E260PAV33	
Units	Indoor	
Climate zone (for heating)	n/a	
Heat Source	Indoor Air	
Any additional heat sources	n/a	

General Data		
Power supply	1x230V 50Hz	
Off-peak product	No	



#### Domestic Hot Water (DHW)

#### Average Climate

EN 12102-2	
Sound power level indoor	53 dB(A)

EN 16147	
Declared load profile	XL
Efficiency ηDHW	117 %
СОР	2.62
Heating up time	09:50 h:min
Standby power input	39.6 W
Reference hot water temperature	52.5 °C
Mixed water at 40°C	329 I

## Operating test

EN 16147		
Temperature operating range	passed	
Safety devices checking test	passed	
Condensate draining	passed	