REAL-TIME ROBOT ARM CONTROL USING MOTOR IMAGINARY MOVEMENTS DECODED FROM EEG SIGNALS

RESEARCH PRACTICE

submitted by Juri Fedjaev

NEUROSCIENTIFIC SYSTEM THEORY Technische Universität München

Prof. Dr Jörg Conradt

Supervisor: Dipl.-Ing. Zied Tayed

Final Submission: 22.05.2017



Abstract

A short (1–3 paragraphs) summary of the work. Should state the problem, major assumptions, basic idea of solution, results. Avoid non–standard terms and acronyms. The abstract must be able to be read completely on its own, detached from any other work (e.g., in collections of paper abstracts). Don't use references in an abstract.

CONTENTS

Contents

1		roduction	5	
	1.1	Problem Statement	6	
	1.2	Related Work	6	
2	Solı	ition Design and Implementation	7	
	2.1	Experimental Design	7	
	2.2	Experimental Results	8	
	2.3	Discussion	8	
3 Conclusion				
Li	st of	Figures	11	
Bi	blios	graphy	13	

4 CONTENTS

Chapter 1

Introduction

- Introduce the idea of the BCI
- applications of BCI for robotic control
 - \rightarrow importance (why robotic arm control), technical difficulties & limitations, challenges ...

Problem description:

Brain machine interface (BMI) is used to control a system through which people with motor disabilities could achieve a better quality of life by improving their interaction ability with the surrounding environment. Using BMI, patients suffering from severe motor disabilities can also control robot arm to carry out their activity of daily living by just generating control commands using their own EEG signals.

Your first chapter in the document. Introduce the problem (gently!). Try to give the reader an appreciation of the difficulty, and an idea of how you will go about it. It's like the overture of an opera: it plays on all the relevant themes.

Make sure you clearly state the vision/aims of your work, what problem you are trying to solve, and why it is important. While the introduction is the part that is read first (ignoring title and abstract) it is usually best written last (when you actually know what you have really achieved). Remember, it's the first thing that is being read, and will have a major influence on the how the reader approaches your work. If you bore them now, you've most likely lost them already. If you make outrageous claims pretend to solve the world's problems, etc, you're likely fighting an uphill battle later on. Also, make sure you pick up any threads spun in the introduction later on, to ensure that the reader thinks they get what they have been promised. Don't create an expectation that you'll deliver more than you actually do. Remember, the reader may be your marker (of a thesis) or referee (of a paper), and you don't want to annoy them.

1.1 Problem Statement

Excerpt from the description of the practical project:

The main objective of this project is to implement the algorithm described in [1, 2] to discriminate and decode four motor imagery movements (left hand, right hand, both hand imaginary movement and rest) from EEG signals. Afterwards, the developed algorithm has to be used to control a robot arm in a real-time scenario.

Tasks:

This project requires the student to:

- Implement an existing algorithm to classify four motor imaginary movements from EEG recorded signals.
- Test and validate the developed algorithm in a real-time scenario when the user imagines one of the four actions, this imagination would be decoded with a BMI and the robotic arm executes the desired movement.

Optional task:

• Extend the work by using the implemented algorithm to classify reach and grasp imaginary movements

1.2 Related Work

This section will review existing approaches and possible solutions to the problem stated in section 1.1.

- Discuss related projects from other research groups (e.g. TU Graz virtual reality navigation using MI, ...)
- past achievements in the area of MI for BCI
- provide background information (e.g. motor imagery, motor cortex location and importance for project, local field potentials, ...)

Chapter 2

Solution Design and Implementation

Figure below depicts the essential information flow for a BCI system.




Figure 2.1: Information flow for a BCI system controlling a robotic arm

2.1 Experimental Design

In this section the design of the proposed solution will be described, i.e. the overall architecture on an abstract level.

- OpenVibe
- BCILAB

- ...
- my Design

time-constraint is present, because experimental design is a cue-based approach

Experiment design:

- cue-based experiment
- acquiring samples

In this section, the implementation will be explained in greater detail.

- Chain of information processing
- Implementation in Matlab
- e

2.2 Experimental Results

- reached accuracies of SVM
- how to ensure that recording is successful
- ...

2.3 Discussion

- how to improve classification accuracy improve feature extraction, e.g. use ERD / ERS on α / β -bands
- use different classifier

ANN or SNN would be interesting to see. See paper xy for examples

Convolutional NN or recurrent deep NN could significantly improve classification accuracy and therefore enable the system for a multiclass (more than two for instance) classification

Discuss and explain your results. Show how they support your thesis (or, if they don't, give a convincing explanation). It is important to separate objective facts clearly from their discussion (which is bound to contain subjective opinion). If the reader doesn't understand your results, reconsider if you have managed to extract the core information and explain it in a straightforward way.

Chapter 3

Conclusion

Don't leave it at the discussion: discuss what you/the reader can learn from the results. Draw some real conclusions. Separate discussion/interpretation of the results clearly from the conclusions you draw from them. (So-called "conclusion creep" tends to upset reviewers. It means surrendering your scientific objectivity.) Identify all shortcomings/limitations of your work, and discuss how they could be fixed ("future work"). It is not a sign of weakness of your work, if you clearly analyse and state the limitations. Informed readers will notice them anyway and draw their own conclusions, if not addressed properly.

Recap: don't stick to this structure at all cost. Also, remember that the thesis must be:

- honest, stating clearly all limitations;
- self-contained, don't write just for the locals, don't assume that the reader has read the same literature as you, don't let the reader work out the details for themselves.

This chapter is followed by the list of figures and the bibliography. If you are using acronyms, listing them (with the expanded full name) before the bibliography is also a good idea. The acronyms package helps with consistency and an automatic listing.

LIST OF FIGURES 11

List of Figures

2.1 Information flow for a BCI system controlling a robotic arm	1]	Information	flow for	a BCI s	vstem controllii	ng a robotic arm		-
---	------	-------------	----------	---------	------------------	------------------	--	---

12 LIST OF FIGURES

BIBLIOGRAPHY 13

Bibliography

- [1] J. Meng, S. Zhang, A. Bekyo, J. Olsoe, B. Baxter, and B. He, "Noninvasive electroencephalogram based control of a robotic arm for reach and grasp tasks," *Scientific Reports*, vol. 6, 2016.
- [2] X. Yong and C. Menon, "Eeg classification of different imaginary movements within the same limb," *PloS one*, vol. 10, no. 4, p. e0121896, 2015.

14 BIBLIOGRAPHY

LICENSE 15

License

This work is licensed under the Creative Commons Attribution 3.0 Germany License. To view a copy of this license, visit http://creativecommons.org or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California 94105, USA.