Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a> W. Süβ, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



## Bereich: Allgemein

Zoo Musterlösung

```
Package: de.dhbwka.java.exercise.common.zoo
                                                       Klasse: Zoo
package de.dhbwka.java.exercise.common.zoo;
 * Part of lectures on 'Programming in Java'. Baden-Wuerttemberg
* Cooperative State University.
 * (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
 * @author DHBW lecturer
 * @version 1.0
public class ZooAnimal {
    private String type;
    private String name;
    private String fodder;
    public ZooAnimal(String art, String name) {
        this.type = art;
        this.name = name;
    }
    /** Gibt aus, ob das Zier das übergebene Futter frisst oder verschmäht.
        Abhängig vom Vergleich mit this.futter */
    public void feed(String fodder) {
        System.out.println(String.format("%s %s %s",
             fodder.equalsIgnoreCase(this.fodder) ? "eats" : "despises",
             fodder));
    }
    @Override
    /** Informationen zu einem ZooAnimal */
    public String toString() {
        return name + " (" + type + ")";
    }
      /**
       * @return the type
      public String getType() {
             return type;
      }
       * @param type the type to set
      public void setType(String type) {
             this.type = type;
      }
```

Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a> W. Süβ, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



```
/**
       * @return the name
      public String getName() {
             return name;
      }
       * @param name the name to set
      public void setName(String name) {
             this.name = name;
      }
      /**
       * @return the fodder
      public String getFodder() {
            return fodder;
      }
      /**
       * @param fodder the fodder to set
      public void setFodder(String fodder) {
             this.fodder = fodder;
}
package de.dhbwka.java.exercise.common.zoo;
* Part of lectures on 'Programming in Java'. Baden-<u>Wuerttemberg</u>
* Cooperative State University.
 * (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
 * @author DHBW lecturer
 * @version 1.0
 */
public class Predator extends ZooAnimal {
    public Predator(String type, String name) {
        super(type, name);
        setFodder("flesh");
    }
}
```

Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a> W. Süβ, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



```
package de.dhbwka.java.exercise.common.zoo;
* Part of lectures on 'Programming in Java'. Baden-<u>Wuerttemberg</u>
 * Cooperative State University.
 * (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
 * @author DHBW lecturer
 * @version 1.0
 */
public class Songbird extends ZooAnimal {
    public Songbird(String art, String name) {
        super(art, name);
        setFodder("grains");
    }
}
package de.dhbwka.java.exercise.common.zoo;
* Part of lectures on 'Programming in Java'. Baden-<u>Wuerttemberg</u>
* Cooperative State University.
 * (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
 * @author DHBW lecturer
 * @version 1.0
 */
@SuppressWarnings("serial")
public class ZooCapacityException extends Exception {
    public ZooCapacityException() { }
    public ZooCapacityException(String msg) {
        super(msg);
    }
}
```

Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a> W. Süß, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



```
package de.dhbwka.java.exercise.common.zoo;
* Part of lectures on 'Programming in Java'. Baden-<u>Wuerttemberg</u>
* Cooperative State University.
* (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
* @author DHBW lecturer
* @version 1.0
*/
@SuppressWarnings("serial")
public class ZooFileException extends Exception {
   public ZooFileException() { }
   public ZooFileException(String msg) {
        super(msg);
    }
}
package de.dhbwka.java.exercise.common.zoo;
import java.io.FileWriter;
import java.io.PrintWriter;
* Part of lectures on 'Programming in Java'. Baden-<u>Wuerttemberg</u>
* Cooperative State University.
* (C) 2020 by J. Sidler, T. Schlachter, C. Schmitt, W. Suess
* @author DHBW lecturer
* @version 1.0
public class Zoo {
    public static final int STANDARD_CAPACITY = 5;
   public Zoo() {
        this(STANDARD_CAPACITY);
    /** <a href="mailto:recorder-right">Frzeugt einen neuen Zoo mit der Kapazität für MAX Tiere */</a>
    public Zoo(int MAX) {
       this.MAX = MAX;
        animals = new ZooAnimal[MAX];
    }
    /** Fügt, weitere Kapazität vorausgesetzt, dem Zoo ein Tier hinzu */
    public void addAnimal(ZooAnimal animal) throws ZooCapacityException {
```

Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a>
W. Süß, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



```
if (noOfAnimals<MAX) {</pre>
         animals[noOfAnimals++] = animal;
         System.out.println(animal.toString() + " added to zoo");
    } else
         throw new ZooCapacityException("Error: zoo capacity exceeded!");
}
/** <u>Testet</u>, <u>ob im</u> Zoo <u>ein</u> Tier <u>mit</u> <u>dem angegebenen</u> <u>Namen existiert</u> */
public boolean existsAnimal(String name) {
    for (ZooAnimal animal : animals)
         if (animal!=null && animal.getName().equalsIgnoreCase(name))
              return true;
    return false;
}
/** <u>Liefert</u> <u>alle Tiere</u> <u>des</u> Zoos in <u>einem</u> passend großen Array */
public ZooAnimal[] getAnimals() {
    ZooAnimal[] result = new ZooAnimal[noOfAnimals];
    for (int i=0; i<noOfAnimals; i++)</pre>
         result[i] = animals[i];
    return result;
}
/** Speichert alle <u>Tiere des</u> Zoos in <u>einer Datei</u> */
public void saveToFile(String filename) throws ZooFileException {
    try (PrintWriter pw = new PrintWriter(new FileWriter(filename))) {
         for (ZooAnimal animal : this.getAnimals())
              pw.println(animal.getType()+";"
                  +animal.getName()+";'
                  +animal.getClass().getSimpleName());
    } catch (Exception ex) {
         throw new ZooFileException("Error saving file.");
    }
}
/** <u>Füttert</u> <u>alle</u> <u>Tiere</u> <u>des</u> <u>Zoos</u> <u>mit</u> <u>dem</u> <u>übergebenen</u> <u>Futter</u> */
public void fuettern(String futter) {
    for (ZooAnimal animal : this.getAnimals())
         animal.feed(futter);
}
public static void main(String[] args) {
    int capacity;
    try {
         capacity = Integer.parseInt(args[0]);
    } catch (Exception e) {
         capacity = STANDARD CAPACITY;
    Zoo z = new Zoo(capacity);
    /* add ZooAnimals */
    try {
         z.addAnimal(new Predator("Tiger", "Fred"));
z.addAnimal(new Predator("Tiger", "Lisa"));
z.addAnimal(new Predator("Lion", "Simba"));
         z.addAnimal(new Songbird("Nuthatch", "Hansi"));
         z.addAnimal(new Songbird("Blackbird", "Sina"));
         z.addAnimal(new Songbird("Wren", "Henry"));
    } catch (ZooCapacityException ex) {
```

Programmieren in JAVA – <a href="https://www.iai.kit.edu/~javavorlesung">https://www.iai.kit.edu/~javavorlesung</a> W. Süβ, T. Schlachter, J. Sidler, J. Schweikert, C. Schmitt



```
System.err.println(ex.getMessage());
        // Save animals to file
        try {
            z.saveToFile("ZooAnimals.txt");
            System.out.println("Saved animals to file!");
        } catch (ZooFileException ex) {
            System.err.println(ex.getMessage());
        // Feed the animals
        z.fuettern("grains");
        // <u>Schauen</u>, <u>ob verschiedene</u> <u>Tiere im</u> Zoo <u>vorkommen</u>
        String[] names = {"Fred", "Kimba", "Henry", "Lotte"};
        for (String name : names)
            System.out.println("Is '"+name+"' in the zoo? "
             + (z.existsAnimal(name) ? "yes" : "no"));
    }
}
```