

```

import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

# 设置中文显示
plt.rcParams['font.sans-serif'] = ['SimHei']
plt.rcParams['axes.unicode_minus'] = False

# 读取数据文件
df = pd.read_csv('../data/ads_20250513_203714_003.csv')

# 重命名列名
df.columns = ['timestamp', 'voltage', 'duration']

# 将时间戳转换为datetime类型
df['timestamp'] = pd.to_datetime(df['timestamp'])

specific_time = pd.to_datetime('2025-05-13T22:04:08.265Z')

plt.figure(figsize=(12, 6))
plt.plot(df['duration'] / 60000, df['voltage'], label='电压变化', color='b') # 将ms转换为分钟
plt.xlabel('Duration (minutes)')
plt.ylabel('Voltage (mV)')
plt.legend()
plt.grid(True)
plt.show()

# 检查这个时间点是否在数据范围内
if specific_time >= df['timestamp'].min() and specific_time <= df['timestamp'].max():
    # 找到最近的时间点
    closest_idx = (df['timestamp'] - specific_time).abs().idxmin()
    closest_point = df.iloc[closest_idx]

    # 绘制电压随时间变化的折线图，并标注特定时间点
    plt.figure(figsize=(12, 6))
    plt.plot(df['duration'] / 60000, df['voltage'], label='Voltage change', color='b')

    # 标注特定时间点
    plt.scatter(closest_point['duration'] / 60000, closest_point['voltage'],
                color='red', s=100, zorder=5)
    plt.annotate(f'1200Hz Sine Wave 10s, \n Voltage: {closest_point["voltage"]:.2f}mV',
                xy=(closest_point['duration'] / 60000, closest_point['voltage']),
                xytext=(closest_point['duration'] / 60000 + 0.5, closest_point['voltage'] + 2),
                fontsize=10)

    plt.xlabel('Time (min)')
    plt.ylabel('Voltage (mV)')
    plt.legend()
    plt.grid(True)
    plt.show()
else:
    print("指定的时间点不在数据范围内！")
    print(f"数据时间范围: {df['timestamp'].min()} 到 {df['timestamp'].max()}")

# Check if this time point is within the data range
if specific_time >= df['timestamp'].min() and specific_time <= df['timestamp'].max():
    # Find the closest time point
    closest_idx = (df['timestamp'] - specific_time).abs().idxmin()
    closest_point = df.iloc[closest_idx]

    # Calculate the time window (5 minutes before and after the specific time)
    closest_duration_min = closest_point['duration'] / 60000 # Convert to minutes
    time_window_min = 5 # 5 minutes window

    # Filter data within the time window
    # min_duration = (closest_duration_min - (time_window_min - 1.7)) * 60000
    # max_duration = (closest_duration_min + (time_window_min + 1.4)) * 60000
    min_duration = (closest_duration_min - (time_window_min)) * 60000
    max_duration = (closest_duration_min + (time_window_min)) * 60000
    filtered_df = df[(df['duration'] >= min_duration) & (df['duration'] <= max_duration)]

    # Plot voltage changes over time, and mark the specific time point
    plt.figure(figsize=(18, 6))
    plt.plot(filtered_df['duration'] / 60000, filtered_df['voltage'], label='Voltage Change', color='b')

    # Mark the specific time point
    plt.scatter(closest_point['duration'] / 60000, closest_point['voltage'],
                color='red', s=100, zorder=5)
    plt.annotate(f'1200Hz Sine Wave 10s, \n Voltage: {closest_point["voltage"]:.2f}mV',

```

```

        xy=(closest_point['duration'] / 60000, closest_point['voltage']),
        xytext=(closest_point['duration'] / 60000, closest_point['voltage'] - 0.7),
        fontsize=10)

    # Set axis labels and title
    plt.xlabel('Time (min)')
    plt.ylabel('Voltage (mV)')
    plt.title(f'Voltage Data Around sound stimulation')
    plt.legend()
    plt.grid(True)
    plt.show()
else:
    print("The specified time point is not within the data range!")
    print(f>Data time range: {df['timestamp'].min()} to {df['timestamp'].max()}")

# Perform STFT (Short-Time Fourier Transform) on the filtered data
import numpy as np
from scipy import signal
import matplotlib.pyplot as plt

# Get the voltage data and sampling rate
voltage_data = df['voltage'].values
sampling_rate = 1 / (df['duration'].diff().mean() / 1000) # Convert to Hz

# Perform STFT
f, t, Zxx = signal.stft(voltage_data, fs=sampling_rate, nperseg=256, noverlap=128)

# Create a DataFrame to store all STFT data
# The shape of Zxx is (frequency bins, time points)
# We need to reshape the data correctly to avoid dimension mismatch

# Plot the STFT results as a spectrogram
plt.figure(figsize=(18, 6))
plt.pcolormesh(t, f, np.abs(Zxx), shading='gouraud')
plt.colorbar(label='Magnitude')
plt.ylabel('Frequency (Hz)')
plt.xlabel('Time (s)')
plt.title('STFT Spectrogram of Voltage Data Overview')
plt.ylim([0, 0.07]) # Limit y-axis to 0-0.2 Hz
plt.tight_layout()
plt.show()

# Get the voltage data and sampling rate
voltage_data = filtered_df['voltage'].values
sampling_rate = 1 / (filtered_df['duration'].diff().mean() / 1000) # Convert to Hz

# Perform STFT
f, t, Zxx = signal.stft(voltage_data, fs=sampling_rate, nperseg=256, noverlap=128)

# Create a DataFrame to store all STFT data
# The shape of Zxx is (frequency bins, time points)
# We need to reshape the data correctly to avoid dimension mismatch

# Plot the STFT results as a spectrogram
plt.figure(figsize=(18, 6))
plt.pcolormesh(t, f, np.abs(Zxx), shading='gouraud')
plt.colorbar(label='Magnitude')
plt.ylabel('Frequency (Hz)')
plt.xlabel('Time (s)')
plt.title('STFT Spectrogram of Voltage Data around sound stimulation')
plt.ylim([0, 0.07]) # Limit y-axis to 0-0.2 Hz
plt.tight_layout()
plt.show()

# Analyze the 0.02Hz frequency band before and after sound stimulation
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt

# Find the closest frequency to 0.02Hz in the STFT results
target_freq = 0.02
freq_idx = np.argmin(np.abs(f - target_freq))
actual_freq = f[freq_idx]
print(f>Analyzing frequency: {actual_freq:.4f} Hz (closest to 0.02 Hz)")

# Extract the magnitude data for this frequency
freq_magnitude = np.abs(Zxx[freq_idx, :])

# Create a time axis in minutes for better visualization
time_min = t / 60

# Plot the magnitude of the 0.02Hz component over time

```

```

plt.figure(figsize=(18, 6))

# Plot the magnitude
plt.plot(time_min, freq_magnitude, 'b-', linewidth=2, label=f'{actual_freq:.4f} Hz Component')

# Find the time of sound stimulation (assuming it's at the center of the filtered data)
sound_time = t.mean()
sound_time_min = sound_time / 60
plt.axvline(x=sound_time_min, color='r', linestyle='--', label='Sound Stimulation (estimated)')

# Calculate average magnitude before and after stimulation
before_mask = t < sound_time
after_mask = t >= sound_time

avg_before = np.mean(freq_magnitude[before_mask])
avg_after = np.mean(freq_magnitude[after_mask])

print(f"Average magnitude before stimulation: {avg_before:.4f}")
print(f"Average magnitude after stimulation: {avg_after:.4f}")
print(f"Change: {(avg_after - avg_before):.4f} ({(avg_after - avg_before)/avg_before*100:.2f}%)")

# Add horizontal lines showing the average values
plt.axhline(y=avg_before, color='g', linestyle=':', label=f'Avg Before: {avg_before:.4f}')
plt.axhline(y=avg_after, color='m', linestyle=':', label=f'Avg After: {avg_after:.4f}')

# Add annotations
plt.annotate(f"Avg: {avg_before:.4f}", xy=(time_min[len(time_min)//4], avg_before),
            xytext=(time_min[len(time_min)//4], avg_before*1.1), color='g')
plt.annotate(f"Avg: {avg_after:.4f}", xy=(time_min[3*len(time_min)//4], avg_after),
            xytext=(time_min[3*len(time_min)//4], avg_after*1.1), color='m')

# Set axis labels and title
plt.xlabel('Time (min)')
plt.ylabel('Magnitude')
plt.title(f'Magnitude of {actual_freq:.4f} Hz Component Before and After Sound Stimulation')
plt.grid(True)
plt.legend()
plt.tight_layout()
plt.show()

# Calculate energy (integral of magnitude squared) before and after stimulation
energy_before = np.sum(freq_magnitude[before_mask]**2)
energy_after = np.sum(freq_magnitude[after_mask]**2)

# Normalize by the number of samples to get average energy
num_samples_before = np.sum(before_mask)
num_samples_after = np.sum(after_mask)
avg_energy_before = energy_before / num_samples_before
avg_energy_after = energy_after / num_samples_after

print("\nEnergy Analysis:")
print(f"Total energy before stimulation: {energy_before:.4f}")
print(f"Total energy after stimulation: {energy_after:.4f}")
print(f"Average energy before stimulation: {avg_energy_before:.4f}")
print(f"Average energy after stimulation: {avg_energy_after:.4f}")
print(f"Energy change: {(avg_energy_after - avg_energy_before):.4f} ({(avg_energy_after - avg_energy_before)/avg_energy_before*100:.2f}%)")

# Power Spectral Density (PSD) Analysis
import matplotlib.pyplot as plt
import numpy as np

# Use the STFT data we already calculated earlier
# f, t, Zxx were calculated using signal.stft(voltage_data, fs=sampling_rate, nperseg=256, noverlap=128)

# Calculate power (magnitude squared)
power_matrix = np.abs(Zxx) ** 2

# Convert time to minutes for consistency with previous plots
time_min = t / 60

# Define the stimulation time point (assuming same as before)
stim_time = time_min[len(time_min) // 2] # Middle point as stimulation time

# Create masks for before and after stimulation
before_mask_time = time_min < stim_time
after_mask_time = time_min > stim_time

# Calculate average PSD before and after stimulation
avg_psd_before = np.mean(power_matrix[:, before_mask_time], axis=1)
avg_psd_after = np.mean(power_matrix[:, after_mask_time], axis=1)

# Plot the power spectral density comparison

```

```

plt.figure(figsize=(18, 6))
plt.plot(f, avg_psd_before, 'g-', label='Before Stimulation')
plt.plot(f, avg_psd_after, 'm-', label='After Stimulation')

# Calculate and display the difference
psd_diff = avg_psd_after - avg_psd_before
plt.plot(f, psd_diff, 'b--', label='Difference (After - Before)')

# Set axis labels and title
plt.xlabel('Frequency (Hz)')
plt.xlim(0, 0.2) # Limit x-axis to show only frequencies below 0.2 Hz
plt.ylabel('Power Spectral Density')
plt.title('Power Spectral Density Comparison Before and After Stimulation')
plt.grid(True)
plt.legend()

# Add text box with summary statistics
total_power_before = np.sum(avg_psd_before)
total_power_after = np.sum(avg_psd_after)
power_change = (total_power_after - total_power_before) / total_power_before * 100

stats_text = f"Total Power Before: {total_power_before:.2f}\n"
stats_text += f"Total Power After: {total_power_after:.2f}\n"
stats_text += f"Change: {power_change:.2f}%"

plt.annotate(stats_text, xy=(0.02, 0.95), xycoords='axes fraction',
             bbox=dict(boxstyle="round,pad=0.5", fc="white", alpha=0.8))

plt.tight_layout()
plt.show()

# Print detailed statistics
print("\nPower Spectral Density Analysis:")
print(f"Total power before stimulation: {total_power_before:.4f}")
print(f"Total power after stimulation: {total_power_after:.4f}")
print(f"Absolute power change: {total_power_after - total_power_before:.4f}")
print(f"Relative power change: {power_change:.2f}%")





# Find frequency bands with the most significant changes
freq_change_percent = (avg_psd_after - avg_psd_before) / (avg_psd_before + 1e-10) * 100 # Avoid division by zero
significant_changes = pd.DataFrame({
    'Frequency': f,
    'Before': avg_psd_before,
    'After': avg_psd_after,
    'Absolute_Change': avg_psd_after - avg_psd_before,
    'Percent_Change': freq_change_percent
})



# Display top 5 frequencies with largest increase and decrease
print("\nTop 5 frequencies with largest power increase:")
print(significant_changes.sort_values('Percent_Change', ascending=False).head(5))

print("\nTop 5 frequencies with largest power decrease:")
print(significant_changes.sort_values('Percent_Change', ascending=True).head(5))


```

{↓}






Analyzing frequency: 0.0286 Hz (closest to 0.02 Hz)
Average magnitude before stimulation: 38.8619
Average magnitude after stimulation: 38.8705
Change: 0.0086 (0.02%)



Energy Analysis:
Total energy before stimulation: 27272.0761
Total energy after stimulation: 28619.2019
Average energy before stimulation: 1515.1153
Average energy after stimulation: 1589.9557
Energy change: 74.8403 (4.94%)



Power Spectral Density Analysis:
Total power before stimulation: 7475.6645
Total power after stimulation: 7777.7282
Absolute power change: 302.0637
Relative power change: 4.04%

Top 5 frequencies with largest power increase:

	Frequency	Before	After	Absolute_Change	Percent_Change
3	0.085851	3.350958	3.582719	0.231761	6.916262
1	0.028617	1515.115339	1592.376814	77.261475	5.099379
0	0.000000	5934.646584	6166.563732	231.917147	3.907851
31	0.887129	0.033496	0.029747	-0.003749	-11.191742
5	0.143085	1.217462	1.056457	-0.161005	-13.224639

Top 5 frequencies with largest power decrease:

	Frequency	Before	After	Absolute_Change	Percent_Change
2	0.057234	13.592523	7.820886	-5.771637	-42.461852
4	0.114468	2.163439	1.638606	-0.524833	-24.259200
8	0.228936	0.490764	0.398264	-0.092500	-18.848191
64	1.831491	0.009228	0.007527	-0.001701	-18.433724
28	0.801277	0.041095	0.033675	-0.007420	-18.055159