# FF\_OPTIM\_BISEC\_SAVEZRONE Derivative Bisection

### back to Fan's Intro Math for Econ, Matlab Examples, or Dynamic Asset Repositories

This is the example vignette for function: **ff\_optim\_bisec\_savezrone** from the **MEconTools Package.** This functions solves for optimal savings/borrowing level given an anonymous function that provides the derivative of a intertemporal savings problem. The function is solves over a grid of state-space elements that are embedded in the anonymous function. By default, it iterates over 15 iterations with bisection.

The vectorized and looped bisection savings problem rely on this function to solve for optimal savings choices:

- States Grid + Continuous Exact Savings as Share of Cash-on-Hand <u>Loop</u>: ff\_vfi\_az\_bisec\_loop, high
  precision even with small grid
- States Grid + Continuous Exact Savings as Share of Cash-on-Hand <u>Vectorized</u>: ff\_vfi\_az\_bisec\_vec, precision and speed


### Test FF\_OPTIM\_BISEC\_SAVEZRONE Defaults

Call the function with defaults, this solves concurrently for many state-space points' optimization problems:

#### ff\_optim\_bisec\_savezrone();

Elapsed time is 0.306506 second BISECT END: iteration=16, norm(		0.00030653 paramgroup2	paramgroup3	paramgroup4	paramgroup5	paramgroup6
a	"init"	1e-05	1e-05	1e-05	1e-05	1e-05
b	"init"	0.99999	0.99999	0.99999	0.99999	0.99999
f_a	"init"	33802	40925	67047	15411	63263
f_b	"init"	-46789	-1.2672e+05	-1.8532e+05	-67518	-48900
it1_fp	"fatx"	-0.25973	-1.7159	-2.3655	-1.0421	0.28726
it1_p	"x"	0.5	0.5	0.5	0.5	0.5
it2_fp	"fatx"	0.72822	-0.052631	0.21087	-0.28379	-1.1125
it2_p	"x"	0.25	0.25	0.25	0.25	0.74999
it3_fp	"fatx"	0.15277	1.8256	-1.1773	0.46124	-0.29179
it3_p	"x"	0.375	0.12501	0.375	0.12501	0.625
it4_fp	"fatx"	-0.059183	0.62299	-0.55013	-0.0090579	0.0069602
it4_p	"x"	0.4375	0.18751	0.3125	0.18751	0.5625
it5_fp	"fatx"	0.044028	0.2488	-0.19454	0.1861	-0.13821
it5_p	"x"	0.40625	0.21876	0.28125	0.15626	0.59375
it6_fp	"fatx"	-0.0080863	0.090981	0.00054305	0.081339	-0.064832
it6_p	"x"	0.42188	0.23438	0.26563	0.17188	0.57812
it7_fp	"fatx"	0.017822	0.017593	-0.098707	0.034591	-0.028768
it7_p	"x"	0.41406	0.24219	0.27344	0.17969	0.57031
it8_fp	"fatx"	0.0048335	-0.017893	-0.049532	0.012405	-0.010865
it8_p	"x"	0.41797	0.2461	0.26954	0.1836	0.5664
it9_fp	"fatx"	-0.0016347	-0.00024633	-0.02461	0.0015865	-0.0019434
it9_p	"x"	0.41992	0.24415	0.26758	0.18555	0.56445
it10_fp	"fatx"	0.0015973	0.0086488	-0.012063	-0.0037571	0.0025106
 it10_p	"x"	0.41895	0.24317	0.26661	0.18653	0.56348
it11_fp	"fatx"	-1.9235e-05	0.0041952	-0.0057672	-0.0010907	0.00028416
it11_p	"x"	0.41944	0.24366	0.26612	0.18604	0.56396
it12_fp	"fatx"	0.00078889	0.0019729	-0.0026139	0.00024655	-0.0008295
it12_p	"x"	0.41919	0.2439	0.26587	0.1858	0.56421
it13_fp	"fatx"	0.00038479	0.00086292	-0.0010359	-0.00042242	-0.00027263
it13_p	"x"	0.41931	0.24402	0.26575	0.18592	0.56409
it14_fp	"fatx"	0.00018277	0.0003082	-0.00024654	-8.8022e-05	5.7721e-06

it14_p	"x"	0.41937	0.24408	0.26569	0.18586	0.56402
it15_fp	"fatx"	8.1766e-05	3.0909e-05	0.00014822	7.9241e-05	-0.00013343
it15_p	"x"	0.4194	0.24412	0.26566	0.18583	0.56406
it15_level	"level"	0.56205	-0.070025	0.044431	-0.039424	1.0402
exactSoluSaveborrFrac	"exact"	0.41943	0.24412	0.26567	0.18584	0.56403
exactSoluSaveborrLevel	"exact"	0.56211	-0.070022	0.044438	-0.039403	1.0402
exactSoluSaveborrFracGap	"exact"	2.4705e-05	3.402e-06	1.1458e-05	1.4456e-05	2.9252e-05
exactSoluSaveborrLevelGap	"exact"	5.28e-05	2.6845e-06	6.1825e-06	2.1411e-05	5.9818e-05



xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

CONTAINER NAME: mp\_container\_map ND Array (Matrix etc)

XXXXXXXX	XXXXXXXXXXXX	(XXXXXXXX	XXXXXXXXX	XXX						
		i	idx r	ndim numel	. rowN	colN	sum	mean	std	coef
		-								
ar_o	pti_foc_obj	1	1	2 8	1	8	0.00050535	6.3168e-05	9.4141e-05	1.4
ar_o	pti_save_fra	ic 2	2	2 8	1	8	3.41	0.42626	0.17279	0.40
xxx TABL	E:ar_opti_fo				- 4			-6	-7	-0
	c1 		c2 	c3	c4		c5 	c6 	c7	c8
r1	8.1766e-05	3.096	09e-05	0.00014822	7.9241e-0	5 -0	0.00013343	0.00015981	1.8966e-05	0.00011
xxx TABL	.E:ar_opti_sa	ve_frac >	xxxxxxxx	xxxxxxxx						
	<b>c1</b>	c2	<b>c</b> 3	c4	<b>c</b> 5	с6	5 c7	c8		ļ
r1	0.4194	0.24412	0.26566	6 0.18583	0.56406	0.61	199 0.522	0.58908		


## Test FF\_OPTIM\_BISEC\_SAVEZRONE One Individual

Bisection for savings choice at one state:

```
% Generate the state-space and function
[fl_z1, fl_z2, fl_r, fl_beta] = deal(0.4730, 0.6252, 0.0839, 0.7365);
% ffi_intertemporal_max is a function in ff_optim_bisec_savezrone for testing
fc_deri_wth_uniroot = @(x) ffi_intertemporal_max(x, fl_z1, fl_z2, fl_r, fl_beta);
% Call Function
```

BISECT END: iteration=16, norm(ar\_mid\_fx)=0.00016724

	vartype	paramgroup2			
a	"init"	1e-05			
b	"init"	0.99999			
f_a	"init"	70155			
f_b	"init"	-95255			
it1_fp	"fatx"	-0.502			
it1_p	"x"	0.5			
it2_fp	"fatx"	1.5361			
it2_p	"x"	0.25			
it3_fp	"fatx"	0.34671			
it3_p	"x"	0.375			
it4_fp	"fatx"	-0.089881			
it4_p	"x"	0.4375			
it5_fp	"fatx"	0.12259			
it5_p	"x"	0.40625			
it6_fp	"fatx"	0.015276			
it6_p	"x"	0.42188			
it7_fp	"fatx"	-0.037529			
it7_p	"x"	0.42969			
it8_fp	"fatx"	-0.011188			
it8_p	"x"	0.42578			
it9_fp	"fatx"	0.0020277			
it9_p	"x"	0.42383			
it10_fp	"fatx"	-0.0045843			
it10_p	"x"	0.42481			
it11_fp	"fatx"	-0.0012793			
it11_p	"x"	0.42432			
it12_fp	"fatx"	0.00037392			
it12_p	"x"	0.42407			
it13_fp	"fatx"	-0.00045276			
it13_p	"x"	0.4242			
it14_fp	"fatx"	-3.9436e-05			
it14_p	"x"	0.42413			
it15_fp	"fatx"	0.00016724			
it15_p	"x"	0.4241			
it15_level	"level"	-0.13158			
_					



### Test FF\_OPTIM\_BISEC\_SAVEZRONE Six Individual States


Solve the two period intertemporal optimization problem with only 6 individual states:

```
% Generate the state-space and function
ar_z1 = [1,2,3]';
ar_z2 = [3,2,1]';
ar_r = [1.05, 1.50, 1.30]';
ar_beta = [0.80, 0.95, 1.50]';
mt_fc_inputs = [ar_z1, ar_z2, ar_r, ar_beta];
% ffi_intertemporal_max is a function in ff_optim_bisec_savezrone for testing
fc_deri_wth_uniroot = @(x) ffi_intertemporal_max(x, ar_z1, ar_z2, ar_r, ar_beta);
% Call Function
bl_verbose = true;
ff_optim_bisec_savezrone(fc_deri_wth_uniroot, bl_verbose);
```

BISECT END: iteration=16, norm(ar\_mid\_fx)=8.9847e-05

	vartype	vartype paramgroup2 paramgrou		paramgroup4		
a	"init"	1e-05	1e-05	1e-05		
b	"init"	0.99999	0.99999	0.99999		
f_a	"init"	32475	33928	43671		
f_b	"init"	-40594	-35714	-29113		
it1_fp	"fatx"	-0.16238	-0.035714	0.29114		
it1_p	"x"	0.5	0.5	0.5		
it2_fp	"fatx"	0.75773	0.88092	-0.58225		
it2_p	"x"	0.25	0.25	0.74999		

it3_fp	"fatx"	0.21649	0.33333	-0.077629
it3_p	"x"	0.375	0.375	0.625
it4_fp	"fatx"	0.020615	0.14059	0.11091
it4_p	"x"	0.4375	0.4375	0.5625
it5_fp	"fatx"	-0.07132	0.051539	0.018865
it5_p	"x"	0.46875	0.46875	0.59375
it6_fp	"fatx"	-0.025599	0.0078193	-0.028659
it6_p	"x"	0.45313	0.48438	0.60937
it7_fp	"fatx"	-0.0025711	-0.013955	-0.0047386
it7_p	"x"	0.44531	0.49219	0.60156
it8_fp	"fatx"	0.0090001	-0.0030715	0.0071001
it8_p	"x"	0.44141	0.48828	0.59765
it9_fp	"fatx"	0.0032093	0.0023727	0.0011903
it9_p	"x"	0.44336	0.48633	0.59961
it10_fp	"fatx"	0.00031783	-0.00034971	-0.0017717
it10_p	"x"	0.44434	0.4873	0.60058
it11_fp	"fatx"	-0.0011269	0.0010114	-0.00029011
it11_p	"x"	0.44483	0.48682	0.6001
it12_fp	"fatx"	-0.00040464	0.00033083	0.00045024
it12_p	"x"	0.44458	0.48706	0.59985
it13_fp	"fatx"	-4.3425e-05	-9.4396e-06	8.0103e-05
it13_p	"x"	0.44446	0.48718	0.59997
it14_fp	"fatx"	0.0001372	0.0001607	-0.000105
it14_p	"x"	0.4444	0.48712	0.60003
it15_fp	"fatx"	4.6884e-05	7.5628e-05	-1.2444e-05
it15_p	"x"	0.44443	0.48715	0.6
it15_level	"level"	-0.3686	0.56403	1.6261



xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

CONTAINER NAME: mp\_container\_map ND Array (Matrix etc)

	i	idx	ndim	numel	rowN	colN	sum	mean	std	coef
	_									
ar_opti_foc_obj	1	1	2	3	1	3	0.00011007	3.6689e-05	4.4913e-05	1.2
ar_opti_save_frac	2	2	2	3	1	3	1.5316	0.51053	0.080379	0.15


xxx TABLE:ar\_opti\_foc\_obj xxxxxxxxxxxxxxxxxx

r1 4.6884e-05 7.5628e-05 -1.2444e-05

### Test FF\_OPTIM\_BISEC\_SAVEZRONE Speed

Test Speed doing 6.25 million bisections for a savings problem:

```
% Generate the state-space and function
rng(123);
it_draws = 6250000; % must be even number
ar_z1 = exp(rand([it_draws,1])*3-1.5);
ar_z2 = exp(rand([it_draws,1])*3-1.5);
ar_r = (rand(it_draws, 1)*10.0);
ar_beta = [rand(round(it_draws/2),1)*0.9+0.1; rand(round(it_draws/2),1)*0.9+1];
% ffi_intertemporal_max is a function in ff_optim_bisec_savezrone for testing
fc_deri_wth_uniroot = \emptyset(x) ffi_intertemporal_max(x, ar_z1, ar_z2, ar_r, ar_beta);
% Call Function
bl verbose = false;
bl timer = true;
[ar_opti_save_frac, ar_opti_save_level] = ff_optim_bisec_savezrone(fc_deri_wth_uniroot, bl_vert
Elapsed time is 4.487754 seconds.
mp_container_map = containers.Map('KeyType','char', 'ValueType','any');
mp_container_map('ar_opti_save_frac') = ar_opti_save_frac;
mp container map('ar opti save level') = ar opti save level;
mp_container_map('ar_opti_save_frac_notnan') = ar_opti_save_frac(~isnan(ar_opti_save_frac));
ff_container_map_display(mp_container_map);
CONTAINER NAME: mp_container_map ND Array (Matrix etc)
i
                              idx
                                    ndim
                                            numel
                                                       rowN
                                                               colN
                                                                        sum
                                                                                  mean
                                                                                            std
                                     2
   ar_opti_save_frac
                          1
                               1
                                           6.25e+06
                                                     6.25e+06
                                                                1
                                                                       2.884e+06
                                                                                  0.46144
                                                                                           0.15306
   ar_opti_save_frac_notnan
                               2
                                     2
                                           6.25e+06
                                                     6.25e+06
                                                                1
                                                                       2.884e+06
                                                                                  0.46144
                                                                                           0.15306
   ar_opti_save_level
                                                     6.25e+06
                                                                      2.9482e+06
                                                                                  0.47172
                                                                                           0.66667
                                           6.25e+06
figure();
histogram(ar opti save frac(~isnan(ar opti save frac)),100);
title('Distribution of Optimal Savings Fractions');
xlabel('Savings Fractions');
grid on;
```



## **Define Two Period Intertemporal FOC Log Utility No Shock**

See Household's Utility Maximization Problem and Two-Period Borrowing and Savings Problem given Endowments.

```
function [ar_deri_zero, ar_saveborr_level] = ffi_intertemporal_max(ar_saveborr_frac, z1, z2, r,
    ar_saveborr_level = ar_saveborr_frac.*(z1+z2./(1+r)) - z2./(1+r);
    ar_deri_zero = 1./(ar_saveborr_level-z1) + (beta.*(r+1))./(z2 + ar_saveborr_level.*(r+1));
end
```