Derivative Approximation of Marginal Product

back to Fan's Intro Math for Econ, Matlab Examples, or MEconTools Repositories

Given the analytical formula for derivative. We can compute the value of the formula at different *h*.

$$f'(x_0) = \lim_{h \to 0} \frac{f(x_0 + h) - f(x_0)}{h}$$

Cobb-Douglas--Output as a Function of Capital


Let's consider a cobb-douglas production function again.

If you own a firm, you would be very interested in how much additional output you can get from one more unit of capital of one more labor hired. If you know that, you can compare that against the cost of more capital and labor and determine if it is optimal to choose to increase capital and/or labor.

$$F(K,L) = K^{\alpha} \cdot L^{1-\alpha}$$

For now, let's fix capital. Suppose capital takes a long time to adjust, but labor can be adjusted. You currently have K = 1 and L = 1, what happens to output if you increase labor?

```
clear all;
% Define Production Function as a function of K, with fixed L
alpha = 0.5;
beta = 0.5;
K = 1;
syms L
f(L) = (K^alpha)*(L.^beta);
% Graph Production Function with Fixed L
figure();
fplot(f, [0,4]);
ylabel('Cobb-Douglas Output');
xlabel('Labor');
title(['Output with Increasing Labor with fixed Capital=', num2str(K)])
```





Cobb-Douglas--Tangent line as h gets smaller

Following the definition above, if we want to measure the slope of the output line at K = 1, we need to calculate slope over run as h gets smaller

```
% Define parameters and K0
alpha = 0.5;
beta = 0.5;
L0 = 1;
K = 1;
Y_at_L0 = (K^alpha)*(L0^beta);
x max = 5;
x_min = 0;
% a vector of h vectors
h_{\text{vec}} = [0.01, 1, 3];
% Loop over h, generate a plot for each rise over run as h changes
figure();
hold on;
% Legend
Legend list = {};
% Plot as before the production function as a function of K
syms L
f(L) = (K^alpha)*(L^beta);
fplot(f, [x_min, x_max], 'LineWidth', 2);
% Add to Legend List
legend_counter = 1;
```

```
Legend list{1} = ['Actual Line'];
% Plot the other lines
for h=h_vec
    f 10 = (K^alpha)*(L0^beta);
    f_10_plus_h = (K^alpha)*((L0+h)^beta);
    % Current approximating line slope, based on formula above
    cur slope = (f 10 plus h - f 10)/h;
    % Current approximating line y-intercept, we require line to cross (K0, Y_at_K0), and know
    cur_y_intercept = Y_at_L0 - cur_slope*L0;
    % Plot each of the approximating Slopes
    f(L) = cur_y_intercept + cur_slope*L;
    fplot(f, [x_min, x_max], '--');
    plot([h+L0, h+L0], ylim, '-k');
    % Legend
    legend counter = 1 + legend counter;
    Legend_list{legend_counter} = ['h=' num2str(h) ', slope=' num2str(cur_slope)];
end
grid on;
ylabel('Cobb-Douglas Output');
xlabel('Labor');
title({'Tangent line as h gets smaller'...
       ,['Output with Increasing Labor, fixed Capital=' num2str(K)]})
legend(Legend_list,'Location', 'NW','Orientation','Vertical');
```





At different h, the approximating slope formula is calculating output per additional worker given h increase in workers. Below are the slopes of the dashed lines in the figure above for a wider range of h values.

```
% a bigger evenly spaced vector of h
h_grid_count = 100;
h = linspace(0, 15, h_grid_count);
% output at f x0 plus h
x0_plus_h = L0+h;
f x0 = (K^alpha)*(L0.^beta);
f_x0_plus_h = (K^alpha)*((x0_plus_h).^beta);
% average output per additional worker
f_prime_x0 = (f_x0_plus_h - f_x0)./h;
% Store Results in a Table
T = table(h', x0_plus_h', f_x0_plus_h', f_prime_x0');
T.Properties.VariableNames = {'h', 'x0_plus_h', 'f_x0_plus_h', 'f_prime_x0'};
% Graph
close all;
figure();
plot(h, f_prime_x0);
grid on;
ylabel('Average output increase per unit of labor increase')
xlabel('h=increases in labor from L=2 (K=1 fixed)')
title('Derivative Approximation as h gets small, CD Production')
```

