

```

. clear

. macro drop _all

.
. /*
> Back to Fan's Stata4Econ or other repositories:
>
> - http://fanwangecon.github.io
>
> - http://fanwangecon.github.io/Stata4Econ
> - http://fanwangecon.github.io/R4Econ
> - http://fanwangecon.github.io/REconTools
> - http://fanwangecon.github.io/M4Econ
> - http://fanwangecon.github.io/Tex4Econ
> - http://fanwangecon.github.io/CodeDynaAsset/
> - http://fanwangecon.github.io/Math4Econ/
> - http://fanwangecon.github.io/Stat4Econ/
>
> Generate loops in Stata
>
> */
.
. ///--- Start log
> set more off

. capture log close _all

. cd "${root_log}"
C:\Users\fan\Documents\Dropbox (UH-ECON)\Project Emily Minority Survey\Data2020

. global st_link "/prog/basics/fs_label"

. global curlogfile "~/Stata4Econ/${st_link}"

. global st_logname "stata_fs_label"

. log using "${curlogfile}" , replace name($st_logname)
(note: file C:\Users\fan\Stata4Econ\prog\basiCs/fs_label.smcl not found)

```

```

      name:  stata_fs_label
      log:   C:\Users\fan\Stata4Econ\prog\basics/fs_label.smcl
log type:  smcl
opened on:  7 May 2020, 20:48:56

. log on $st_logname
(log already on)

.
. ///-- Site Link: Fan's Project Reusable Stata Codes Table of Content
> di "https://fanwangecon.github.io/"
https://fanwangecon.github.io/

. di "https://fanwangecon.github.io/Stata4Econ/"
https://fanwangecon.github.io/Stata4Econ/

.
. ///-- File Title
> global filetitle "Labeling Stata Variables, and Get Label and all Value Labels from Variables"

.
. ///--- Load Data
> set more off

. sysuse auto, clear
(1978 Automobile Data)

.

```

```

Thursday May 7, 20:48:56 2020 Page 2
. //////////////////////////////////////
> ///--- Labeling
> //////////////////////////////////////
>
. label variable make "Make and Model from the mtcars dataset"

.

. label define foreign_lab 0 "domestic made" 1 "foreign made", modify

. label values foreign foreign_lab

.
. //////////////////////////////////////
> ///--- Get Label Values
> //////////////////////////////////////
>
. ///--- Variable Labels show
> labelbook foreign_lab, d

```

```

value label foreign_lab

```

values	labels
range: [0,1]	string length: [12,13]
N: 2	unique at full length: yes
gaps: no	unique at length 12: yes
missing .*: 0	null string: no
	leading/trailing blanks: no
	numeric -> numeric: no

definition

0	<u>domestic made</u>
1	<u>foreign made</u>

variables: **foreign**

```

.
. ///--- Get Variable Label and Values hard-coded
> local st_var_label : variable label foreign

. local st_foreign_val_0_lab : label foreign_lab 0

. local st_foreign_val_1_lab : label foreign_lab 1

.
. di "st_var_label:`st_var_label'"
st_var_label:Car type

. di "st_foreign_val_0_lab:`st_foreign_val_0_lab'"
st_foreign_val_0_lab:domestic made

. di "st_foreign_val_1_lab:`st_foreign_val_1_lab'"
st_foreign_val_1_lab:foreign made

.
. ///--- Get Variable Label and Values more Automated
> /*
> For automated value printing etc:
> Given Variable Name:
> 1. get the label of the variable
> 2. get all value labels
> 3. get the number of observation each value of categorical
> 4. generate string based on these
> */

.
. * 0. Var name
. global st_var "foreign"

```

```
. * 1. get variable label
. local st_var_label : variable label ${st_var}

. global st_var_label "`st_var_label'"

. * 2. all values of foreign label
. local st_var_val_lab_name: value label ${st_var}

. levelsof ${st_var}, local(ls_var_levels) clean
0 1
```

```
. di "`st_var_val_lab_name'"
foreign_lab
```

```
. di "`ls_var_levels'"
0 1
```

```
. * 3. Number of Observations from Each category
. tab ${st_var}, matcell(mt_obs)
```

Car type	Freq.	Percent	Cum.
domestic made	52	70.27	70.27
foreign made	22	29.73	100.00
Total	74	100.00	

```
. * 4. all label values
. global st_var_val_labs ""
```

```
. local it_ctr = 0
```

```
. foreach it_foreign_lvl of numlist `ls_var_levels' {
2.     local foreign_lvl_lab : label `st_var_val_lab_name' `it_foreign_lvl'
3.     di "it_foreign_lvl':`foreign_lvl_lab'"
4.     local it_ctr = `it_ctr' + 1
5.     if (`it_ctr' > 1 ) {
6.         global st_var_val_labs "${st_var_val_labs}, "
7.     }
8.     global it_cate_obs = el(mt_obs, `it_ctr', 1)
9.     global st_var_val_labs "${st_var_val_labs}`it_foreign_lvl'=`foreign_lvl_lab' [N=${it
10. }
0:domestic made
1:foreign made
```

```
. * 5. final outputs
. di "${st_var_label}"
Car type
```

```
. di "For Outcome ${st_var_label}: ${st_var_val_labs}"
For Outcome Car type: 0=domestic made [N=52], 1=foreign made [N=22]
```

```
. global slb_table_varinfo "${st_var_label} (${st_var_val_labs}, NA excluded from Regression)"
```

```
. di "${slb_table_varinfo}"
Car type (0=domestic made [N=52], 1=foreign made [N=22], NA excluded from Regression)
```

```
.
. ///--- End Log and to HTML
> log close _all
    name: stata_fs_label
    log: C:\Users\Fan\Stata4Econ\prog\basics\fs_label.smcl
    log type: smcl
    closed on: 7 May 2020, 20:48:56
```

```
. capture noisily {
.     log2html "${curlogfile}", replace title($filetitle (<a href="https://github.com/FanWang
> f="https://fanwangecon.github.io/">Fan</a> and <a href="https://fanwangecon.github.io/Stata4Eco
```

HTML log file ~/Stata4Econ/prog/basics/fs_label.html created

```
.  
. ///--- to PDF  
> capture noisily {  
.     translator set Results2pdf logo off  
.     translator set Results2pdf fontsize 10  
.     translator set Results2pdf pagesize custom  
.     translator set Results2pdf pagewidth 8.27  
.     translator set Results2pdf pageheight 11.69  
.     translator set Results2pdf lmargin 0.2  
.     translator set Results2pdf rmargin 0.2  
.     translator set Results2pdf tmargin 0.2  
.     translator set Results2pdf bmargin 0.2  
.     translate @Results "${curlogfile}.pdf", replace translator(Results2pdf)
```