

Various journals have requirements for paper lengths. Your paper is longer. How do you reduce paper length without changing much text to satisfy submission requirements? abc efg sdfjk lsdjkf lkjdfer.

1 Font

Are you using a non-standard font. **mathpazo** is a family type with nice math equations, but the texts and equations take up more space, potentially exceeding journals' submission limits. Switching from mathpazo to the default font could save pages.

A good font is **mathptmx**.

also use **microtype** for fine improvements.

2 Heading Spacing

reducing spacing after headings

```
\usepackage{titlesec}
\titlespacing\section{0pt}{0pt}{0pt}
\titlespacing\subsection{0pt}{0pt}{0pt}
\titlespacing\subsubsection{0pt}{0pt}{0pt}
```

3 Equation Spacing

3.1 Equation with Reduced Spacing

Given $\mu_{R_{yv}}$, $\sigma_{R_{yv}}$, and price p_{yv}^N , each household solves the following maximization problem:

$$\max_{c, N} c + \rho \cdot c^2 + \left\{ \gamma \cdot H_{24} + \lambda \cdot \int_{R_{yv}} (H_{24} - R_{yv}) \mathbb{1}_{\{H_{24} \geq R_{yv}\}} dF(R_{yv}) \right\} \quad (1)$$

where:

$$c = Y - p_{yv}^N \cdot N$$

$$H_{24}(N, X, \varepsilon) = \exp(A + X \cdot \alpha + \varepsilon) \cdot N^\beta$$

The realized household utility u_{yv} is a function of parameters and $Y, p_{yv}^N, X, F(R_{yv}), \varepsilon$. Households make choices given $\Omega = (Y, p_{yv}^N, X)$, the i.i.d. productivity shock ε , and $F(R_{yv})$. At the birth of a child, a household chooses the optimal amount of nutrition for the child over the next 24 months given the joint relative distribution of the reference health outcome and their own child's health given that child's productivity shock and nutritional intake. The parents choose knowing that more nutritional intake-at a decreasing rate of return-will increase the probability that their child will catch-up to or exceed the reference health. ¹

¹We assume that parents do not consider the nutritional choices of other parents for their own maximization in order to focus purely on the effect of the change in the reference point.

3.2 Code to Reduce Equation Spacing

```
\makeatletter
\g@addto@macro\normalsize{%
  \setlength\abovedisplayskip{40pt}
  \setlength\belowdisplayskip{40pt}
  \setlength\abovedisplayshortskip{40pt}
  \setlength\belowdisplayshortskip{40pt}
}
\makeatother
\begin{document}
text
\begin{gather}
  1 + 1 = 2
\end{gather}
text
\begin{equation}
  1 + 1 = 2
\end{equation}
\end{document}
```

3.3 Code to Change Equation Spacing in One Spot

```
{
  \abovedisplayskip=25pt
  \belowdisplayskip=25pt
  \abovedisplayshortskip=5pt
  \belowdisplayshortskip=5pt
  let's skip a lot on top
  \begin{align*}
    \begin{gathered}
      1+1=2\\
      2+2=4
    \end{gathered}
  \end{align*}
  let's skip not skip a lot at the bottom
}
```

let's skip a lot on top

$$1 + 1 = 2$$

let's skip not skip a lot at the bottom

see: `abovedisplayskip` and related commands

4 Margins

You can change margins a little bit, but better not.

```
\geometry{
a4paper,
noheadfoot=true,
left=1.0in,
right=1.0in,
top=1.0in,
bottom=1.0in,
}
```

5 Paragraphs

```
\everypar{\looseness=-1}
\linepenalty=1000
```

6 Figures

```
\renewcommand\floatpagefraction{.9}
\renewcommand\dblfloatpagefraction{.9} % for two column documents
\renewcommand\topfraction{.9}
\renewcommand\dbltopfraction{.9} % for two column documents
\renewcommand\bottomfraction{.9}
\renewcommand\textfraction{.1}
\setcounter{totalnumber}{50}
\setcounter{topnumber}{50}
\setcounter{bottomnumber}{50}
```