

Example and Tutorial for Atom, Git, Github, etc Set-up for Linux

Go back to [fan's Tex4Econ and Miscellaneous Repository](#).

1 Atom Install

Can be directly installed from Ubuntu store.

```
# install atom
sudo apt-get install atom
```

- *personal access token*: d8a293d30ef620a8b27ab0ad6294cdd8942a0b6f
- *Gist id*: 754fa9ca57eb7ddc1ee89775f934b59f
- *personal access token*: b36b4d26ff2b5b626a1d7f66e3bc60c582a85c21
- *Gist id*: a883a7ba62661dbe9b907d24b651b780

2 Git Install

1. install git
2. once rsa set up, sync repo

```
# install git
sudo apt-get install git
# generate repo directory and sync
mkdir ~/PyFan
# mkdir fanwangecon.github.io PyFan Tex4Econ R4Econ M4Econ Py4Econ Teaching
cd ~/PyFan
git init
# git config only needs to happen once, info stored under ~/.gitconfig
git config --global user.name "Fan Wang"
git config --global user.email wangfanbsg75@live.com
git remote add github git@github.com:FanWangEcon/PyFan.git
git pull github master
```

3 Github and local repo

1. generate rsa
 - `ssh-keygen -t rsa -C "wangfanbsg75@live.com"`, when prompted, do not enter "file in which save the key", when prompted for passphrase, enter "WHATEVERPASSWORDIS"
2. copy key
3. log on to github ssh section, generate new ssh rsa key

```
ssh-keygen -t rsa -C "wangfanbsg75@live.com"
cat ~/.ssh/id_rsa.pub
```

4 Conda Install

conda install linux

1. wget to download from url to download folder
2. bash to install
3. follow instructions, type yes
4. source ~/.bashrc

```
# To remove conda Fully
rm -rf ~/anaconda3

# could be saved in current folder: pwd
# could be saved in download folder: ~/Downloads
wget https://repo.anaconda.com/archive/Anaconda3-2019.10-Linux-x86_64.sh
# install file
bash "Anaconda3-2019.10-Linux-x86_64.sh"
# refresh
source ~/.bashrc

# show all installed packages under current envir
conda list
# see where key files are installed
which python
which conda
# use conda-forge as main channel and update all
/* conda config --add channels conda-forge */
conda update --all
```

Additional statistics and related models to install:

```
conda install -y statsmodels datashape seaborn
# conda install statsmodels
# conda install datashape
# conda install seaborn

conda install -c conda-forge -y interpolation awscli
# conda install -c conda-forge interpolation
# conda install -c conda-forge awscli

conda install -c anaconda -y boto3

# conda install -c r r-irkernel
```

4.1 Install PyCharm

PyCharm can be installed from Ubuntu apps.

```
<!-- for Debian -->
sudo tar xzf pycharm-*.tar.gz -C /opt/
cd /opt/pycharm-*/bin
./pycharm.sh
```

5 R install

R could be installed first as below. Or follow the [instructions on this page](#) to install from conda an environment for R, with associated R-studio.

```
apt-get update  
apt-get install r-base r-base-dev
```