Big Data and Automated Content Analysis (6EC)

Week 1: »Programming for Computational (Communication|Social) Scientists« Monday

Anne Kroon a.c.kroon@uva.nl

April 3, 2023

UvA RM Communication Science

Today

Getting to know each other

What is computational [social|communication] science?

Defining CCS

And Big Data?

The role of software in CSS

What is Python?

Python: A language, not a program

Python versus R

What do we need to write Python programs?

Expectation Management

Next steps

Getting to know each other

Anne



dr Anne Kroon

Assistant Professor Corporate Communication

- studied Journalism (HU) and Communication Science at the UVA
- PhD candidate @ ASCoR 2014–2017
- bias in media representations of minorities, algorithmic bias in hiring and selection
- computational research methods

@annekroon a.c.kroon@uva.nl REC-C 7th floor

You



Your name?
Your background?

Your reason to follow this course?

What is CSS|CCS?

What is CSS | CCS?

Defining CCS

A very young field

Lazer et al. (2009)

"The capacity to collect and analyze massive amounts of data has transformed such fields as biology and physics. But the emergence of a data-driven 'computational social science' has been much slower."

- (Reborn) empiricism: purely inductive, correlation is enough
- Data-driven science: knowledge discovery guided by theory
- Computational social science and digital humanities: employ
 Big Data research within existing epistemologies
 - DH: descriptive statistics, visualizations
 - CSS: prediction and simulation

- (Reborn) empiricism: purely inductive, correlation is enough
- Data-driven science: knowledge discovery guided by theory
- Computational social science and digital humanities: employ
 Big Data research within existing epistemologies
 - DH: descriptive statistics, visualizations
 - CSS: prediction and simulation

- (Reborn) empiricism: purely inductive, correlation is enough
- Data-driven science: knowledge discovery guided by theory
- Computational social science and digital humanities: employ
 Big Data research within existing epistemologies
 - DH: descriptive statistics, visualizations
 - CSS: prediction and simulation

- (Reborn) empiricism: purely inductive, correlation is enough
- Data-driven science: knowledge discovery guided by theory
- Computational social science and digital humanities: employ
 Big Data research within existing epistemologies
 - DH: descriptive statistics, visualizations
 - CSS: prediction and simulation

CCS as a subset of CSS

Hilbert et al. (2019)

"...our definition of computational communication science as an application of computational science to questions of human and social communication. As such, it is a natural subfield of computational social science" (followed by references to CSS definitions)

Data, analysis, theory

van Atteveldt and Peng (2018)

"... computational communication science studies generally involve: (1) large and complex data sets; (2) consisting of digital traces and other "naturally occurring" data; (3) requiring algorithmic solutions to analyze; and (4) allowing the study of human communication by applying and testing communication theory."

What is CSS|CCS?

And Big Data?

It was a buzzword when we first designed this course in 2013 (very much like "Al" and "algorithm" are today).

It's hard to define, but it can help us thinking about the characteristics of the data we deal with.

The "pragmatic" definition

Everything that needs so much computational power and/or storage that you cannot do it on a regular computer.

The "commercial" definition

Gartner (n.d.)

"Big data is high-volume, high-velocity and/or high-variety information assets that demand cost-effective, innovative forms of information processing that enable enhanced insight, decision making, and process automation."

The "critical" definition

Boyd and Crawford (2012)

4

- 1. Technology: maximizing computation power and algorithmic accuracy to gather, analyze, link, and compare large data sets.
- 2. Analysis: drawing on large data sets to identify patterns in order to make economic, social, technical, and legal claims.
- Mythology: the widespread belief that large data sets offer a
 higher form of intelligence and knowledge that can generate
 insights that were previously impossible, with the aura of
 truth, objectivity, and accuracy.

"



Do you think that now, a decade later, Boyd and Crawford's argument is still valid? Or does it need to be adapted?



- 1. What do you think? What is the essence of Big Data/CSS/CCS?
- 2. How will what we do here relate to theories and methods from other courses?

What is CSS|CCS?

The role of software in CSS

CSS means also a shift in our relationship to software

In the (traditional) social sciences, we tend to think of software as...

- a monolithic block: a large standalone programme like Word or SPSS;
- something that either fulfills your needs or doesn't: it's often impossible, but at least uncommon and difficult, to adapt or change it;
- something with a graphical user interface;
- (often) something you pay for.

CSS means also a shift in our relationship to software

In CSS, that's (typically) different:

- ullet We mix and combine different "modules" or "libraries" (pprox building blocks for programs)
- We build on modules made by others so that we don't reinvent the wheel, but ultimately build our own programs.
- We use a programming language to do all of this.

Why program your own tool?

Vis (2013)

"Moreover, the tools we use can limit the range of questions that might be imagined, simply because they do not fit the affordances of the tool. Not many researchers themselves have the ability or access to other researchers who can build the required tools in line with any preferred enquiry. This then introduces serious limitations in terms of the scope of research that can be done."

Some considerations regarding the use of software in science

Assuming that science should be *transparent* and *reproducible by anyone*, we should

use tools that are

- platform-independent
- free (as in beer and as in speech, gratis and libre)
- which implies: open source

This ensures it can our research (a) can be reproduced by anyone, and that there is (b) no black box that no one can look inside. \Rightarrow ongoing open-science debate! (van Atteveldt et al., 2019)

Some considerations regarding the use of software in science

Assuming that science should be *transparent* and *reproducible by* anyone, we should

use tools that are

- platform-independent
- free (as in beer and as in speech, gratis and libre)
- which implies: open source

This ensures it can our research (a) can be reproduced by anyone, and that there is (b) no black box that no one can look inside. \Rightarrow ongoing open-science debate! (van Atteveldt et al., 2019)

Some considerations regarding the use of software in science

Assuming that science should be *transparent* and *reproducible by* anyone, we should

use tools that are

- platform-independent
- free (as in beer and as in speech, gratis and libre)
- which implies: open source

This ensures it can our research (a) can be reproduced by anyone, and that there is (b) no black box that no one can look inside. \Rightarrow ongoing open-science debate! (van Atteveldt et al., 2019)

Why program your own tool?

Vis (2013)

"[...] these [commercial] tools are often unsuitable for academic purposes because of their cost, along with the problematic 'black box' nature of many of these tools."

Mahrt and Scharkow (2013)

"[...] we should resist the temptation to let the opportunities and constraints of an application or platform determine the research question [...]"



Do you think one needs a programming language to do CSS? Why?


So I need a programming language to do CSS?

- In principle, it does not matter which programming language you use.
- Python and R are by far the most popular languages for CSS
- But that may change: Nowadays, most scientific articles are written in English – in some fields, that used to be Latin, German, Russian

If you learn one programming language, it is relatively easy to learn another one. (Think of learning Spanish after you learned French) What is Python?

What is Python?

Python: A language, not a program



An algorithm in a language that's a bit harder (I think) than Python

Python

What?

- A language, not a specific program
- Huge advantage: flexibility, portability
- One of the languages for CCS. (The other one is R.)

Which version?

Version 3.11 has been released in October 2022. Everything of 3.8 or higher should be OK.

Python

What?

- A language, not a specific program
- Huge advantage: flexibility, portability
- One of the languages for CCS. (The other one is R.)

Which version?

Version 3.11 has been released in October 2022. Everything of 3.8 or higher should be OK.

What is Python?

Python versus R

- For some people, an almost religious debate (but that's stupid!)
- Different history: R comes from math and statistics, Python from computer science
- Different user communities: statisticians: R, linguists: Python; most of industry: Python
- Nowadays (unlike some years ago), most things that are relevant to us can be done in both languages.

Specialize in one language, but have a basic understanding of both!

- For some people, an almost religious debate (but that's stupid!)
- Different history: R comes from math and statistics, Python from computer science
- Different user communities: statisticians: R, linguists: Python; most of industry: Python
- Nowadays (unlike some years ago), most things that are relevant to us can be done in both languages.

Specialize in one language, but have a basic understanding of both!

For those of you who know R

- R "abstracts away" more stuff; in Python, you need to be a bit more explicit
- In R, (almost) everything is a dataframe or a vector, in Python not
- There is a big difference between applying a function to a single value or a whole "column" in Python
- In Python, we start counting with 0 (not 1)

For those of you who know R

- R "abstracts away" more stuff; in Python, you need to be a bit more explicit
- In R, (almost) everything is a dataframe or a vector, in Python not
- There is a big difference between applying a function to a single value or a whole "column" in Python
- In Python, we start counting with 0 (not 1)

For those of you who know R

- R "abstracts away" more stuff; in Python, you need to be a bit more explicit
- In R, (almost) everything is a dataframe or a vector, in Python not
- There is a big difference between applying a function to a single value or a whole "column" in Python
- In Python, we start counting with 0 (not 1)

For those of you who know R

- R "abstracts away" more stuff; in Python, you need to be a bit more explicit
- In R, (almost) everything is a dataframe or a vector, in Python not
- There is a big difference between applying a function to a single value or a whole "column" in Python
- In Python, we start counting with 0 (not 1)

For those of you who know R

- Typical "user level" R-code often is essentially written as
 consecutive commands: line for line. Structuring the code
 using typical programming constructs (writing own functions,
 using control strucutures) is not considered "pro" use (like in
 R), but the way to work in Python.
- Python likes object orientation, R likes functions and pipelines

For those of you who know R

- Typical "user level" R-code often is essentially written as
 consecutive commands: line for line. Structuring the code
 using typical programming constructs (writing own functions,
 using control strucutures) is not considered "pro" use (like in
 R), but the way to work in Python.
- Python likes object orientation, R likes functions and pipelines

Why do we use Python in this course?

- Python is a general programming language, R is a domain-specific one (it's meant for stats).
- The course is on ACA, and the closely related computational linguistics community uses Python.
- Python is much better equipped for machine learning (and R for traditional stats, but that's not our focus).
- Web scraping is possible in R, but typically done in Python.
- If you know Python, you can probably learn many other languages quite quickly (including R). That's a bit more difficult coming from R.

You can build anything, including a live news aggregator!

Beyond the scope of this course, but this was a Master thesis (Loecherbach & Trilling, 2020):

3bij3 – Developing a framework for researching recommender systems and their effects


Felicia Loecherbach & Damian Trilling

CCR 2 (1): 53-79

DOI: 10.5117/CCR2020.1.003.LOEC

Abstract

Today's online news environment is increasingly characterized by personalized news selections, relying on algorithmic solutions for extracting relevant articles and composing an individual's news diet. Yet, the impact of such recommendation algorithms on how we consume and perceive news is still understudied. We therefore developed one of the first software solutions to conduct studies on effects of news recommender systems in a realistic setting. The web app of our framework (called 3bij3) displays real-time news articles selected by different mechanisms. 3bij3 can be used to conduct large-scale field experiments, in which participants' use of the site can be tracked



What is Python?

What do we need to write Python programs?

1. A Python interpreter

A Python interpreter – a program that "understands" Python and translates it into low-level commands that your computer executes.

Type python3 in your operating system's command line:

```
damian@damian-thinkpad:~ Q ■ - □ ⊗

damian@damian-thinkpad:~ S python3

Python 3.8.10 (default, Nov 26 2021, 20:14:08)

[GCC 9.3.0] on linux

Type "help", "copyright", "credits" or "license" for more information.

>>> print(f"H! Did you know that 1 and 1 equals {1+1}?")

H! Did you know that 1 and 1 equals 2?

>>> ■
```

That's also called a Read-Evaluate-Print-Loop (REPL)

- Starting an interpreter like this useful for quick try-outs, but not really a way to write full programs
- You can write them in a (good) text editor (Atom, Sublime, Notepad++, geany, emacs, vi) – that's how it has historically been done and still a good skill to have
- But there are also Integrated Development Environments
 (IDEs) that integrate an editor and an interpreter and offer a
 lot of extra functionality
- We will mainly work with Jupyter (which is tailored to data analyst's needs), but you you can consider checking out PyCharm or Visual Studio Code (both used by professional programmers) or Spyder (for those who like RStudio)

- Starting an interpreter like this useful for quick try-outs, but not really a way to write full programs
- You can write them in a (good) text editor (Atom, Sublime, Notepad++, geany, emacs, vi) – that's how it has historically been done and still a good skill to have
- But there are also Integrated Development Environments
 (IDEs) that integrate an editor and an interpreter and offer a
 lot of extra functionality
- We will mainly work with Jupyter (which is tailored to data analyst's needs), but you you can consider checking out PyCharm or Visual Studio Code (both used by professional programmers) or Spyder (for those who like RStudio)

- Starting an interpreter like this useful for quick try-outs, but not really a way to write full programs
- You can write them in a (good) text editor (Atom, Sublime, Notepad++, geany, emacs, vi) – that's how it has historically been done and still a good skill to have
- But there are also Integrated Development Environments
 (IDEs) that integrate an editor and an interpreter and offer a
 lot of extra funcitonality
- We will mainly work with Jupyter (which is tailored to data analyst's needs), but you you can consider checking out PyCharm or Visual Studio Code (both used by professional programmers) or Spyder (for those who like RStudio)

- Starting an interpreter like this useful for quick try-outs, but not really a way to write full programs
- You can write them in a (good) text editor (Atom, Sublime, Notepad++, geany, emacs, vi) – that's how it has historically been done and still a good skill to have
- But there are also Integrated Development Environments
 (IDEs) that integrate an editor and an interpreter and offer a
 lot of extra funcitonality
- We will mainly work with Jupyter (which is tailored to data analyst's needs), but you you can consider checking out PyCharm or Visual Studio Code (both used by professional programmers) or Spyder (for those who like RStudio)

3. Additional modules

- A great advantage of Python are the many packages to extend it.
- You can install them using a command called pip
- Alternatively, the Anaconda distribution already comes with most (but probably not all) you'll need pre-installed.



You see why I talked about the difference between monolitic software like SPSS and the "a language, not a program"-notion here?

Expectation Management

Let's talk a bit about what this course can and cannot offer, and what my and your expectations are.

Expectation 1: The course materials can't offer everything.

There is a lot of great stuff out there: YouTube tutorials, blogs, ... And I don't believe that the way I explain, say, Web Scraping is the one and only way to do it, for each and everyone.

In the end, it is about you learning something – not about following exactly what I say. If you find a source that you think explains something better than I do: Use it! Share it!

Expectation 2: Use Stackoverflow. But acknowledge your sources.

Learn from other people's code and don't reinvent the wheel. But indicate in your assignments clearly where you got some code from! (Otherwise, I'll report you for plagiarism. And I don't want to do that.)

I don't have to tell you that you can prompt ChatGPT to "write a for loop in Python". But next to this being fraud if you hand it in, it - even more importantly - won't teach you anything. Also, in case of suspicious code (e.g., code using very different idioms and approaches than we discussed), I'll reserve the right to question you to explain what's happening.

Expectation 3: You have to practice.

You have to practice, preferably with a classmate. Try to modify the code we used, or write something (anything) on your own. Use the Thursday sessions to ask for feedback on that.

Expectation 4: The first weeks are crucial.

The first weeks are crucial, really. REALLY. REALLY!!!

Maybe quite counterintuitively, the fancy stuff we are doing later (Machine Learning...) is relatively easy to do. But only if you know your basics

Want to take it easy some weeks? Better do so later in the course ;-)

Expectation 5: You are an individual.

- There is wide variation of how quickly people "get it" in the first weeks. You are not stupid if it takes a bit longer!
- In the end, you will need to deliver an individual research project on a topic of your own choice.
- You should consult me on the exact scope, but it needs to include multiple techniques from both parts of the course.
- Some students say they prefer more standardized testing, but that would be in conflict with the main learning goal of this course: Being able to conduct a CSS research project, from beginning to end.
- But most students actually find this one of the best things of this course, and so do I: It's great to read all your creative work!

Structure of the meetings (usually)

Monday Lecture

Thursday Lab session.

See Course Manual for specific preparation and readings.

In general, we will work on some programming exercise *during* the lab sessions, so that you can immediately ask questions when you get stuck.

No weekly assignments to hand in, but implicit continous assignment: Finish the exercises we do in class, and play with them/extend them/write your own code!

Testing

- One take-home exam and one individual project
- Reserve some time for the take-home exams (sometimes, it helps to sleep a night)
- In the exams, you need to program, but also have read the literature
- For details, see Course Manual



Any questions?

Expectation Management

Next steps

References



Boyd, D., & Crawford, K. (2012). Critical questions for Big Data. Information, Communication & Society, 15(5), 662-679. https://doi.org/10.1080/1369118X.2012.678878



Gartner. (n.d.). Big data. https://www.gartner.com/en/information-technology/glossary/big-data



Hilbert, M., Barnett, G., Blumenstock, J., Contractor, N., Diesner, J., Frey, S., González-Bailón, S., Lamberso, P., Pan, J., Peng, T.-Q., Shen, C., Smaldino, P. E., Van Atteveldt, W., Waldherr, A., Zhang, J., & Zhu, J. H. (2019). Computational Communication Science: A Methodological Catalyzer for a Maturing Discipline. International Journal of Communication. 13. 3912–3934.



Kitchin, R. (2014). Big Data, new epistemologies and paradigm shifts. Big Data & Society, I(1), 1-12. https://doi.org/10.1177/2053951714528481



Lazer, D., Pentland, A., Adamic, L., Aral, S., Barabási, A.-L., Brewer, D., Christakis, N., Contractor, N., Fowler, J., Gutmann, M., Jebara, T., King, G., Macy, M., Roy, D., & van Alstyne, M. (2009). Computational social science. Science, 323, 721–723. https://doi.org/10.1126/science.1167742



Loecherbach, F., & Trilling, D. (2020). 3bij3 - Developing a framework for researching recommender systems and their effects. Computational Communication Research, 2(1), 53–79. https://doi.org/10.5117/CCR2020.1.003.LOEC



Mahrt, M., & Scharkow, M. (2013). The value of Big Data in digital media research. Journal of Broadcasting & Electronic Media, 57(1), 20–33. https://doi.org/10.1080/08838151.2012.761700



van Atteveldt, W., Strycharz, J., Trilling, D., & Welbers, K. (2019). Toward Open Computational Communication Science: A Practical Road Map for Reusable Data and Code University of Amsterdam, the Netherlands. International Journal of Communication, 13, 3935–3954.



van Atteveldt, W., & Peng, T. Q. (2018). When Communication Meets Computation: Opportunities,
Challenges, and Pitfalls in Computational Communication Science. Communication
Methods and Measures, 12(2-3), 81–92. https://doi.org/10.1080/19312458.2018.1458084



Methods and Measures, 12(2-3), 81–92. https://doi.org/10.1080/19312458.2018.1458084
Vis, F. (2013). A critical reflection on Big Data: Considering APIs, researchers and tools as data makers.
First Monday, 18(10), 1–16. https://doi.org/10.5210/fm.v18i10.4878