




# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Parameter


- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application\_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney\_pls\_Kidney\_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction

# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




— Aciclovir|Lipophilicity  
**Parameter** — Applications|IV 250mg 10min|Application\_1|ProtocolSchematem|Dose  
— Neighborhoods|Kidney\_pls\_Kidney\_ur|Aciclovir|Glomerular Filtration–GFR|GFR fraction


# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Organism|Age





Organism|ArterialBlood|Plasma|Aciclovir





# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)






Parameter


- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application\_1|ProtocolScheme|alterm|Dose
- Neighborhoods|Kidney\_pls\_Kidney\_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction

# Organism|ArterialBlood|Plasma|Aciclovir




Parameter
   
 Aciclovir|Lipophilicity
   
 Applications|IV 250mg 10min|Application\_1|ProtocolSchematem|Dose
   
 Neighborhoods|Kidney\_pls\_Kidney\_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction

# Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application\_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney\_pls\_Kidney\_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction



Organism|ArterialBlood|Plasma|Aciclovir

