

Question **1**

Answer saved

Marked out of
2

🚩 Flag
question

The OBJECT-TYPE macro is used to define

Select one:

- ☐ a. None of the options mentioned
- ☐ b. Service
- ☐ c. Manager
- ☒ d. Managed Objects

[Clear my choice](#)

Question **2**

Answer saved

Marked out of
2

🚩 Flag
question

Which of the following is false with respect to TCP?

Select one:

- ☒ a. Unreliable
- ☐ b. Process-to-process
- ☐ c. Connection-oriented
- ☐ d. Transport layer protocol

[Clear my choice](#)

Question **3**

Answer saved

Marked out of
2

🚩 Flag
question

Structure of Management Information (SMI), is the guideline of _____

Select one:

- ☐ a. URL
- ☐ b. SNMP
- ☒ c. MIB
- ☐ d. HTTP

[Clear my choice](#)

Question **4**

Answer saved

Marked out of
2

🚩 Flag
question

The organization model describes the components of network management and their relationships.

Select one:

- ☒ a. True
- ☐ b. False

[Clear my choice](#)

Question **5**

Answer saved

Marked out of
2

🚩 Flag
question

TCP groups a number of bytes together into a packet called _____

Select one:

- ☒ a. Segment
- ☐ b. Buffer
- ☐ c. Stack
- ☐ d. Packet

Question **6**

Answer saved

Marked out of
2

Flag
question

To achieve reliable transport in TCP, _____ is used to check the safe and sound arrival of data.

Select one:

- ☐ a. Segment
- ☐ b. Packet
- ☒ c. Acknowledgment
- ☐ d. Buffer

[Clear my choice](#)

Question **7**

Answer saved

Marked out of
2

Flag
question

For SNMP, defines the general rules for naming objects, defining object types, and showing how to encode objects and values.

Select one:

- ☐ a. BER
- ☒ b. SMI
- ☐ c. none of the above
- ☐ d. MIB

Question 8

Answer saved

Marked out of 2

Flag question

SNMP is the framework for managing devices in an internet using the _____

Select one:

- ☒ a. TCP/IP protocol
- ☐ b. UDP
- ☐ c. SMTP
- ☐ d. None

[Clear my choice](#)

Question 9

Answer saved

Marked out of 2

Flag question

The model that specifies the relationship between network element, agent, and manager is

Select one:

- ☐ a. Information Model
- ☐ b. Centralized Model
- ☐ c. Communication Model
- ☒ d. Organization Model

[Clear my choice](#)

Question 10

Answer saved

Marked out of 2

Flag question

The layer of the OSI model can use the trailer of the frame for error detection.

Select one:

- ☒ a. data link
- ☐ b. physical
- ☐ c. presentation
- ☐ d. transport

Question 11

Answer saved

Marked out of
2

Flag
question

In Network Management System, the division that is responsible for controlling access to network based on a predefined policy is called _____

Select one:

- ☒ a. Security Management
- ☐ b. Secured Management
- ☐ c. Fault Management
- ☐ d. Active Management

[Clear my choice](#)

Question 12

Answer saved

Marked out of
2

Flag
question

The SNMP Engine comprises

Select one:

- ☒ a. All Options Mentioned
- ☐ b. Security Subsystem
- ☐ c. Dispatcher
- ☐ d. Access control subsystem

Question 13

Answer saved

Marked out of 2

Flag question

The organization model describes the components of network management and their relationships

Select one:

- ☐ a. False
- ☒ b. True

[Clear my choice](#)

Question 14

Answer saved

Marked out of 2

Flag question

A pairing of an SNMP community with an SNMP community profile is defined as SNMP _____ policy.

Select one:

- ☐ a. none of these
- ☒ b. access
- ☐ c. match
- ☐ d. peer-to-peer

[Clear my choice](#)

Question 15

Answer saved

Marked out of 2

Flag question

The application-level protocol in which a few manager stations control a set of agents is called _____

Select one:

- ☐ a. TCP
- ☒ b. SNMP
- ☐ c. HTML
- ☐ d. SNMP/IP