Cross-correlation demo

Estimate distance between two microphones using cross-correlation of left and right channels of a stereo audio recording. The recorded stereo audio is a shshshsh, aaahhh, or a whistle.

DSP Lab - Ivan Selesnick.

Load data

```
% First record stereo audio (use Python)

clear

% [x, fs] = audioread('stereo_aahh_in_class.wav');
% t0 = 2.3;
% xlim1 = [0.07 0.085];

[x, fs] = audioread('stereo_audio_angle1_sshh.wav');
t0 = 1.5;
xlim1 = [0.07 0.085];

% [x, fs] = audioread('stereo_whistle_in_class.wav');
% t0 = 1.7;
% xlim1 = [0.07 0.085];


fs  % Sampling rate (samples/second)
```

Listen to audio

fs = 48000

```
sound(x, fs);
```


Display audio signal




Extract one segment

from both channels

```
T = 0.2;
               % Duration of segment (seconds)
% set as appropriate...
% t0 = 1.3;
             % Start-time of segment
M = round(T * fs);
m = 1:M;
v1 = x1(round(t0*fs) + m);
v2 = x2(round(t0*fs) + m);
figure(1)
clf
plot(m/fs, v1, m/fs, v2)
title('Audio signal segment')
xlabel('Time (seconds)')
legend('x1(t)', 'x2(t)')
zoom xon
```



% Zoom view
xlim(xlim1)




Auto-correlation


```
flip = @(x) x(end:-1:1);

r11 = conv(v1, flip(v1));

figure(1)
clf
plot(1-M:M-1, r11)
title('Auto-correlation of one channel')
xlabel('Lag (samples)')
zoom xon
```



% Zoom view xlim([-600 600])




```
% xlim([-200 200])
```

```
[r11_max, k] = max(r11);
lag_max = k - M
```

 $lag_max = 0$

```
hold on plot(lag_max, r11_max, 'ro') grid on
```




Cross-correlation


```
r12 = conv(v1, flip(v2));

% The Matlab function xcorr can also be used here.
% r12 = xcorr(v1, v2);

figure(1)
clf
plot(1-M:M-1, r12)
title('Cross-correlation between left and right channels')
xlabel('Lag (samples)')
zoom xon
```



% Zoom view xlim([-600 600])




Estimate delay (in samples)

as peak cross-correlation

```
[r12_max, k] = max(r12);  % r12_max : Peak cross-correlation
lag_max = k - M  % lag_max : Lag at which cross-correlation peaks
```


```
lag_max = -113
```

```
hold on plot(lag_max, r12_max, 'ro') grid on
```




Show lag in units of seconds, not samples

```
figure(1)
clf
plot((1-M:M-1)/fs, r12)
title('Cross-correlation between left and right channels')
xlabel('Lag (seconds)')
```



% Zoom view xlim([-600 600]/fs)




Estimate delay (in seconds)

```
tau = lag_max / fs % Peak lag in seconds

tau = -0.0024

txt = sprintf('Estimated inter-microphone time delay = %.2f milliseconds', 1000*tau)


txt =
    'Estimated inter-microphone time delay = -2.35 milliseconds'
hold on
plot(tau, r12_max, 'ro')
grid on
```




Do the signals roughly line up?

```
figure(1)
clf
plot(m/fs, v1, (m + lag_max)/fs, v2)
title('Audio signal')
xlabel('Time (seconds)')
legend('x1(t)', 'x2(t-\tau)')
zoom xon

% Zoom view
xlim([0.05 0.06])
```



```
figure(1)
clf
subplot(3, 1, 1)
plot(m/fs, v1, m/fs, v2)
title('Audio signal')
xlabel('Time (seconds)')
legend('x1(t)', 'x2(t)')
xlim(xlim1)
subplot(3, 1, 2)
plot(m/fs, v1, (m + lag_max)/fs, v2)
xlim([0 T])
title('Audio signal')
xlabel('Time (seconds)')
legend('x1(t)', 'x2(t-\tau)')
xlim(xlim1)
subplot(3, 1, 3)
plot((1-M:M-1)/fs*1000, r12, tau*1000, r12_max, 'ro')
title('Cross-correlation between left and right channels')
xlabel({'Lag (milliseconds)', txt})
grid on
xlim([-4 4])
```



```
orient tall
% print -dpdf demo_01_SHSHSHSH
```

Estimate inter-microphone distance

```
% Speed of sound at sea level = 340.29 m/s
sos = 340.29;  % speed of sound (meters/second)
dist = tau * sos;
d = abs(dist)/1.1557;
a = acos(d);
angle = rad2deg(a);
fprintf('Estimated inter-microphone angle = %.2f degrees\n', angle)
```

Estimated inter-microphone angle = 46.12 degrees

```
fprintf('Estimated inter-microphone distance = %.2f meters\n', dist)
```

Estimated inter-microphone distance = -0.80 meters