

- Cho, J., Garcia-Molina, H., and Page, L. (1998). Efficient crawling through URL ordering. *Comp. Netw.*, 30(161–172). Proceedings of WWW Conference. 664, 665
- Cho, J. and Ntoulas, A. (2002). Effective change detection using sampling. In *Proc. 28th Int. Conf. on Very Large Data Bases*. 666
- Chockler, G., Keidar, I., and Vitenberg, R. (2001). Group communication specifications: a comprehensive study. *ACM Comput. Surv.*, 33(4):427–469. 482, 537
- Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., editors. Web services description language (WSDL) 1.1 (2001). Available from: <http://www.w3.org/TR/wsdl> [Last retrieved: December 2009]. 690
- Chu, W. W. (1969). Optimal file allocation in a multiple computer system. *IEEE Trans. Comput.*, C-18(10):885–889. 125
- Chu, W. W. (1973). Optimal file allocation in a computer network. In Abramson, N. and Kuo, F. F., editors, *Computer Communication Networks*, pages 82–94. Prentice-Hall. 125
- Chu, W. W. (1976). Performance of file directory systems for data bases in star and distributed networks. In *Proc. National Computer Conf.*, pages 577–587. 38
- Chu, W. W. and Nahouraii, E. E. (1975). File directory design considerations for distributed databases. In *Proc. 1st Int. Conf. on Very Data Bases*, pages 543–545. 38
- Chundi, P., Rosenkrantz, D. J., and Ravi, S. S. (1996). Deferred updates and data placement in distributed databases. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 469–476. 477
- Civelek, F. N., Dogac, A., and Spaccapietra, S. (1988). An expert system approach to view definition and integration. In *Proc. 7th Int'l. Conf. on Entity-Relationship Approach*, pages 229–249. 202
- Clarke, I., Miller, S. G., Hong, T. W., Sandberg, O., and Wiley, B. (2002). Protecting free expression online with Freenet. *IEEE Internet Comput.*, 6(1):40–49. 615
- Clarke, I., Sandberg, O., Wiley, B., and Hong, T. W. (2000). Freenet: A distributed anonymous information storage and retrieval system. In *Proc. Workshop on Design Issues in Anonymity and Unobservability*, pages 46–66. 615
- Cluet, S. and Delobel, C. (1992). A general framework for the optimization of object-oriented queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 383–392. 583, 586, 587, 588
- Codd, E. (1995). Twelve rules for on-line analytical processing. *Computerworld*. 132
- Codd, E. F. (1970). A relational model for large shared data banks. *Commun. ACM*, 13(6):377–387. 45, 56
- Codd, E. F. (1972). Relational completeness of data base sublanguages. In Rustin, R., editor, *Relational Databases*, pages 65–98. Prentice-Hall, Englewood Cliffs, N.J. 45
- Codd, E. F. (1974). Recent investigations in relational data base systems. *Proceedings of IFIP Congress, Information Processing 74*, pages 1017–1021. 44

- Codd, E. F. (1979). Extending the database relational model to capture more meaning. *ACM Trans. Database Syst.*, 4(4):397–434. [43](#)
- Cohen, E. and Kaplan, H. (2004). Spatially-decaying aggregation over a network: Model and algorithms. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 707–718. [726](#)
- Cohen, E. and Strauss, M. (2003). Maintaining time-decaying stream aggregates. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 223–233. [726](#), [737](#)
- Cohen, S. (2006). User-defined aggregate functions: bridging theory and practice. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 49–60. [737](#)
- Cole, R. L. and Graefe, G. (1994). Optimization of dynamic query evaluation plans. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 150–160. [265](#), [266](#), [292](#)
- Colouris, G., Dollimore, J., and Kindberg, T. (2001). *Distributed Systems: Concepts and Design*. Addison Wesley, 3 edition. [2](#)
- Comer, D. E. (2009). *Computer Networks and Internets*. Prentice-Hall, 5 edition. [70](#)
- Computers, S. (1982). *Stratus/32 System Overview*. Stratus, Natick, Mass. [456](#)
- Cong, G., Fan, W., and Kementsietsidis, A. (2007). Distributed query evaluation with performance guarantees. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 509–520. [711](#)
- Cooper, B. F., Ramakrishnan, R., Srivastava, U., Silberstein, A., Bohannon, P., Jacobsen, H.-A., Puz, N., Weaver, D., and Yerneni, R. (2008). PNUTS: Yahoo!’s hosted data serving platform. *Proc. VLDB*, 1(2):1277–1288. [757](#), [763](#)
- Copeland, G., Alexander, W., Boughter, E., and Keller, T. (1988). Data placement in bubba. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 99–108. [510](#), [511](#)
- Copeland, G. and Maier, D. (1984). Making smalltalk a database system. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 316–325. [552](#)
- Cormode, G. and Muthukrishnan, S. (2003). What’s hot and what’s not: Tracking most frequent items dynamically. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 296–306. [743](#)
- Coulon, C., Pacitti, E., and Valduriez, P. (2005). Consistency management for partial replication in a high performance database cluster. In *Proc. IEEE Int. Conf. on Parallel and Distributed Systems*, pages 809–815. [537](#), [539](#), [548](#)
- Crainiceanu, A., Linga, P., Gehrke, J., and Shanmugasundaram, J. (2004). Querying peer-to-peer networks using p-trees. In *Proc. 7th Int. Workshop on the World Wide Web and Databases*, pages 25–30. [622](#)
- Cranor, C., Johnson, T., Spatscheck, O., and Shkapenyuk, V. (2003). Gigascope: High performance network monitoring with an SQL interface. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 647–651. [728](#), [731](#)
- Crespo, A. and Garcia-Molina, H. (2002). Routing indices for peer-to-peer systems. In *Proc. 22nd Int. Conf. on Distributed Computing Systems*, pages 23–33. [617](#)
- Cristian, F. (1982). Exception handling and software fault tolerance. *IEEE Trans. Comput.*, C-31(6):531–540. [455](#)

- Cristian, F. (1985). A rigorous approach to fault-tolerant programming. *IEEE Trans. Softw. Eng.*, SE-11(1):23–31. [455](#)
- Cristian, F. (1987). Exception handling. Technical Report RJ 5724, IBM Almaden Research Laboratory, San Jose, Calif. [455](#)
- Cuenca-Acuna, F., Peery, C., Martin, R., and Nguyen, T. (2003). Planetp: using gossiping to build content addressable peer-to-peer information sharing communities. In *IEEE Int. Symp. on High Performance Distributed Computing*, pages 236–249. [636](#)
- Cusumano, M. A. (2010). Cloud computing and SaaS as new computing platforms. *Commun. ACM*, 53(4):27–29. [744](#), [763](#)
- Dadam, P. and Schlageter, G. (1980). Recovery in distributed databases based on non-synchronized local checkpoints. In *Information Processing '80*, pages 457–462. [456](#)
- Dageville, B., Casadessus, P., and Borla-Salamet, P. (1994). The impact of the ksr1 allcache architecture on the behavior of the dbs3 parallel dbms. In *Proc. International Conf. on Parallel Architectures and Language*. [528](#), [548](#)
- Dahlin, M., Wang, R., Anderson, T., and Patterson, D. (1994). Cooperative caching: Using remote client memory to improve file system performance. In *Proc. 1st USENIX Symp. on Operating System Design and Implementation*, pages 267–280. [210](#)
- Das, A., Gehrke, J., and Riedewald, M. (2005). Semantic approximation of data stream joins. *IEEE Trans. Knowl. and Data Eng.*, 17(1):44–59. [740](#)
- Dasu, T., Krishnan, S., Venkatasubramanian, S., and Yi, K. (2006). An information-theoretic approach to detecting changes in multi-dimensional data streams. In *Proc. 38th Symp. on the Interface of Stats, Comp. Sci., and Applications*. [727](#)
- Daswani, N., Garcia-Molina, H., and Yang, B. (2003). Open problems in data-sharing peer-to-peer systems. In *Proc. 9th Int. Conf. on Database Theory*, pages 1–15. [611](#), [653](#)
- Datar, M., Gionis, A., Indyk, P., and Motwani, R. (2002). Maintaining stream statistics over sliding windows. In *Proc. 13th Annual ACM-SIAM Symp. on Discrete Algorithms*, pages 635–644. [737](#)
- Date, C. and Darwen, H. (1998). *Foundation for Object/Relational Databases – The Third Manifesto*. Addison Wesley. [552](#), [607](#)
- Date, C. J. (1987). *A Guide to the SQL Standard*. Addison Wesley. [56](#)
- Date, C. J. (2004). *An Introduction to Database Systems*. Pearson, 8th edition. [70](#)
- Daudjee, K. and Salem, K. (2004). Lazy database replication with ordering guarantees. In *Proc. 20th Int. Conf. on Data Engineering*, pages 424–435. [466](#)
- Daudjee, K. and Salem, K. (2006). Lazy database replication with snapshot isolation. In *Proc. 32nd Int. Conf. on Very Large Data Bases*, pages 715–726. [464](#), [466](#)
- Davenport, R. A. (1981). Design of distributed data base systems. *Comp. J.*, 24(1):31–41. [73](#)
- Davidson, S. B. (1984). Optimism and consistency in partitioned distributed database systems. *ACM Trans. Database Syst.*, 9(3):456–481. [456](#), [487](#), [493](#)
- Davidson, S. B., Garcia-Molina, H., and Skeen, D. (1985). Consistency in partitioned networks. *ACM Comput. Surv.*, 17(3):341–370. [449](#), [456](#), [493](#)

- Dawson, J. L. (1980). A user demand model for distributed database design. In *Digest of Papers – COMPCON*, pages 211–216. [125](#)
- Dayal, U. (1989). Queries and views in an object-oriented data model. In *Proc. 2nd Int. Workshop on Database Programming Languages*, pages 80–102. [555](#), [606](#)
- Dayal, U. and Bernstein, P. (1978). On the updatability of relational views. In *Proc. 4th Int. Conf. on Very Data Bases*, pages 368–377. [175](#), [201](#)
- Dayal, U., Buchmann, A., and McCarthy, D. (1988). Rules are objects too: A knowledge model for an active object-oriented database system. In *Advances in Object-Oriented Database Systems. Proc. of the 2nd Int. Workshop on Object-Oriented Database Systems*, pages 129–143. [606](#)
- Dayal, U. and Hwang, H. (1984). View definition and generalization for database integration in multibase: A system for heterogeneous distributed database. *IEEE Trans. Softw. Eng.*, SE-10(6):628–644. [147](#), [160](#), [331](#)
- Dayal, U., M.Hsu, and Ladin, R. (1991). A transactional model for long-running activities. In *Proc. 17th Int. Conf. on Very Large Data Bases*, pages 113–122. [354](#), [355](#)
- Dean, J. and Ghemawat, S. (2004). MapReduce: Simplified data processing on large clusters. In *Proc. 6th USENIX Symp. on Operating System Design and Implementation*, pages 137–150. [758](#), [763](#)
- Dean, J. and Ghemawat, S. (2010). MapReduce: a flexible data processing tool. *Commun. ACM*, 53(1):72–77. [760](#), [763](#)
- Demaine, E., Lopez-Ortiz, A., and Munro, J. I. (2002). Frequency estimation of internet packet streams with limited space. In *Proc. 10th Annual European Symp. on Algorithms*, pages 348–360. [743](#)
- Demers, A., Gehrke, J., Hong, M., Riedewald, M., and White, W. (2006). Towards expressive publish/subscribe systems. In *Advances in Database Technology, Proc. 10th Int. Conf. on Extending Database Technology*, pages 627–644. [741](#)
- Demers, A. J., Greene, D. H., Hauser, C., Irish, W., Larson, J., Shenker, S., Sturgis, H. E., Swinehart, D. C., and Terry, D. B. (1987). Epidemic algorithms for replicated database maintenance. In *Proc. ACM SIGACT-SIGOPS 6th Symp. on the Principles of Distributed Computing*, pages 1–12. [617](#)
- Denning, P. J. (1968). The working set model for program behavior. *Commun. ACM*, 11(5):323–333. [415](#)
- Denning, P. J. (1980). Working sets: Past and present. *IEEE Trans. Softw. Eng.*, SE-6(1):64–84. [415](#)
- Denny, M. and Franklin, M. (2005). Predicate result range caching for continuous queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 646–657. [740](#)
- Deshpande, A. and Hellerstein, J. (2004). Lifting the burden of history from adaptive query processing. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 948–959. [739](#)
- Devine, R. (1993). Design and implementation of DDH: A distributed dynamic hashing algorithm. In *Proc. 4th Int. Conf. on Foundations of Data Organization and Algorithms*, pages 101–114. [618](#)

- DeWitt, D., Naughton, J., Schneider, D., and Seshadri, S. (1992). Practical skew handling in parallel joins. In *Proc. 22th Int. Conf. on Very Large Data Bases*, pages 27–40. [529](#), [548](#)
- DeWitt, D. J., Futersack, P., Maier, D., and Velez, F. (1990). A study of three alternative workstation-server architectures for object-oriented database systems. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 107–12. [568](#)
- DeWitt, D. J. and Gerber, R. (1985). Multi processor hash-based join algorithms. In *Proc. 11th Int. Conf. on Very Large Data Bases*, pages 151–164. [518](#)
- DeWitt, D. J., Gerber, R. H., Graek, G., Heytens, M. L., Kumar, K. B., and Muralikrishna, M. (1986). Gamma: A high performance dataflow database machine. In *Proc. 12th Int. Conf. on Very Large Data Bases*, pages 228–237. [505](#), [548](#)
- DeWitt, D. J. and Gray, J. (1992). Parallel database systems: The future of high performance database systems. *Commun. ACM*, 35(6):85–98. [497](#), [500](#)
- Dhamankar, R., Lee, Y., Doan, A., Halevy, A. Y., and Domingos, P. (2004). iMAP: Discovering complex mappings between database schemas. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 383–394. [147](#)
- Dickman, P. (1991). *Distributed Object Management in a Non-Small Graph of Autonomous Networks With Few Failures*. Ph.D. thesis, University of Cambridge, England. [581](#)
- Dickman, P. (1994). The bellerophon project: A scalable object-support architecture suitable for a large oodbms? In [Özsu et al. \[1994a\]](#), pages 287–299. [577](#)
- Diffie, W. and Hellman, M. E. (1976). New directions in cryptography. *IEEE Trans. Information Theory*, IT-22(6):644–654. [180](#)
- Ding, Q., Ding, Q., and Perrizo, W. (2002). Decision tree classification of spatial data streams using peano count trees. In *Proc. 2002 ACM Symp. on Applied Computing*, pages 413–417. [743](#)
- Do, H. H. and Rahm, E. (2002). COMA - A system for flexible combination of schema matching approaches. In *Proc. 28th Int. Conf. on Very Large Data Bases*, pages 610–621. [134](#), [142](#), [144](#), [160](#)
- Doan, A., Domingos, P., and Halevy, A. Y. (2001). Reconciling schemas of disparate data sources: A machine-learning approach. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 509–520. [145](#), [147](#)
- Doan, A., Domingos, P., and Halevy, A. Y. (2003a). Learning to match the schemas of data sources: A multistrategy approach. *Machine Learning*, 50(3):279–301. [145](#), [146](#), [147](#)
- Doan, A., Halevy, A., and Ives, Z. (2010). *Principles of Data Integration*. (in preparation). [159](#), [160](#)
- Doan, A. and Halevy, A. Y. (2005). Semantic integration research in the database community: A brief survey. *AI Magazine*, 26(1):83–94. [160](#)
- Doan, A., Madhavan, J., Dhamankar, R., Domingos, P., and Halevy, A. Y. (2003b). Learning to match ontologies on the semantic web. *VLDB J.*, 12(4):303–319. [626](#)
- Dobra, A., Garofalakis, M., Gehrke, J., and Rastogi, R. (2004). Sketch-based multi-query processing over data streams. In *Advances in Database Technology, Proc. 9th Int. Conf. on Extending Database Technology*, pages 551–568. [740](#)

- Dogac, A., Dengi, C., and Özsu, M. T. (1998a). Distributed object computing platforms. *Commun. ACM*, 41(9):95–103. 607
- Dogac, A., Kalinichenko, L., Özsu, M. T., and Sheth, A., editors (1998b). *Advances in Workflow Systems and Interoperability*. Springer. 354, 359
- Dogac, A., Özsu, M., Biliris, A., and Sellis, T., editors (1994). *Advances in Object-Oriented Database Systems*. Springer. 586, 607, 814
- Doherty, C. and Hurley, N. (2007). Autonomic distributed data management with update accesses. In *Proc. 1st Int. Conf. on Autonomic computing and communication systems*, pages 1–8. 762
- D’Oliviera, C. R. (1977). An analysis of computer decentralization. Technical Memo TM-90, Laboratory for Computer Science, Massachusetts Institute of Technology, Cambridge, Mass. 7
- Dollimore, J., Nascimento, C., and Xu, W. (1994). Fine-grained object migration. In Özsu et al. [1994a], pages 182–186. 577
- Domingos, P. and Hulten, G. (2000). Mining high-speed data streams. In *Proc. 6th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 71–80. 743
- Douglis, F., Palmer, J., Richards, E., Tao, D., Hetzlaff, W., Tracey, J., and Lin, J. (2004). Position: short object lifetimes require a delete-optimized storage system. In *Proc. 11th ACM SIGOPS European Workshop*. 726
- Dowdy, L. W. and Foster, D. V. (1982). Comparative models of the file assignment problem. *ACM Comput. Surv.*, 14(2):287–313. 38, 114, 125
- Draper, D., Fankhauser, P., Fernández, M., Malhotra, A., Rose, K., Rys, M., Siméon, J., and Wadler, P., editors. Xquery 1.0 and XPath 2.0 formal semantics (2007). Available from: <http://www.w3.org/TR/xquery-semantics/> [Last retrieved: January 2010]. 702
- Du, W. and Elmagarmid, A. (1989). Quasi-serializability: A correctness criterion for global concurrency control in interbase. In *Proc. 15th Int. Conf. on Very Large Data Bases*, pages 347–355. 26
- Du, W., Krishnamurthy, R., and Shan, M. (1992). Query optimization in a heterogeneous dbms. In *Proc. 18th Int. Conf. on Very Large Data Bases*, pages 277–291. 307, 308, 331
- Du, W., Shan, M., and Dayal, U. (1995). Reducing multidatabase query response time by tree balancing. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 293–303. 287, 290, 293, 315, 331
- Duschka, O. M. and Genesereth, M. R. (1997). Answering recursive queries using views. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 109–116. 160, 305, 331
- Dwork, C. and Skeen, D. (1983). The inherent cost of nonblocking commitment. In *Proc. ACM SIGACT-SIGOPS 2nd Symp. on the Principles of Distributed Computing*, pages 1–11. 455
- Eager, D. L. and Sevcik, K. C. (1983). Achieving robustness in distributed database systems. *ACM Trans. Database Syst.*, 8(3):354–381. 456, 493



- Edwards, J., McCurley, K., and Tomlin, J. (2001). An adaptive model for optimizing performance of an incremental web crawler. In *Proc. 10th Int. World Wide Web Conf.* 666
- Effelsberg, W. and Härder, T. (1984). Principles of database buffer management. *ACM Trans. Database Syst.*, 9(4):560–595. 415
- Eich, M. H. (1989). Main memory database research directions. In *Int. Workshop on Database Machines*, pages 251–268. 499
- Eickler, A., Gerlhof, C., and Kossmann, D. (1995). A performance evaluation of oid mapping techniques. In *Proc. 21th Int. Conf. on Very Large Data Bases*, pages 18–29. 575
- Eisenberg et al., 2008 (2008). Information technology – database languages – SQL – Part 14: XML-related specifications (SQL/XML). 702
- Eisner, M. J. and Severance, D. G. (1976). Mathematical techniques for efficient record segmentation in large shared databases. *J. ACM*, 23(4):619–635. 98
- Elmagarmid, A., Leu, Y., Litwin, W., and Rusinkiewicz, M. (1990). A multidatabase transaction model for interbase. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 507–518. 354
- Elmagarmid, A., Rusinkiewicz, M., and Sheth, A., editors (1999). *Management of Heterogeneous and Autonomous Database Systems*. Morgan Kaufmann. 160
- Elmagarmid, A. K. (1986). A survey of distributed deadlock detection algorithms. *ACM SIGMOD Rec.*, 15(3):37–45. 39, 401
- Elmagarmid, A. K., editor (1992). *Transaction Models for Advanced Database Applications*. Morgan Kaufmann. 359
- Elmagarmid, A. K., Soundararajan, N., and Liu, M. T. (1988). A distributed deadlock detection and resolution algorithm and its correctness proof. *IEEE Trans. Softw. Eng.*, 14(10):1443–1452. 401
- Elmasri, R., Larson, J., and Navathe, S. B. (1987). Integration algorithms for database and logical database design. Technical report, Honeywell Corporate Research Center, Golden Valley, Minn. 149
- Elmasri, R. and Navathe, S. B. (2011). *Fundamentals of Database Systems*. Pearson, 6 edition. 70
- Embley, D. W., Jackman, D., and Xu, L. (2001). Multifaceted exploitation of metadata for attribute match discovery in information integration. In *Proc. Workshop on Information Integration on the Web*, pages 110–117. 146
- Embley, D. W., Jackman, D., and Xu, L. (2002). Attribute match discovery in information integration: exploiting multiple facets of metadata. *Journal of the Brazilian Computing Society*, 8(2):32–43. 146
- Epstein, R. and Stonebraker, M. (1980). Analysis of distributed data base processing strategies. In *Proc. 5th Int. Conf. on Very Data Bases*, pages 92–101. 293
- Epstein, R., Stonebraker, M., and Wong, E. (1978). Query processing in a distributed relational database system. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 169–180. 209, 254, 274, 276, 292
- Eswaran, K. P. (1974). Placement of records in a file and file allocation in a computer network. In *Information Processing '74*, pages 304–307. 115, 125

- Eswaran, K. P., Gray, J. N., Lorie, R. A., and Traiger, I. L. (1976). The notions of consistency and predicate locks in a database system. *Commun. ACM*, 19(11):624–633. [341](#), [370](#)
- Evrendilek, C., Dogac, A., Nural, S., and Ozcan, F. (1997). Multidatabase query optimization. *Distrib. Parall. Databases*, 5(1):77–114. [287](#), [293](#), [316](#)
- Ezeife, C. I. and Barker, K. (1995). A comprehensive approach to horizontal class fragmentation in a distributed object based system. *Distrib. Parall. Databases*, 3(3):247–272. [563](#), [564](#), [607](#)
- Ezeife, C. I. and Barker, K. (1998). Distributed object based design: Vertical fragmentation of classes. *Distrib. Parall. Databases*, 6(4):327–360. [563](#)
- Fagin, R. (1977). Multivalued dependencies and a new normal form for relational databases. *ACM Trans. Database Syst.*, 2(3):262–278. [44](#)
- Fagin, R. (1979). Normal forms and relational database operators. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 153–160. [44](#)
- Fagin, R. (1999). Combining fuzzy information from multiple systems. *Journal of Computer and System Sciences*, 58(1):83–99. [629](#)
- Fagin, R. (2002). Combining fuzzy information: an overview. *ACM SIGMOD Rec.*, 31(2):109–118. [147](#)
- Fagin, R., Kolaitis, P. G., Miller, R. J., and Popa, L. (2005). Data exchange: semantics and query answering. *TCS*, 336(1):89–124. [159](#)
- Fagin, R., Lotem, J., and Naor, M. (2003). Optimal aggregation algorithms for middleware. *Journal of Computer and System Sciences*, 66(4):614–656. [629](#), [654](#)
- Fagin, R. and Vardi, M. Y. (1984). The theory of data dependencies: A survey. Research Report RJ 4321 (47149), IBM Research Laboratory, San Jose, Calif. [189](#)
- Faloutsos, C. and Christodoulakis, S. (1984). Signature files: an access method for documents and its analytical performance evaluation. *ACM Trans. Information Syst.*, 2(4):267–288. [667](#)
- Fan, W. (2004). Systematic data selection to mine concept-drifting data streams. In *Proc. 10th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 128–137. [743](#)
- Fang, D., Hammer, J., and McLeod, D. (1994). An approach to behavior sharing in federated database systems. In [Özsu et al. \[1994a\]](#), pages 334–346. [565](#)
- Farrag, A. (1986). *Concurrency and Consistency in Database Systems*. Ph.D. thesis, Department of Computing Science, University of Alberta, Edmonton, Canada. [359](#)
- Farrag, A. A. and Özsu, M. T. (1985). A general concurrency control for database systems. In *Proc. National Computer Conf*, pages 567–573. [400](#)
- Farrag, A. A. and Özsu, M. T. (1987). Towards a general concurrency control algorithm for database systems. *IEEE Trans. Softw. Eng.*, 13(10):1073–1079. [400](#)
- Farrag, A. A. and Özsu, M. T. (1989). Using semantic knowledge of transactions to increase concurrency. *ACM Trans. Database Syst.*, 14(4):503–525. [395](#), [401](#)
- Fekete, A., Lynch, N., Merritt, M., and Weihl, W. (1987a). Nested transactions and read/write locking. Technical Memo MIT/LCS/TM–324, Massachusetts Institute of Technology, Cambridge, Mass. [401](#)



- Fekete, A., Lynch, N., Merritt, M., and Weihl, W. (1987b). Nested transactions, conflict-based locking, and dynamic atomicity. Technical Memo MIT/LCS/TM-340, Massachusetts Institute of Technology, Cambridge, Mass. 401
- Fekete, A., Lynch, N., Merritt, M., and Weihl, W. (1989). Commutativity-based locking for nested transactions. Technical Memo MIT/LCS/TM-370b, Massachusetts Institute of Technology, Cambridge, Mass. 401, 594
- Fernandez, E. B., Summers, R. C., and Wood, C. (1981). *Database Security and Integrity*. Addison Wesley. 180
- Fernandez, M., Florescu, D., and Levy, A. (1997). A query language for a web-site management system. *ACM SIGMOD Rec.*, 26(3):4–11. 676
- Fernández, M. F., Siméon, J., Choi, B., Marian, A., and Sur, G. (2003). Implementing XQuery 1.0: The Galax experience. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 1077–1080. 698, 702
- Ferreira, P. and Shapiro, M. (1994). Garbage collection and dsm consistency. In *Proc. of the First Symposium on Operating Systems Design and Implementation*, pages 229–241. 581
- Fessant, F. L., Piumarta, I., and Shapiro, M. (1998). An implementation of complete, asynchronous, distributed garbage collection. In *Proc. ACM SIGPLAN Conf. on Programming Language Design and Implementation*, pages 152–161. 582
- Fiebig, T., Helmer, S., Kanne, C.-C., Moerkotte, G., Neumann, J., Schiele, R., and Westmann, T. (2002). Anatomy of a native XML base management system. *VLDB J.*, 11(4):292–314. 699
- Fisher, M. K. and Hochbaum, D. S. (1980). Database location in computer networks. *J. ACM*, 27(4):718–735. 121
- Fisher, P. S., Hollist, P., and Slonim, J. (1980). A design methodology for distributed data bases. In *Digest of Papers – COMPCON*, pages 199–202. 125
- Florentin, J. J. (1974). Consistency auditing of databases. *Comp. J.*, 17(1):52–58. 188, 202
- Florescu, D., Koller, D., and Levy, A. (1997). Using probabilistic information in data integration. In *Proc. 23th Int. Conf. on Very Large Data Bases*, pages 216–225. 564
- Florescu, D., Levy, A., and Mendelzon, A. (1998). Database techniques for the World-Wide Web: a survey. *ACM SIGMOD Rec.*, 27(3):59–74. 657, 676
- Folkert, N., Gupta, A., Witkowski, A., Subramanian, S., Bellamkonda, S., Shankar, S., Bozkaya, T., and Sheng, L. (2005). Optimizing refresh of a set of materialized views. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 1043–1054. 738
- Foster, D. V. and Browne, J. C. (1976). File assignment in memory hierarchies. In Gelenbe, I. E., editor, *Modelling and Performance Evaluation of Computer Systems*, pages 119–127. North-Holland. 125
- Franklin, M., Livny, M., and Carey, M. (1997). Transactional client-server cache consistency: Alternatives and performance. *ACM Trans. Database Syst.*, 22(3):315–367. 572
- Franklin, M. J., Carey, M., and Livny, M. (1992). Global memory management in client-server dbms architectures. In *Proc. 18th Int. Conf. on Very Large Data Bases*, pages 596–609. 210, 571

- Franklin, M. J. and Carey, M. J. (1994). Client-server caching revisited. In [Özsu et al. \[1994a\]](#), pages 57–78. [572](#), [573](#)
- Franklin, M. J., Jonsson, B. T., and Kossmann, D. (1996). Performance tradeoffs for client-server query processing. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 149–160. [214](#)
- Freeley, M., Morgan, W., and Pighin, F. (1995). Implementing global memory management in a workstation cluster. In *Proc. 15th ACM Symp. on Operating Syst. Principles*, pages 201–212. [210](#)
- Freytag, J. C. (1987). A rule-based view of query optimization. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 173–180. [583](#)
- Freytag, J. C., Maier, D., and Vossen, G. (1994). *Query Processing for Advanced Database Systems*. Morgan Kaufmann. [220](#)
- Friedman, M., Levy, A. Y., and Millstein, T. D. (1999). Navigational plans for data integration. In *Proc. 16th National Conf on Artificial Intelligence and 11th Innovative Applications of Artificial Intelligence Conf.*, pages 67–73. [133](#)
- Fung, C. W., Karlapalem, K., and Li, Q. (1996). An analytical approach towards evaluating method induced vertical partitioning algorithms. Technical Report HKUST96-33, Department of Computer Science, Hong Kong University of Science and Technology. [564](#)
- Furtado, C., Lima, A., Pacitti, E., Valduriez, P., and Mattoso, M. (2005). Physical and virtual partitioning in olap database clusters. In *Proc. Int. Symp. Computer Architecture and High Performance Computing*, pages 143–150. [544](#), [548](#)
- Furtado, C., Lima, A., Pacitti, E., Valduriez, P., and Mattoso, M. (2006). Adaptive hybrid partitioning for olap query processing in a database cluster. *Int. J. High Perf. Comput. and Networking*. To appear. [544](#), [548](#)
- Fushimi, S., Kitsuregawa, M., and Tanaka, H. (1986). An overview of the system software of a parallel relational database machine grace. In *Proc. 12th Int. Conf. on Very Large Data Bases*, pages 209–219. [505](#)
- Gaber, M., Zaslavsky, A., and Krishnaswamy, S. (2005). Mining data streams: A review. *ACM SIGMOD Rec.*, 34(2):18–26. [742](#), [762](#)
- Galhardas, H., Florescu, D., Shasha, D., Simon, E., and Saita, C.-A. (2001). Declarative data cleaning: Language, model, and algorithms. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 371–380. [158](#)
- Gallaire, H., Minker, J., and Nicolas, J.-M. (1984). Logic and databases: A deductive approach. *ACM Comput. Surv.*, 16(2):153–186. [47](#)
- Gama, J., Medas, P., and Rodrigues, P. (2005). Learning decision trees from dynamic data streams. In *Proc. 2005 ACM Symp. on Applied Computing*, pages 573–577. [743](#)
- Gançarski, S., Naacke, H., Pacitti, E., and Valduriez, P. (2002). Parallel processing with autonomous databases in a cluster system. In *Proc. Int. Conf. on Cooperative Information Systems*, pages 410–428. [540](#), [548](#)
- Gançarski, S., Naacke, H., Pacitti, E., and Valduriez, P. (2007). The leganet system: Freshness-aware transaction routing in a database cluster. *Inf. Syst.*, 32(7):320–343. [541](#), [548](#)

- Ganesan, P., Yang, B., and Garcia-Molina, H. (2004). One torus to rule them all: Multidimensional queries in p2p systems. In *Proc. 7th Int. Workshop on the World Wide Web and Databases*, pages 19–24. 622
- Ganti, Gehrke, and Ramakrishnan (2002). Mining data streams under block evolution. *SIGKDD Explorations*, pages 1–10. 743
- Gao, S., Sperberg-McQueen, C. M., and Thompson, H. S., editors. W3C XML schema definition language (XSD) 1.1 part 1: Structures (2009). Available from: <http://www.w3.org/TR/xmlschema11-1/> [Last retrieved: January 2010]. 693
- Garcia-Molina, H. (1979). *Performance of Update Algorithms for Replicated Data in a Distributed Database*. Ph.D. thesis, Department of Computer Science, Stanford University, Stanford, Calif. 390, 401
- Garcia-Molina, H. (1982). Elections in distributed computing systems. *IEEE Trans. Comput.*, C-31(1):48–59. 440
- Garcia-Molina, H. (1983). Using semantic knowledge for transaction processing in a distributed database. *ACM Trans. Database Syst.*, 8(2):186–213. 352, 395, 401
- Garcia-Molina, H., Gawlick, D., Klein, J., Kleissner, K., and Salem, K. (1990). Coordinating multi-transaction activities. Technical Report CS-TR-247-90, Department of Computer Science, Princeton University. 352, 353, 397
- Garcia-Molina, H., Papakonstantinou, Y., Quass, D., Rajaraman, A., Sagiv, Y., Ullman, J. D., Vassalos, V., and Widom, J. (1997). The TSIMMIS approach to mediation: Data models and languages. *J. Intell. Information Syst.*, 8(2):117–132. 160
- Garcia-Molina, H. and Salem, K. (1987). Sagas. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 249–259. 351, 352, 397
- Garcia-Molina, H., Ullman, J. D., and Widom, J. (2002). *Database Systems – The Complete Book*. Prentice-Hall. 70
- Garcia-Molina, H. and Wiederhold, G. (1982). Read-only transactions in a distributed database. *ACM Trans. Database Syst.*, 7(2):209–234. 401
- Garofalakis, M. N. and Ioannidis, Y. E. (1996). Multi-dimensional resource scheduling for parallel queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 365–376. 530, 548
- Garza, J. F. and Kim, W. (1988). Transaction management in an object-oriented database system. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 37–45. 597, 600
- Gastonian, R. (1983). The auragen system 4000. *Q. Bull. IEEE TC on Data Eng.*, 6(2). 456
- Gavish, B. and Pirkul, H. (1986). Computer and database location in distributed computer systems. *IEEE Trans. Comput.*, C-35(7):583–590. 125
- GE (1976). *MADMAN User Manual*. General Electric Company, Schenectady, N.Y. 390
- Gedik, B., Wu, K.-L., Yu, P. S., and Liu, L. (2005). Adaptive load shedding for windowed stream joins. In *Proc. 14th ACM Int. Conf. on Information and Knowledge Management*, pages 171–178. 740

- Gelenbe, E. and Gardy, D. (1982). The size of projections of relations satisfying a functional dependency. In *Proc. 8th Int. Conf. on Very Data Bases*, pages 325–333. 254
- Gelenbe, E. and Sevcik, K. (1978). Analysis of update synchronization for multiple copy databases. In *Proc. 3rd Berkeley Workshop on Distributed Data Management and Computer Networks*, pages 69–88. 401
- Georgakopoulos, D., Hornick, M., and Sheth, A. (1995). An overview of workflow management: From process modeling to workflow automation infrastructure. *Distrib. Parall. Databases*, 3:119–153. 354, 359
- Gerlhof, C. and Kemper, A. (1994). A multi-threaded architecture for prefetching in object bases. In Jarke, M., Jr., J. A. B., and Jeffery, K. G., editors, *Advances in Database Technology, Proc. 4th Int. Conf. on Extending Database Technology*, volume 779 of *Lecture Notes in Computer Science*, pages 351–364. Springer. 568
- Ghanem, T., Aref, W., and Elmagarmid, A. (2006). Exploiting predicate-window semantics over data streams. *ACM SIGMOD Rec.*, 35(1):3–8. 727
- Ghemawat, S. (1995). *The Modified Object Buffer: A Storage Management Technique for Object-Oriented Databases*. Ph.D dissertation, Massachusetts Institute of Technology, Cambridge, Mass. 571
- Ghemawat, S., Gbioff, H., and Leung, S.-T. (2003). The Google file system. In *Proc. 19th ACM Symp. on Operating System Principles*, pages 29–43. 753, 763
- Gibbons, P. and Tirhapura, S. (2002). Distributed streams algorithms for sliding windows. In *Proc. 14th ACM Symp. on Parallel Algorithms and Architectures*, pages 63–72. 737
- Gibbons, T. (1976). *Integrity and Recovery in Computer Systems*. NCC Publications. 455
- Gifford, D. K. (1979). Weighted voting for replicated data. In *Proc. 7th ACM Symp. on Operating System Principles*, pages 50–159. 487
- Gilbert, A. C., Kotidis, Y., Muthukrishnan, S., and Strauss, M. J. (2001). Surfing wavelets on streams: One-pass summaries for approximate aggregate queries. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 79–88. 726
- Gligor, V. and Popescu-Zeletin, R. (1986). Transaction management in distributed heterogeneous database management systems. *Inf. Syst.*, 11(4):287–297. 25
- Gligor, V. D. and Luckenbaugh, G. L. (1984). Interconnecting heterogeneous database management systems. *Comp.*, 17(1):33–43. 40
- Golab, L. (2006). *Sliding Window Query Processing over Data Streams*. PhD thesis, University of Waterloo. 763
- Golab, L., Garg, S., and Özsu, M. T. (2004). On indexing sliding windows over on-line data streams. In *Advances in Database Technology, Proc. 9th Int. Conf. on Extending Database Technology*, pages 712–729. 736
- Golab, L., Johnson, T., Seidel, J. S., and Shkapenyuk, V. (2009). Stream warehousing with DataDepot. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 847–854. 761
- Golab, L. and Özsu, M. T. (2003a). Issues in data stream management. *ACM SIGMOD Rec.*, 32(2):5–14. 762, 763

- Golab, L. and Özsu, M. T. (2003b). Processing sliding window multi-joins in continuous queries over data streams. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 500–511. [733](#)
- Golab, L. and Özsu, M. T. (2010). *Data Stream Systems*. Morgan & Claypool. [761](#), [762](#), [763](#)
- Goldberg, A. and Robson, D. (1983). *SmallTalk-80: The Language and Its Implementation*. Addison Wesley. [559](#)
- Goldman, K. J. (1987). Data replication in nested transaction systems. Technical Report MIT/LCS/TR-390, Massachusetts Institute of Technology, Cambridge, Mass. [401](#)
- Goldman, R. and Widom, J. (1997). Dataguides : Enabling query formulation and optimization in semistructured databases. In *Proc. 23th Int. Conf. on Very Large Data Bases*, pages 436–445. [675](#), [701](#)
- Gonnet, G. H. and Tompa, F. W. (1987). Mind your grammar: A new approach to modelling text. In *Proc. 13th Int. Conf. on Very Large Data Bases*, pages 339–346. [690](#)
- Goodman, J. R. and Woest, P. J. (1988). The wisconsin multicube: A new large-scale cache-coherent multiprocessor. Technical Report TR766, University of Wisconsin-Madison. [506](#), [548](#)
- Goodman, N., Suri, R., and Tay, Y. C. (1983). A simple analytic model for performance of exclusive locking in database systems. In *Proc. 2nd ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 203–215. [401](#)
- Gottlob, G., Koch, C., and Pichler, R. (2005). Efficient algorithms for processing XPath queries. *ACM Trans. Database Syst.*, 30(2):444–491. [700](#)
- Gounaris, A., Paton, N., Fernandes, A., and Sakellariou, R. (2002a). Adaptive query processing: A survey. In *Proc. British National Conf. on Databases*, pages 11–25. [739](#)
- Gounaris, A., Paton, N. W., Fernandes, A. A. A., and Sakellariou, R. (2002b). Adaptive query processing: A survey. In *Proc. British National Conf. on Databases*, pages 11–25. [320](#), [321](#), [331](#)
- Graefe, G. (1990). Encapsulation of parallelism in the volcano query processing systems. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 102–111. [503](#), [548](#)
- Graefe, G. (1993). Query evaluation techniques for large databases. *ACM Comput. Surv.*, 25(2):73–170. [220](#), [292](#), [547](#)
- Graefe, G. (1994). Volcano - an extensible and parallel query evaluation system. *IEEE Trans. Knowl. and Data Eng.*, 6(1):120–135. [267](#)
- Graefe, G. and DeWitt, D. (1987). The exodus optimizer generator. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 160–172. [583](#)
- Graefe, G. and Maier, D. (1988). Query optimization in object-oriented database systems: The REVELATION project. Technical Report CS/E 88-025, Oregon Graduate Center. [583](#), [586](#)
- Graefe, G. and McKenna, W. (1993). The volcano optimizer generator. In *Proc. 9th Int. Conf. on Data Engineering*, pages 209–218. [320](#), [321](#), [586](#)

- Grant, J. (1984). Constraint preserving and lossless database transformations. *Inf. Syst.*, 9(2):139–146. [79](#)
- Grapa, E. and Belford, G. G. (1977). Some theorems to aid in solving the file allocation problem. *Commun. ACM*, 20(11):878–882. [125](#)
- Gravano, L., Garcia-Molina, H., and Tomasic, A. (1999). Gloss: Text-source discovery over the internet. *ACM Trans. Database Syst.*, 24(2):229–264. [689](#)
- Gray, J. (1981). The transaction concept: Virtues and limitations. In *Proc. 7th Int. Conf. on Very Data Bases*, pages 144–154. [337](#)
- Gray, J. (1985). Why do computers stop and what can be done about it. Technical Report 85-7, Tandem Computers, Cupertino, Calif. [455](#), [456](#)
- Gray, J. (1987). Why do computers stop and what can be done about it. In *CIPS (Canadian Information Processing Society) Edmonton '87 Conf. Tutorial Notes*, Edmonton, Canada. [350](#), [410](#)
- Gray, J. (1989). Transparency in its place – the case against transparent access to geographically distributed data. Technical Report TR89.1, Tandem Computers Inc, Cupertino, Calif. [11](#)
- Gray, J., Helland, P., O’Neil, P. E., and Shasha, D. (1996). The dangers of replication and a solution. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 173–182. [460](#), [493](#)
- Gray, J. and Reuter, A. (1993). *Transaction Processing: Concepts and Techniques*. Morgan Kaufmann. [358](#), [396](#), [401](#)
- Gray, J. N. (1979). Notes on data base operating systems. In Bayer, R., Graham, R. M., and Seegmüller, G., editors, *Operating Systems: An Advanced Course*, pages 393–481. Springer. [39](#), [359](#), [419](#), [425](#), [426](#), [431](#), [456](#)
- Gray, J. N., Lorie, R. A., Putzolu, G. R., and Traiger, I. L. (1976). Granularity of locks and degrees of consistency in a shared data base. In Nijssen, G. M., editor, *Modelling in Data Base Management Systems*, pages 365–394. North-Holland. [345](#)
- Gray, J. N., McJones, P., Blasgen, M., Lindsay, B., Lorie, R., Price, T., Putzolu, F., and Traiger, I. (1981). The recovery manager of the system r database manager. *ACM Comput. Surv.*, 13(2):223–242. [411](#), [419](#), [426](#), [456](#)
- Grefen, P. and Widom, J. (1997). Protocols for integrity constraint checking in federated databases. *Distrib. Parall. Databases*, 5(4):327–355. [200](#), [202](#)
- Griffiths, P. P. and Wade, B. W. (1976). An authorization mechanism for a relational database system. *ACM Trans. Database Syst.*, 1(3):242–255. [182](#), [201](#)
- Grossman, R. L. and Gu, Y. (2009). On the varieties of clouds for data intensive computing. *Q. Bull. IEEE TC on Data Eng.*, 32(1):44–50. [745](#)
- Group, E. D. S. E. D. (1990). Eds-collaborating for a high-performance parallel relational database. In *Proc. ESPRIT Conf*, pages 274–295. [505](#), [548](#)
- Gruber, O. and Amsaleg, L. (1994). Object grouping in eos. In Özsu et al. [1994a], pages 117–131. [579](#)
- Grust, T., van Keulen, M., and Teubner, J. (2003). Staircase join: Teach a relational dbms to watch its (axis) steps. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 524–525. [700](#)



- Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J.-J., Nielsen, H. F., Karmarkar, A., and Lafon, Y., editors. Simple object protocol (SOAP) version 1.2 (2007). Available from: <http://www.w3.org/TR/soap12> [Last retrieved: December 2009]. 690
- Guerrini, G., Bertino, E., and Bal, R. (1998). A formal definition of the chimera object-oriented data model. *J. Intell. Information Syst.*, 11(1):5–40. 607
- Guha, S. and McGregor, A. (2006). Approximate quantiles and the order of the stream. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 273–279. 725
- Guha, S., Meyerson, A., Mishra, N., and Motwani, R. (2003). Clustering data streams: Theory and practice. *IEEE Trans. Knowl. and Data Eng.*, 15(3):515–528. 743
- Gulisano, V., Jimenez-Peris, R., Patino-Martinez, M., and Valduriez, P. (2010). StreamCloud: A large scale data streaming system. In *Proc. 30th Int. Conf. on Distributed Computing Systems*. 762
- Gulli, A. and Signorini, A. (2005). The indexable web is more than 11.5 billion pages. In *Proc. 14th Int. World Wide Web Conf.*, pages 902 – 903. 657
- Gummadi, P. K., Gummadi, R., Gribble, S. D., Ratnasamy, S., Shenker, S., and Stoica, I. (2003). The impact of DHT routing geometry on resilience and proximity. In *Proc. ACM Int. Conf. on Data Communication*, pages 381–394. 619
- Güntzer, U., Kießling, W., and Balke, W.-T. (2000). Optimizing multi-feature queries for image databases. In *Proc. 26th Int. Conf. on Very Large Data Bases*, pages 419–428. 629, 654
- Guo, H., Larson, P.-A., Ramakrishnan, R., and Goldstein, J. (2004). Relaxed currency and consistency: How to say “good enough” in sql. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 815–826. 540
- Gupta, A., Agrawal, D., and Abbadi, A. E. (2003). Approximate range selection queries in peer-to-peer systems. In *Proc. 1st Biennial Conf. on Innovative Data Systems Research*, pages 141–151. 642
- Gupta, A., Jagadish, H., and Mumick, I. S. (1996). Data integration using self-maintainable views. In *Advances in Database Technology, Proc. 5th Int. Conf. on Extending Database Technology*, pages 140–144. 179, 180
- Gupta, A. and Mumick, I. S. (1999a). Maintenance of materialized views: Problems, techniques, and applications. In [Gupta and Mumick \[1999c\]](#), chapter 11, pages 145–156. 178, 201
- Gupta, A. and Mumick, I. S., editors (1999b). *Materialized Views: Techniques, Implementations, and Applications*. M.I.T. Press. 132
- Gupta, A. and Mumick, I. S., editors (1999c). *Materialized Views: Techniques, Implementations, and Applications*. M.I.T. Press. 176, 201, 794
- Gupta, A., Mumick, I. S., and Subrahmanian, V. S. (1993). Maintaining views incrementally. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 157–166. 179, 201
- Haas, L. (2007). Beauty and the beast: The theory and practice of information integration. In *Proc. 11th Int. Conf. on Database Theory*, pages 28–43. 160

- Haas, L., Kossmann, D., Wimmers, E., and Yang, J. (1997a). Optimizing queries across diverse data sources. In *Proc. 23th Int. Conf. on Very Large Data Bases*, pages 276–285. [317](#), [331](#)
- Haas, L. M., Kossmann, D., Wimmers, E. L., and Yang, J. (1997b). Optimizing queries across diverse data sources. In *Proc. 23th Int. Conf. on Very Large Data Bases*, pages 276–285. [160](#)
- Haas, P. and Hellerstein, J. (1999a). Ripple joins for online aggregation. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 287–298. [732](#)
- Haas, P. J. and Hellerstein, J. M. (1999b). Ripple joins for online aggregation. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 287–298. [322](#), [325](#), [331](#)
- Haderle, C. M. D., Lindsay, B., Pirahesh, H., and Schwarz, P. (1992). Aries: A transaction recovery method supporting fine-granularity locking and partial rollbacks using write-ahead logging. *ACM Trans. Database Syst.*, 17(1):94–162. [401](#), [418](#)
- Hadzilacos, T. and Hadzilacos, V. (1991). Transaction synchroniation in object bases. *J. Comp. and System Sci.*, 43(1):2–24. [597](#)
- Hadzilacos, V. (1988). A theory of reliability in database systems. *J. ACM*, 35(1):121–145. [429](#), [456](#), [596](#)
- Haessig, K. and Jenny, C. J. (1980). An algorithm for allocating computational objects in distributed computing systems. Research Report RZ 1016, IBM Research Laboratory, Zurich. [125](#)
- Halatchev, M. and Gruenwald, L. (2005). Estimating missing values in related sensor data streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 83–94. [744](#)
- Halevy, A., Rajaraman, A., and Ordille, J. (2006). Data integration: The teenage years. In *Proc. 32nd Int. Conf. on Very Large Data Bases*, pages 9–16. [160](#)
- Halevy, A. Y. (2001). Answering queries using views: A survey. *VLDB J.*, 10(4):270–294. [301](#), [304](#), [331](#)
- Halevy, A. Y., Ashish, N., Bitton, D., Carey, M., Draper, D., Pollock, J., Rosenthal, A., and Sikka, V. (2005). Enterprise information integration: Successes, challenges and controversies. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 778–787. [131](#)
- Halevy, A. Y., Etzioni, O., Doan, A., Ives, Z. G., Madhavan, J., McDowell, L., and Tatarinov, I. (2003). Crossing the structure chasm. In *Proc. 1st Biennial Conf. on Innovative Data Systems Research*. [159](#)
- Halici, U. and Dogac, A. (1989). Concurrency control in distributed databases through time intervals and short-term locks. *IEEE Trans. Softw. Eng.*, 15(8):994–995. [401](#)
- Hammad, M., Aref, W., and Elmagarmid, A. (2003a). Stream window join: Tracking moving objects in sensor-network databases. In *Proc. 15th Int. Conf. on Scientific and Statistical Database Management*, pages 75–84. [733](#)
- Hammad, M., Aref, W., and Elmagarmid, A. (2005). Optimizing in-order execution of continuous queries over streamed sensor data. In *Proc. 17th Int. Conf. on Scientific and Statistical Database Management*, pages 143–146. [733](#)

- Hammad, M., Aref, W., Franklin, M., Mokbel, M., and Elmagarmid, A. (2003b). Efficient execution of sliding window queries over data streams. Technical Report CSD TR 03-035, Purdue University. [733](#), [734](#), [735](#), [736](#)
- Hammad, M., Mokbel, M., Ali, M., Aref, W., Catlin, A., Elmagarmid, A., Eltabakh, M., Elfeky, M., Ghanem, T., Gwadera, R., Ilyas, I., Marzouk, M., and Xiong, X. (2004). Nile: a query processing engine for data streams. In *Proc. 20th Int. Conf. on Data Engineering*, page 851. [735](#), [736](#)
- Hammer, M. and Niamir, B. (1979). A heuristic approach to attribute partitioning. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 93–101. [99](#), [125](#)
- Hammer, M. and Shipman, D. W. (1980). Reliability mechanisms for sdd-1: A system for distributed databases. *ACM Trans. Database Syst.*, 5(4):431–466. [440](#), [456](#)
- Han, D., Xiao, C., Zhou, R., Wang, G., Huo, H., and Hui, X. (2006). Load shedding for window joins over streams. In *Proc. 7th Int. Conf. on Web-Age Information Management*, pages 472–483. [740](#)
- Hanson, E., Carnes, C., Huang, L., Konyala, M., and Noronha, L. (1999). Scalable trigger processing. In *Proc. 15th Int. Conf. on Data Engineering*, pages 266–275. [741](#)
- Härder, T. and Reuter, A. (1983). Principles of transaction-oriented database recovery. *ACM Comput. Surv.*, 15(4):287–317. [39](#), [411](#), [413](#), [420](#), [421](#), [423](#), [424](#), [456](#)
- Harizopoulos, S., Shah, M. A., Meza, J., and Ranganathan, P. (2009). Energy efficiency: The new holy grail of data management systems research. In *Proc. 4th Biennial Conf. on Innovative Data Systems Research*. [762](#)
- Harvey, N. J. A., Jones, M. B., Saroiu, S., Theimer, M., and Wolman, A. (2003). SkipNet: A scalable overlay network with practical locality properties. In *Proc. 4th USENIX Symp. on Internet Tech. and Systems*. [618](#), [622](#), [642](#)
- He, B., Chang, K. C.-C., and Han, J. (2004). Mining complex matchings across web query interfaces. In *Proc. ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery*, pages 3–10. [149](#)
- He, Q. and Ling, T. W. (2006). An ontology-based approach to the integration of entity-relationship schemas. *Data & Knowl. Eng.*, 58(3):299–326. [134](#)
- Hedley, Y. L., Younas, M., James, A., and Sanderson, M. (2004a). A two-phase sampling technique for information extraction from hidden web databases. In *WIDM04*, pages 1–8. [688](#)
- Hedley, Y.-L., Younas, M., James, A. E., and Sanderson, M. (2004b). Query-related data extraction of hidden web documents. In *Proc. 30th Annual Int. ACM SIGIR Conf. on Research and Development in Information Retrieval*, pages 558–559. [687](#)
- Heimbigner, D. and McLeod, D. (1985). A federated architecture for information management. *ACM Trans. Information Syst.*, 3(3):253–278. [36](#)
- Helal, A. A., Heddaya, A. A., and Bhargava, B. B. (1997). *Replication Techniques in Distributed Systems*. Kluwer Academic Publishers. [456](#), [486](#), [493](#)
- Hellerstein, J. M., Franklin, M. J., Chandrasekaran, S., Deshpande, A., Hildrum, K., Madden, S., Raman, V., and Shah, M. A. (2000). Adaptive query processing: Technology in evolution. *Q. Bull. IEEE TC on Data Eng.*, 23(2):7–18. [320](#), [331](#)

- Hellerstein, J. M., Haas, P., and Wang, H. (1997). Online aggregation. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 171–182. [732](#)
- Hellerstein, J. M. and Stonebraker, M. (1993). Predicate migration: Optimizing queries with expensive predicates. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 267–276. [323](#)
- Herlihy, M. (1987). Concurrency versus availability: Atomicity mechanisms for replicated data. *ACM Trans. Comp. Syst.*, 5(3):249–274. [456](#), [493](#)
- Herlihy, M. (1990). Apologizing versus asking permission: Optimistic concurrency control for abstract data types. *ACM Trans. Database Syst.*, 15(1):96–124. [594](#), [595](#)
- Herman, D. and Verjus, J. P. (1979). An algorithm for maintaining the consistency of multiple copies. In *Proc. 1st Int. Conf. on Distributed Computing Systems*, pages 625–631. [382](#)
- Hernández, M. A. and Stolfo, S. J. (1998). Real-world data is dirty: Data cleansing and the merge/purge problem. *Proc. ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery*, 2(1):9–37. [158](#)
- Herrmann, U., Dadam, P., Küspert, K., Roman, E. A., and Schlageter, G. (1990). A lock technique for disjoint and non-disjoint complex objects. In *Advances in Database Technology, Proc. 2nd Int. Conf. on Extending Database Technology*, pages 219–237. Springer. [602](#)
- Hersh, W. (2001). Managing gigabytes - compressing and indexing documents and images (second edition). *Inf. Ret.*, 4(1):79–80. [667](#)
- Hevner, A. R. and Schneider, G. M. (1980). An integrated design system for distributed database networks. In *Digest of Papers - COMPCON*, pages 459–465. [125](#)
- Hevner, A. R. and Yao, S. B. (1979). Query processing in distributed database systems. *IEEE Trans. Softw. Eng.*, 5(3):177–182. [255](#)
- Hirate, Y., Kato, S., and Yamana, H. (2006). Web structure in 2005. In *Proc. 4th Int. Workshop on Algorithms and Models for the Web-Graph*, pages 36 – 46. [657](#)
- Hoffer, H. A. and Severance, D. G. (1975). The use of cluster analysis in physical data base design. In *Proc. 1st Int. Conf. on Very Data Bases*, pages 69–86. [99](#), [102](#), [105](#), [125](#)
- Hoffer, J. A. (1975). *A Clustering Approach to the Generation of Subfiles for the Design of a Computer Data Base*. Ph.D. thesis, Department of Operations Research, Cornell University, Ithaca, N.Y. [125](#)
- Hoffman, J. L. (1977). *Model Methods for Computer Security and Privacy*. Prentice-Hall. [181](#), [201](#)
- Hofri, M. (1994). On timeout for global deadlock detection in decentralized database systems. *Inf. Proc. Letters*, 51(6):295–302. [401](#)
- Hong, W. (1992). Exploiting inter-operation parallelism in xprs. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 19–28. [503](#), [530](#), [533](#), [548](#)
- Hsiao, D., editor (1983). *Advanced Database Machine Architectures*. Prentice-Hall. [498](#)

- Hsiao, H. I. and DeWitt, D. (1991). A performance study of three high-availability data replication strategies. In *Proc. Int. Conf. on Parallel and Distributed Information Systems*, pages 18–28. [511](#), [512](#)
- Hsu, M., editor (1993). *IEEE Quart. Bull. Data Eng., Special Issue on Workflow and Extended Transaction Systems*, volume 16. IEEE Computer Society. [354](#)
- Huebsch, R., Hellerstein, J., Lanham, N., Loo, B. T., Shenker, S., and Stoica, I. (2003). Querying the internet with pier. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 321–332. [641](#)
- Hull, R. (1997). Managing semantic heterogeneity in databases: A theoretical perspective. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 51–61. [160](#)
- Hulten, G., Spencer, L., and Domingos, P. (2001). Mining time-changing data streams. In *Proc. 7th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 97–106. [743](#), [762](#)
- Hunt, H. B. and Rosenkrantz, D. J. (1979). The complexity of testing predicate locks. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 127–133. [233](#)
- Hwang, D. J. (1987). Constructing a highly-available location service for a distributed environment. Technical Report MIT/LCS/TR-410, Massachusetts Institute of Technology, Cambridge, Mass. [577](#)
- Ibaraki, T. and Kameda, T. (1984). On the optimal nesting order for computing  $n$ -relation joins. *ACM Trans. Database Syst.*, 9(3):482–502. [207](#), [220](#), [245](#)
- Ilyas, I. F., Beskales, G., and Soliman, M. A. (2008). A survey of top-k query processing techniques in relational database systems. *ACM Comput. Surv.*, 40(4):1–58. [628](#), [654](#)
- Inmon, W. (1992). *Building the Data Warehouse*. John Wiley & Sons. [131](#)
- Ioannidis, Y. (1996). Query optimization. In Tucker, A., editor, *The Computer Science and Engineering Handbook*, pages 1038–1054. CRC Press. [292](#)
- Ioannidis, Y. and Wong, E. (1987). Query optimization by simulated annealing. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 9–22. [212](#), [249](#), [586](#)
- Ipeirotis, P. G. and Gravano, L. (2002). Distributed search over the hidden web: Hierarchical database sampling and selection. In *Proc. 28th Int. Conf. on Very Large Data Bases*, pages 394–405. [687](#), [688](#), [689](#)
- Irani, K. B. and Khabbaz, N. G. (1982). A methodology for the design of communication networks and the distribution of data in distributed computer systems. *IEEE Trans. Comput.*, C-31(5):419–434. [125](#)
- Isloor, S. S. and Marsland, T. A. (1980). The deadlock problem: An overview. *Comp.*, 13(9):58–78. [39](#), [401](#)
- Jagadish, H. V., Ooi, B. C., Tan, K.-L., Vu, Q. H., and Zhang, R. (2006). Speeding up search in peer-to-peer networks with a multi-way tree structure. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 1–12. [622](#)
- Jagadish, H. V., Ooi, B. C., and Vu, Q. H. (2005). BATON: A balanced tree structure for peer-to-peer networks. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 661–672. [622](#), [643](#)

- Jajodia, S., Atluri, V., Keefe, T. F., McCollum, C. D., and Mukkamala, R. (2001). Multilevel security transaction processing. *J. Computer Security*, 9(3):165–195. [187](#), [202](#)
- Jajodia, S. and Mutchler, D. (1987). Dynamic voting. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 227–238. [456](#), [493](#)
- Jajodia, S. and Sandhu, R. S. (1991). Towards a multilevel secure relational data model. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 50–59. [181](#), [202](#)
- Jarke, M. and Koch, J. (1984). Query optimization in database systems. *ACM Comput. Surv.*, 16(2):111–152. [211](#), [220](#), [241](#)
- Jarke, M., Lenzerini, M., Vassiliou, Y., and Vassiliadis, P. (2003). *Fundamentals of Data Warehouses*. Springer, 2 edition. [131](#)
- Jenq, B., Woelk, D., Kom, W., and Lee, W. L. (1990). Query processing in distributed orion. In *Advances in Database Technology, Proc. 2nd Int. Conf. on Extending Database Technology*, pages 169–187. Springer. [587](#)
- Jhingran, A. D., Mattos, N., and Pirahesh, H. (2002). Information integration: A research agenda. *IBM Systems J.*, 41(4):555–562. [131](#)
- Jiang, H., Lu, H., 0011, W. W., and Ooi, B. C. (2003). Xr-tree: Indexing XML data for efficient structural joins. In *Proc. 19th Int. Conf. on Data Engineering*, pages 253–263. [701](#)
- Jiang, N. and Gruenwald, L. (2006). Research issues in data stream association rule mining. *ACM SIGMOD Rec.*, 35(1):14–19. [743](#)
- Jiang, Q. and Chakravarthy, S. (2004). Scheduling strategies for processing continuous queries over streams. In *Proc. British National Conf. on Databases*, pages 16–30. [735](#)
- Jiménez-Peris, R., Patiño-Martínez, M., and Alonso, G. (2002). Non-intrusive, parallel recovery of replicated data. In *Proc. 21st Symp. on Reliable Distributed Systems*, pages 150–159. [546](#), [548](#)
- Jiménez-Peris, R., Patiño-Martínez, M., Alonso, G., and Kemme, B. (2003). Are quorums an alternative for data replication? *ACM Trans. Database Syst.*, 28(3):257–294. [489](#), [548](#)
- Jiménez-Peris, R., Patiño-Martínez, M., and Kemme, B. (2007). Enterprise grids: Challenges ahead. *J. Grid Comp.*, 5(3):283–294. [748](#)
- Jiménez-Peris, R., Patiño-Martínez, M., Kemme, B., and Alonso, G. (2002). Improving the scalability of fault-tolerant database clusters. In *Proc. 22nd Int. Conf. on Distributed Computing Systems*, pages 477–484. [482](#), [491](#), [548](#)
- Jones, A. K. (1979). The object model: A conceptual tool for structuring software. In Bayer, R., Graham, R. M., and Seegmüller, G., editors, *Operating Systems: An Advanced Course*, pages 7–1. Springer. [555](#)
- Josifovski, V., Fontoura, M., and Barta, A. (2005). Querying XML streams. *VLDB J.*, 14(2):197–210. [700](#)
- Jr, A. M. J. and Malek, M. (1988). Survey of software tools for evaluating reliability, availability and serviceability. *ACM Comput. Surv.*, 20(4):227–269. [455](#)



- Kabra, N. and DeWitt, D. J. (1998). Efficient mid-query re-optimization of sub-optimal query execution plans. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 106–117. [739](#)
- Kaelbling, L. P., Littman, M. L., and Moore, A. P. (1996). Reinforcement learning: A survey. *J. Artificial Intel. Res.*, 4:237–285. [666](#)
- Kaiser, G. (1989). Transactions for concurrent object-oriented programming systems. In *Proc. ACM SIGPLAN Workshop on Object-Based Concurrent Programming*, pages 136–138. [593](#)
- Kalogeraki, V., Gunopulos, D., and Zeinalipour-Yazti, D. (2002). A local search mechanism for peer-to-peer networks. In *Proc. 11th Int. Conf. on Information and Knowledge Management*, pages 300–307. [617](#)
- Kambayashi, Y., Yoshikawa, M., and Yajima, S. (1982). Query processing for distributed databases using generalized semi-joins. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 151–160. [272](#), [292](#)
- Kang, J., Naughton, J., and Viglas, S. (2003). Evaluating window joins over unbounded streams. In *Proc. 19th Int. Conf. on Data Engineering*, pages 341–352. [733](#), [738](#)
- Kanne, C.-C. and Moerkotte, G. (2000). Efficient storage of XML data. In *Proc. 16th Int. Conf. on Data Engineering*, page 198. [700](#)
- Kapitskaia, O., Tomasic, A., and Valduriez, P. (1997). Dealing with discrepancies in wrapper functionality. Research Report RR-3138, INRIA. [319](#)
- Karlapalem, K. and Li, Q. (1995). Partitioning schemes for object oriented databases. In *Proc. 5th Int. Workshop on Research Issues on Data Eng.*, pages 42–49. [560](#)
- Karlapalem, K., Li, Q., and Vieweg, S. (1996a). Method induced partitioning schemes for object-oriented databases. In *Proc. 16th Int. Conf. on Distributed Computing Systems*, pages 377–384. [564](#)
- Karlapalem, K. and Navathe, S. B. (1994). Materialization of redesigned distributed relational databases. Technical Report HKUST-CS94-14, Hong Kong University of Science and Technology, Department of Computer Science. [124](#)
- Karlapalem, K., Navathe, S. B., and Ammar, M. (1996b). Optimal redesign policies to support dynamic processing of applications on a distributed relational database system. *Inf. Syst.*, 21(4):353–367. [124](#)
- Karlapalem, K., Navathe, S. B., and Morsi, M. A. (1994). Issues in distribution design of object-oriented databases. In [Özsu et al. \[1994a\]](#), pages 148–164. [560](#)
- Kashyap, V. and Sheth, A. P. (1996). Semantic and schematic similarities between database objects: A context-based approach. *VLDB J.*, 5(4):276–304. [140](#), [160](#)
- Katz, B. and Lin, J. (2002). Annotating the world wide web using natural language. In *Proc. 2nd Workshop on NLP and XML*, pages 1–8. [681](#)
- Katz, H., Chamberlin, D., Draper, D., Fernández, M., Kay, M., Robie, J., Rys, M., Simeon, J., Tivy, J., and Wadler, P. (2004). *XQuery from the Experts: A Guide to the W3C XML Query Language*. Addison Wesley. [719](#)
- Kaushik, R., Bohannon, P., Naughton, J. F., and Korth, H. F. (2002). Covering indexing for branching path queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 133–144. [701](#)

- Kazerouni, L. and Karlapalem, K. (1997). Stepwise redesign of distributed relational databases. Technical Report HKUST-CS97-12, Hong Kong University of Science and Technology, Department of Computer Science. [124](#)
- Keeton, K., Patterson, D., and Hellerstein, J. M. (1998). A case for intelligent disks (idisks). *ACM SIGMOD Rec.*, 27(3):42–52. [499](#)
- Keller, A. M. (1982). Update to relational databases through views involving joins. In *Proc. 2nd Int. Conf. on Databases: Improving Usability and Responsiveness*, pages 363–384. [175](#), [201](#)
- Keller, T., Graefe, G., and Maier, D. (1991). Efficient assembly of complex objects. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 148–157. [587](#), [590](#), [592](#)
- Kementsietsidis, A., Arenas, M., and Miller, R. J. (2003). Managing data mappings in the hyperion project. In *Proc. 19th Int. Conf. on Data Engineering*, pages 732–734. [625](#)
- Kemme, B. and Alonso, G. (2000a). Don’t be lazy, be consistent: Postgres-R, a new way to implement database replication. In *Proc. 26th Int. Conf. on Very Large Data Bases*, pages 134–143. [482](#), [548](#)
- Kemme, B. and Alonso, G. (2000b). A New Approach to Developing and Implementing Eager Database Replication Protocols. *ACM Trans. Database Syst.*, 25(3):333–379. [482](#), [548](#)
- Kemme, B., Bartoli, A., and O.Babaoglu (2001). Online reconfiguration in replicated databases based on group communication. In *Proc. Int. Conf. on Dependable Systems and Networks*, pages 117–130. [546](#), [548](#)
- Kemme, B., Peris, R. J., and Patino-Martinez, M. (2010). *Database Replication*. Morgan & Claypool. [493](#)
- Kemper, A. and Kossmann, D. (1994). Dual-buffering strategies in object bases. In *Proc. 20th Int. Conf. on Very Large Data Bases*, pages 427–438. [570](#)
- Kemper, A. and Moerkotte, G. (1990a). Access support in object bases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 364–374. [587](#)
- Kemper, A. and Moerkotte, G. (1990b). Advanced query processing in object bases using access support relations. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 290–301. [587](#)
- Kemper, A. and Moerkotte, G. (1994). Physical object management. In [Kim \[1994\]](#), pages 175–202. [588](#), [590](#), [607](#)
- Kermarrec, A.-M., Rowstron, A., Shapiro, M., and Druschel, P. (2001). The icecube approach to the reconciliation of diverging replicas. In *ACM Symp. on Principles of Distributed Computing (PODC)*, pages 210–218. [651](#)
- Kermarrec, A.-M. and van Steen, M. (2007). Gossiping in distributed systems. *Operating Systems Rev.*, 41(5):2–7. [617](#)
- Kerschberg, L., Ting, P. D., and Yao, S. B. (1982). Query optimization in star computer networks. *ACM Trans. Database Syst.*, 7(4):678–711. [214](#)
- Kersten, M. L., Plomp, S., and van den Berg, C. A. (1994). Object storage management in goblin. In [Özsu et al. \[1994a\]](#), pages 100–116. [579](#)
- Khoshafian, S. and Copeland, G. (1986). Object identity. In *Proc. Int. Conf. on OOPSLA*, pages 406–416. [553](#)

- Khoshafian, S. and Valduriez, P. (1987). Sharing persistence and object-orientation: A database perspective. In *Int. Workshop on Database Programming Languages*, pages 181–205. [251](#), [292](#), [510](#), [553](#)
- Kifer, D., Ben-David, S., and Gehrke, J. (2004). Detecting change in data streams. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 180–191. [727](#), [743](#)
- Kifer, M., Bernstein, A., and Lewis, P. M. (2006). *Database Systems – An Application-Oriented Approach*. Pearson, 2 edition. [70](#)
- Kifer, M., Lausen, G., and Wu, J. (1995). Logical foundations of object-oriented and frame-based languages. *J. ACM*, 42(4):741–843. [607](#)
- Kifer, M. and Wu, J. (1993). A logic programming with complex objects. *J. Comp. and System Sci.*, 47(1):77–120. [607](#)
- Kim, W. (1984). Highly available systems for database applications. *ACM Comput. Surv.*, 16(1):71–98. [456](#)
- Kim, W. (1989). A model of queries for object-oriented databases. In *Proc. 15th Int. Conf. on Very Large Data Bases*, pages 423–432. [587](#)
- Kim, W., editor (1994). *Modern Database Management – Object-Oriented and Multidatabase Technologies*. Addison-Wesley/ACM Press. [607](#), [801](#)
- Kim, W., Banerjee, J., Chou, H., Garza, J., and Woelk, D. (1987). Composite objects support in an object-oriented database system. In *Proc. Int. Conf. on OOPSLA*, pages 118–125. [579](#)
- Kim, W. and Lochovsky, F., editors (1989). *Object-Oriented Concepts, Databases, and Applications*. Addison Wesley. [607](#)
- Kim, W., Reiner, D. S., and Batory, D. S., editors (1985). *Query Processing in Database Systems*. Springer. [220](#), [807](#)
- Kim, W. and Seo, J. (1991). Classifying schematic and data heterogeneity in multi-database systems. *Comp.*, 24(12):12–18. [160](#)
- Kitsuregawa, M. and Ogawa, Y. (1990). Bucket spreading parallel hash: A new, robust, parallel hash join method for data skew in the super database computer. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 210–221. [528](#), [548](#)
- Kleinberg, J. (2002). Bursty and hierarchical structure in streams. In *Proc. 8th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 91–101. [727](#)
- Kleinberg, J. M. (1999). Authoritative sources in a hyperlinked environment. *J. ACM*, 46(5):604–632. [658](#), [668](#)
- Kleinberg, J. M., Kumar, R., Raghavan, P., Rajagopalan, S., and Tomkins, A. (1999). The Web as a graph: measurements, models, and methods. In *Proc. 5th Annual Int. Conf. Computing and Combinatorics*, pages 1–17. [658](#)
- Kling, P., Özsu, M. T., and Daudjee, K. (2010). Distributed XML query processing: Fragmentation, localization and pruning. Technical Report TR-CS-2010-02, University of Waterloo, Cheriton School of Computer Science. [693](#), [704](#), [706](#), [707](#), [713](#), [715](#), [717](#), [718](#), [719](#)
- Knapp, E. (1987). Deadlock detection in distributed databases. *ACM Comput. Surv.*, 19(4):303–328. [39](#), [401](#)

- Knezevic, P., Wombacher, A., and Risse, T. (2005). Enabling high data availability in a dht. In *Int. Workshop on Grid and P2P Computing Impacts on Large Scale Heterogeneous Distributed Database Systems (GLOBE)*, pages 363–367. [648](#)
- Koch, C. (2001). *Data Integration against Multiple Evolving Autonomous Schemata*. Ph.D. thesis, Technical University of Vienna. [133](#), [134](#)
- Koch, C. (2003). Efficient processing of expressive node-selecting queries on XML data in secondary storage: A tree automata-based approach. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 249–260. [700](#)
- Kohler, W. H. (1981). A survey of techniques for synchronization and recovery in decentralized computer systems. *ACM Comput. Surv.*, 13(2):149–183. [456](#)
- Kollias, J. G. and Hatzopoulos, M. (1981). Criteria to aid in solving the problem of allocating copies of a file in a computer network. *Comp. J.*, 24(1):29–30. [125](#)
- Kolodner, E. and Weihl, W. (1993). Atomic incremental garbage collection and recovery for large stable heap. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 177–185. [581](#)
- Konopnicki, D. and Shmueli, O. (1995). W3QS: A query system for the World Wide Web. In *Proc. 21th Int. Conf. on Very Large Data Bases*, pages 54–65. [676](#)
- Koon, T. M. and Özsu, M. T. (1986). Performance comparison of resilient concurrency control algorithms for distributed databases. In *Proc. 2nd Int. Conf. on Data Engineering*, pages 565–573. [401](#)
- Korn, F., Muthukrishnan, S., and Wu, Y. (2006). Modeling skew in data streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 181–192. [727](#)
- Korth, H., Levy, E., and Silberschatz, A. (1990). Compensating transactions: A new recovery paradigm. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 95–106. [352](#)
- Kossmann, D. (2000). The state of the art in distributed query processing. *ACM Comput. Surv.*, 32(4):422–469. [212](#), [220](#), [292](#), [331](#)
- Kowalik, J., editor (1985). *Parallel MIMD Computation : the HEP Supercomputer and its applications*. M.I.T. Press. [498](#)
- Krämer, J. and Seeger, B. (2005). A temporal foundation for continuous queries over data streams. In *Proc. 11th Int. Conf. on Management of Data (COMAD)*, pages 70–82. [735](#)
- Krishnamurthy, R., Boral, H., and Zaniolo, C. (1986). Optimization of non-recursive queries. In *Proc. 11th Int. Conf. on Very Large Data Bases*, pages 128–137. [292](#)
- Krishnamurthy, R., Litwin, W., and Kent, W. (1991). Language features for interoperability of databases with schematic discrepancies. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 40–49. [160](#)
- Krishnamurthy, S., Franklin, M., Hellerstein, J., and Jacobson, G. (2004). The case for precision sharing. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 972–986. [740](#)
- Krishnamurthy, S., Wu, C., and Franklin, M. (2006). On-the-fly sharing for streamed aggregation. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 623–634. [741](#)

- Krishnaprasad, M., Liu, Z. H., Manikutty, A., Warner, J. W., and Arora, V. (2005). Towards an industrial strength SQL/XML infrastructure. In *Proc. 21st Int. Conf. on Data Engineering*, pages 991–1000. 699
- Kshemkalyani, A. and Singhal, M. (1994). On characterization and correctness of distributed deadlocks. *J. Parall. and Distrib. Comput.*, 22(1):44–59. 401
- Kubiatowicz, J., Bindel, D., Chen, Y., Czerwinski, S., Eaton, P., Geels, D., Gummadi, R., Rhea, S., Weatherspoon, H., Weimer, W., Wells, C., and Zhao, B. (2000). Oceanstore: an architecture for global-scale persistent storage. In *ACM Int. Conf. on Architectural Support for Programming Languages and Operating Systems (ASPLOS)*, pages 190–201. 649, 654
- Kumar, A. and Segev, A. (1993). Cost and availability tradeoffs in replicated data concurrency control. *ACM Trans. Database Syst.*, 18(1):102–131. 456, 493
- Kumar, R., Raghavan, P., Rajagopalan, S., Sivakumar, D., Tomkins, A., and Upfal, E. (2000). The Web as a graph. In *Proc. 19th ACM SIGACT-SIGMOD-SIGART Symp. on Principles of Database Systems*, pages 1–10. Available from: <http://doi.acm.org/10.1145/335168.335170>. 658, 660
- Kumar, R., Raghavan, P., Rajagopalan, S., and Tomkins, A. (1999). Extracting large-scale knowledge bases from the web. In *Proc. 25th Int. Conf. on Very Large Data Bases*, pages 639–650. 660
- Kumar, V., editor (1996). *Performance of Concurrency Control Mechanisms in Centralized Database Systems*. Prentice-Hall. 358, 401
- Kung, H. T. and Papadimitriou, C. H. (1979). An optimality theory of concurrency control for databases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 116–125. 350
- Kung, H. T. and Robinson, J. T. (1981). On optimistic methods for concurrency control. *ACM Trans. Database Syst.*, 6(2):213–226. 385, 387
- Kurose, J. F. and Ross, K. W. (2010). *Computer Networking - A Top-Down Approach Featuring the Internet*. Addison Wesley, 4 edition. 70
- Kuss, H. (1982). On totally ordering checkpoint in distributed data bases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 174–174. 456
- Kwok, C. C. T., Etzioni, O., and Weld, D. S. (2001). Scaling question answering to the web. In *Proc. 10th Int. World Wide Web Conf.*, pages 150–161. 681
- LaChimia, J. (1984). Query decomposition in a distributed database system using satellite communications. In *Proc. 3rd Seminar on Distributed Data Sharing Systems*, pages 105–118. 214
- Lacroix, M. and Pirotte, A. (1977). Domain-oriented relational languages. In *Proc. 3rd Int. Conf. on Very Data Bases*, pages 370–378. 57
- Ladin, R. and Liskov, B. (1992). Garbage collection of a distributed heap. In *Proc. 12th Int. Conf. on Distributed Computing Systems*, pages 708–715. 581
- Lage, J. P., da Silva, A. S., Golgher, P. B., and Laender, A. H. F. (2002). Collecting hidden weeb pages for data extraction. In *Proc. 4th Int. Workshop on Web Information and Data Management*, pages 69–75. 686
- Lakshmanan, L. V. S., Sadri, F., and Subramanian, I. N. (1996). A declarative language for querying and restructuring the Web. In *Proc. 6th Int. Workshop on Research Issues on Data Eng.*, pages 12–21. 676

- Lam, K. and Yu, C. T. (1980). An approximation algorithm for a file allocation problem in a hierarchical distributed system. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 125–132. [115](#)
- Lam, S. S. and Özsu, M. T. (2002). Querying web data – the WebQA approach. In *Proc. 3rd Int. Conf. on Web Information Systems Eng.*, pages 139–148. [681](#)
- Lampson, B. and Sturgis, H. (1976). Crash recovery in distributed data storage system. Technical report, Xerox Palo Alto Research Center, Palo Alto, Calif. [413](#), [453](#)
- Landers, T. and Rosenberg, R. L. (1982). An overview of multibase. In Schneider, H.-J., editor, *Distributed Data Bases*, pages 153–184. North-Holland, Amsterdam. [331](#)
- Langville, A. N. and Meyer, C. D. (2006). *Google's PageRank and Beyond*. Princeton University Press. [665](#)
- Lanzelotte, R. and Valduriez, P. (1991). Extending the search strategy in a query optimizer. In *Proc. 17th Int. Conf. on Very Large Data Bases*, pages 363–373. [584](#), [587](#), [588](#)
- Lanzelotte, R., Valduriez, P., and Zäit, M. (1993). On the effectiveness of optimization search strategies for parallel execution spaces. In *Proc. 19th Int. Conf. on Very Large Data Bases*, pages 493–504. [249](#)
- Lanzelotte, R., Valduriez, P., Zäit, M., and Ziane, M. (1994). Industrial-strength parallel query optimization: issues and lessons. *Inf. Syst.*, 19(4):311–330. [523](#), [524](#), [548](#)
- Law, Y.-N., Wang, H., and Zaniolo, C. (2004). Query languages and data models for database sequences and data streams. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 492–503. [728](#)
- Lawrence, S. and Giles, C. L. (1998). Searching the world wide web. *Science*, 280:98 – 100. [657](#)
- Lawrence, S. and Giles, C. L. (1999). Accessibility of information on the web. *Nature*, 400(107 – 109). [657](#)
- Lee, M., Freytag, J. C., and Lohman, G. (1988). Implementing an interpreter for functional rules in a query optimizer. In *Proc. 14th Int. Conf. on Very Large Data Bases*, pages 218–229. [586](#)
- Lee, S. and Kim, J. (1995). An efficient distributed deadlock detection algorithm. In *Proc. 15th Int. Conf. on Distributed Computing Systems*, pages 169–178. [401](#)
- Leland, W., Taqqu, M., Willinger, M., and Wilson, D. (1994). On the self-similar nature of ethernet traffic. *IEEE/ACM Trans. Networking*, 2(1):1–15. [727](#)
- Lenoski, D., Laudon, J., Gharachorloo, K., Weber, W. D., Gupta, A., Henessy, J., Horowitz, M., and Lam, M. S. (1992). The stanford dash multiprocessor. *Comp.*, 25(3):63–79. [506](#), [547](#)
- Lenzerini, M. (2002). Data integration: a theoretical perspective. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 233–246. [133](#)
- Leon-Garcia, A. and Widjaja, I. (2004). *Communication Networks - Fundamental Concepts and Key Architectures*. McGraw-Hill, 2 edition. [70](#)
- Leung, J. Y. and Lai, E. K. (1979). On minimum cost recovery from system deadlock. *IEEE Trans. Comput.*, 28(9):671–677. [391](#)



- Levin, K. D. and Morgan, H. L. (1975). Optimizing distributed data bases: A framework for research. In *Proc. National Computer Conf.*, pages 473–478. [38](#), [71](#), [125](#)
- Levy, A. Y., Mendelzon, A. O., Sagiv, Y., and Srivastava, D. (1995). Answering queries using views. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 95–104. [304](#), [331](#)
- Levy, A. Y., Rajaraman, A., and Ordille, J. J. (1996a). Querying heterogeneous information sources using source descriptions. In *Proc. 22th Int. Conf. on Very Large Data Bases*, pages 251–262. [160](#)
- Levy, A. Y., Rajaraman, A., and Ordille, J. J. (1996b). Querying heterogeneous information sources using source descriptions. In *Proc. 22th Int. Conf. on Very Large Data Bases*, pages 251–262. [305](#), [331](#)
- Levy, A. Y., Rajaraman, A., and Ordille, J. J. (1996c). The world wide web as a collection of views: Query processing in the information manifold. In *Proc. Workshop on Materialized Views: Techniques and Applications*, pages 43–55. [160](#)
- Li, F., Chang, C., Kollios, G., and Bestavros, A. (2006). Characterizing and exploiting reference locality in data stream applications. In *Proc. 22nd Int. Conf. on Data Engineering*, page 81. [740](#)
- Li, V. O. K. (1987). Performance models of timestamp-ordering concurrency control algorithms in distributed databases. *IEEE Trans. Comput.*, C-36(9):1041–1051. [401](#)
- Li, W.-S. and Clifton, C. (2000). Semint: A tool for identifying attribute correspondences in heterogeneous databases using neural networks. *Data & Knowl. Eng.*, 33(1):49–84. [145](#)
- Li, W.-S., Clifton, C., and Liu, S.-Y. (2000). Database integration using neural networks: Implementation and experiences. *Knowl. and Information Syst.*, 2(1):73–96. [145](#)
- Liang, D. and Tripathi, S. K. (1996). Performance analysis of long-lived transaction processing systems with rollbacks and aborts. *IEEE Trans. Knowl. and Data Eng.*, 8(5):802–815. [401](#)
- Lim, H.-S., Lee, J.-G., Lee, M.-J., Whang, K.-Y., and Song, I.-Y. (2006). Continuous query processing in data streams using duality of data and queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 313–324. [741](#)
- Lim, L., Wang, M., Padmanabhan, S., Vitter, J. S., and Agarwal, R. (2003). Dynamic maintenance of web indexes using landmarks. In *Proc. 12th Int. World Wide Web Conf.*, pages 102–111. [667](#)
- Lima, A., Mattoso, M., and Valduriez, P. (2004a). Olap query processing in a database cluster. In *Proc. 10th Int. Euro-Par Conf.*, pages 355–362. [543](#), [548](#)
- Lima, A. A. B., Mattoso, M., and Valduriez, P. (2004b). Adaptive virtual partitioning for olap query processing in a database cluster. In *Proc. Brazilian Symposium on Databases*, pages 92–105. [544](#), [548](#)
- Lin, W. K. (1981). Performance evaluation of two concurrency control mechanisms in a distributed database system. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 84–92. [401](#)

- Lin, W. K. and Nolte, J. (1982). Performance of two phase locking. In *Proc. 6th Berkeley Workshop on Distributed Data Management and Computer Networks*, pages 131–160. [401](#)
- Lin, W. K. and Nolte, J. (1983). Basic timestamp, multiple version timestamp, and two-phase locking. In *Proc. 9th Int. Conf. on Very Data Bases*, pages 109–119. [401](#)
- Lin, X., Lu, H., Xu, J., and Yu, J. X. (2004). Continuously maintaining quantile summaries of the most recent N elements over a data stream. In *Proc. 20th Int. Conf. on Data Engineering*, pages 362–373. [727](#), [737](#)
- Lin, Y., Kemme, B., Patil, M., and Jimenez-Peris, R. (2005). Middleware based data replication providing snapshot isolation. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 419–430. [464](#)
- Lindsay, B. (1979). Notes on distributed databases. Technical Report RJ 2517, IBM San Jose Research Laboratory, San Jose, Calif. [426](#)
- Liskov, B., Adya, A., Castro, M., Day, M., Ghemawat, S., Gruber, R., Maheshwari, U., Myers, A., and Shriram, L. (1996). Safe and efficient sharing of persistent objects in thor. In *ACM SIGMOD Int. Conf. on Management of Data*, pages 318–329. [568](#), [569](#)
- Liskov, B., Day, M., and Shriram, L. (1994). Distributed object management in thor. In *Özsu et al. [1994a]*, pages 79–91. [577](#)
- Litwin, W. (1988). From database systems to multidatabase systems: Why and how. In *Proc. British National Conference on Databases*, pages 161–188, Cambridge. Cambridge University Press. [40](#)
- Litwin, W., Neimat, M.-A., and Schneider, D. A. (1993). LH\* – linear hashing for distributed files. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 327–336. [618](#)
- Liu, B., Zhu, Y., and Rundensteiner, E. (2006). Run-time operator state spilling for memory intensive long running queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 347–358. [740](#)
- Liu, L., Pu, C., Barga, R., and Zhou, T. (1996). Differential evaluation of continual queries. In *Proc. IEEE Int. Conf. Dist. Comp. Syst.*, pages 458–465. [6](#)
- Liu, L., Pu, C., and Tang, W. (1999). Continual queries for internet-scale event-driven information delivery. *IEEE Trans. Knowl. and Data Eng.*, 11(4):610–628. [736](#)
- Liu, Z. H., Chandrasekar, S., Baby, T., and Chang, H. J. (2008). Towards a physical XML independent XQuery/sql/xml engine. *Proc. VLDB*, 1(2):1356–1367. [698](#)
- Livny, M., Khoshafian, S., and Borall, H. (1987). Multi-disk management. In *Proc. ACM SIGMETRICS Conf. on Measurement and Modeling of Computer Systems*, pages 69–77. [508](#), [510](#), [548](#)
- Lohman, G. and Mackert, L. F. (1986). R\* optimizer validation and performance evaluation for distributed queries. In *Proc. 11th Int. Conf. on Very Large Data Bases*, pages 149–159. [281](#), [293](#)
- Lohman, G., Mohan, C., Haas, L., Daniels, D., Lindsay, B., Selinger, P., and Wilms, P. (1985). Query processing in r\*. In *Kim et al. [1985]*, pages 31–47. [250](#), [277](#)
- Longbottom, R. (1980). *Computer System Reliability*. John Wiley & Sons. [410](#), [455](#)

- Lu, H. and Carey, M. J. (1985). Some experimental results on distributed join algorithms in a local network. In *Proc. 10th Int. Conf. on Very Large Data Bases*, pages 292–304. [273](#)
- Lu, H., Ooi, B., and Goh, C. (1992). On global multidatabase query optimization. *ACM SIGMOD Rec.*, 21(4):6–11. [307](#), [331](#)
- Lu, H., Ooi, B., and Goh, C. (1993). Multidatabase query optimization: Issues and solutions. In *Proc. 3rd Int. Workshop on Res. Issues in Data Eng.*, pages 137–143. [298](#), [331](#)
- Lu, H., Shan, M.-C., and Tan, K.-L. (1991). Optimization of multi-way join queries for parallel execution. In *Proc. 17th Int. Conf. on Very Large Data Bases*, pages 549–560. [530](#)
- Lunt, T. F., Denning, D. E., Schell, R. R., Heckman, M., and Shockley, W. R. (1990). The SeaView security model. *IEEE Trans. Softw. Eng.*, 16(6):593–607. [184](#)
- Lunt, T. F. and Fernández, E. B. (1990). Database security. *ACM SIGMOD Rec.*, 19(4):90–97. [181](#), [201](#), [202](#)
- Lv, Q., Cao, P., Cohen, E., Li, K., and Shenker, S. (2002). Search and replication in unstructured peer-to-peer networks. In *Proc. 16th Annual Int. Conf. on Supercomputing*, pages 84–95. [617](#)
- Lynch, N. (1983a). Concurrency control for resilient nested transactions. In *Proc. 2nd ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 166–181. [401](#)
- Lynch, N. (1983b). Multilevel atomicity: A new correctness criterion for database concurrency control. *ACM Trans. Database Syst.*, 8(4):484–502. [395](#), [401](#)
- Lynch, N. and Merritt, M. (1986). Introduction to the theory of nested transactions. Technical Report MIT/LCS/TR-367, Massachusetts Institute of Technology, Cambridge, Mass. [401](#)
- Lynch, N., Merritt, M., Weihl, W. E., and Fekete, A. (1993). *Atomic Transactions in Concurrent Distributed Systems*. Morgan Kaufmann. [359](#), [401](#)
- Ma, L., Viglas, S., Li, M., and Li, Q. (2005). Stream operators for querying data streams. In *Proc. 6th Int. Conf. on Web-Age Information Management*, pages 404–415. [727](#)
- Mackert, L. F. and Lohman, G. (1986). R\* optimizer validation and performance evaluation for local queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 84–95. [264](#), [281](#), [291](#)
- Madden, S. and Franklin, M. J. (2002). Fjording the stream: An architecture for queries over streaming sensor data. In *Proc. 18th Int. Conf. on Data Engineering*, pages 555–566. [734](#)
- Madden, S., Shah, M., Hellerstein, J., and Raman, V. (2002a). Continuously adaptive continuous queries over streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 49–60. [734](#), [741](#)
- Madden, S., Shah, M. A., Hellerstein, J. M., and Raman, V. (2002b). Continuously adaptive continuous queries over streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 49–60. [320](#)

- Madhavan, J., Bernstein, P. A., and Rahm, E. (2001). Generic schema matching with cupid. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 49–58. 134, 144, 160
- Maheshwari, U. and Liskov, B. (1994). Fault-tolerant distributed garbage collection in a client-server object-oriented database. In *Proc. 3rd Int. Conf. on Parallel and Distributed Information Systems*, pages 239–248. 581
- Mahmoud, . A. and Riordon, J. S. (1976). Optimal allocation of resources in distributed information networks. *ACM Trans. Database Syst.*, 1(1):66–78. 125
- Maier, D. (1986). A logic for objects. Technical Report CS/E-86-012, Oregon Graduate Center. 607
- Maier, D. (1989). Why isn't there an object-oriented data model? Technical Report CS/E 89-002, Oregon Graduate Center, Portland, Oregon. 553
- Maier, D., Graefe, G., Shapiro, L., Daniels, S., Keller, T., and Vance, B. (1994). Issues in distributed object assembly. In Özsu et al. [1994a], pages 165–181. 592
- Maier, D. and Stein, J. (1986). Indexing in an object-oriented dbms. In *Proc. Int. Workshop on Object-Oriented Database Systems*, pages 171–182. 587, 588, 589, 590
- Makki, K. and Pissinou, N. (1995). Detection and resolution algorithm for deadlocks in distributed database systems. In *Proc. ACM Int. Conf. on Information and Knowledge Management*, pages 411–416. 401
- Malkhi, D., Noar, M., and Ratajczak, D. (2002). Viceroy: A scalable and dynamic emulation of the butterfly. In *Proc. ACM SIGACT-SIGOPS 21st Symp. on the Principles of Distributed Computing*, pages 183–192. 621
- Manber, U. and Myers, G. (1990). Suffix arrays: a new method for on-line string searches. In *Proc. 1st Annual ACM-SIAM Symp. on Discrete Algorithms*, pages 319–327. 667
- Manolescu, I., Florescu, D., and Kossmann, D. (2001). Answering XML queries on heterogeneous data sources. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 241–250. 160
- Martin, B. and Pedersen, C. H. (1994). Long-lived concurrent activities. In Özsu et al. [1994a], pages 188–211. 593
- Martínez, J. M., editor. MPEG-7 overview (2004). Available from: <http://www.chiariglione.org/mpeg/standards/mpeg-7/mpeg-7.htm> [Last retrieved: December 2009]. 690
- Martins, V., Akbarinia, R., Pacitti, E., and Valduriez, P. (2006a). Reconciliation in the appa p2p system. In *IEEE Int. Conf. on Parallel and Distributed Systems (ICPADS)*, pages 401–410. 651, 654
- Martins, V. and Pacitti, E. (2006). Dynamic and distributed reconciliation in p2p-dht networks. In *European Conf. on Parallel Computing (Euro-Par)*, pages 337–349. 651, 654
- Martins, V., Pacitti, E., Dick, M. E., and Jimenez-Peris, R. (2008). Scalable and topology-aware reconciliation on p2p networks. *Distrib. Parall. Databases*, 24(1–3):1–43. 651
- Martins, V., Pacitti, E., and Valduriez, P. (2006b). Survey of data replication in p2p systems. Technical Report 6083, INRIA, Rennes, France. 654

- Maymounkov, P. and Mazières, D. (2002). Kademlia: A peer-to-peer information system based on the XOR metric. In *Proc. 1st Int. Workshop Peer-to-Peer Systems*, Lecture Notes in Computer Science 2429, pages 53–65. 621
- McBrien, P. and Poullovassilis, A. (2003). Defining peer-to-peer data integration using both as view rules. In *Proc. 1st Int. Workshop on Databases, Information Systems and Peer-to-Peer Computing*, pages 91–107. 627
- McCallum, A., Nigam, K., Rennie, J., and Seymore, K. (1999). A machine learning approach to building domain-specific search engines. In *Proc. 16th Int. Joint Conf. on AI*. 666
- McCann, R., AlShebli, B., Le, Q., Nguyen, H., Vu, L., and Doan, A. (2005). Mapping maintenance for data integration systems. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 1018–1029. 156
- McConnel, S. and Siewiorek, D. P. (1982). Evaluation criteria. In [Siewiorek and Swarz \[1982\]](#), pages 201–302. 409
- McCormick, W. T., Schweitzer, P. J., and White, T. W. (1972). Problem decomposition and data reorganization by a clustering technique. *Oper. Res.*, 20(5):993–1009. 102
- Medina-Mora, R., Wong, H., and Flores, P. (1993). Action workflow as the enterprise integration technology. *Q. Bull. IEEE TC on Data Eng.*, 16(2):49–52. 354
- Mehta, M. and DeWitt, D. (1995). Managing intra-operator parallelism in parallel database systems. In *Proc. 21th Int. Conf. on Very Large Data Bases*. 529, 548
- Melnik, S., Garcia-Molina, H., and Rahm, E. (2002). Similarity flooding: A versatile graph matching algorithm and its application to schema matching. In *Proc. 18th Int. Conf. on Data Engineering*, pages 117–128. 134, 145, 148, 160
- Melnik, S., Raghavan, S., Yang, B., and Garcia-Molina, H. (2001). Building a distributed full-text index for the web. In *Proc. 10th Int. World Wide Web Conf.*, pages 396–406. Available from: [citeseer.ist.psu.edu/article/melnik01building.html](http://citeseer.ist.psu.edu/article/melnik01building.html). 668
- Melton, J. (2002). *Advanced SQL: 1999 - Understanding Object-Relational and Other Advanced Features*. Morgan Kaufmann. 553
- Melton, J., Michels, J.-E., Josifovski, V., Kulkarni, K., Schwartz, P., and Zeidenstein, K. (2001). Sql and management of external data. *ACM SIGMOD Rec.*, 30(1):70–77. 314, 328
- Menasce, D. A. and Muntz, R. R. (1979). Locking and deadlock detection in distributed databases. *IEEE Trans. Softw. Eng.*, SE-5(3):195–202. 392
- Menasce, D. A. and Nakanishi, T. (1982a). Optimistic versus pessimistic concurrency control mechanisms in database management systems. *Inf. Syst.*, 7(1):13–27. 401
- Menasce, D. A. and Nakanishi, T. (1982b). Performance evaluation of a two-phase commit based protocol for ddb. In *Proc. First ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 247–255. 401
- Mendelzon, A. O., Mihaila, G. A., and Milo, T. (1997). Querying the World Wide Web. *Int. J. Digit. Libr.*, 1(1):54–67. 676, 677
- Meng, W., Yu, C., Kim, W., Wang, G., Phan, T., and Dao, S. (1993). Construction of relational front-end for object-oriented database systems. In *Proc. 9th Int. Conf. on Data Engineering*, pages 476–483. 331

- Merrett, T. H. and Rallis, N. (1985). An analytic evaluation of concurrency control algorithms. In *Proc. CIPS (Canadian Information Processing Society) Congress '85*, pages 435–439. [401](#)
- Milán-Franco, J. M., Jiménez-Peris, R., Patiño-Martínez, M., and Kemme, B. (2004). Adaptive middleware for data replication. In *Proc. ACM/IFIP/USENIX Int. Middleware Conf.*, pages 175–194. [542](#), [548](#)
- Miller, G. A. (1995). WordNet: A lexical database for English. *Commun. ACM*, 38(11):39–45. [142](#)
- Miller, R. J., Haas, L. M., and Hernández, M. A. (2000). Schema mapping as query discovery. In *Proc. 26th Int. Conf. on Very Large Data Bases*, pages 77–88. [150](#)
- Miller, R. J., Hernández, M. A., Haas, L. M., Yan, L., Ho, C. T. H., Fagin, R., and Popa, L. (2001). The Clio project: Managing heterogeneity. *ACM SIGMOD Rec.*, 31(1):78–83. [152](#)
- Milo, T. and Suciu, D. (1999). Index structures for path expressions. In *Proc. 7th Int. Conf. on Database Theory*, pages 277–295. [701](#)
- Milo, T. and Zohar, S. (1998). Using schema matching to simplify heterogeneous data translation. In *Proc. 24th Int. Conf. on Very Large Data Bases*, pages 122–133. [134](#), [160](#)
- Minoura, T. and Wiederhold, G. (1982). Resilient extended true-copy token scheme for a distributed database system. *IEEE Trans. Softw. Eng.*, SE-8(3):173–189. [456](#), [493](#)
- Mitchell, G., Dayal, U., and Zdonik, S. (1993). Control of an extensible query optimizer: A planning-based approach. In *Proc. 19th Int. Conf. on Very Large Data Bases*, pages 517–528. [584](#)
- Mitchell, T. (1997). *Machine Learning*. McGraw-Hill. [666](#)
- Mohan, C. (1979). Data base design in the distributed environment. Working Paper WP-7902, Department of Computer Sciences, University of Texas at Austin. [125](#)
- Mohan, C. and Lindsay, B. (1983). Efficient commit protocols for the tree of processes model of distributed transactions. In *Proc. ACM SIGACT-SIGOPS 2nd Symp. on the Principles of Distributed Computing*, pages 76–88. [434](#), [456](#)
- Mohan, C., Lindsay, B., and Obermarck, R. (1986). Transaction management in the r\* distributed database management system. *ACM Trans. Database Syst.*, 11(4):378–396. [377](#), [393](#), [434](#)
- Mohan, C. and Yeh, R. T. (1978). *Distributed Data Base Systems: A Framework for Data Base Design*. In *Distributed Data Bases, Infotech State-of-the-Art Report*. Infotech. [39](#)
- Morgan, H. L. and Levin, K. D. (1977). Optimal program and data location in computer networks. *Commun. ACM*, 20(5):315–322. [125](#)
- Moss, E. (1985). *Nested Transactions*. M.I.T. Press. [351](#), [352](#), [396](#), [401](#)
- Motwani, R., Widom, J., Arasu, A., Babcock, B., Babu, S., Datar, M., Manku, G., Olston, C., Rosenstein, J., and Varma, R. (2003). Query processing, approximation, and resource management in a data stream management system. In *Proc. 1st Biennial Conf. on Innovative Data Systems Research*, pages 245–256. [732](#)



- Muro, S., Ibaraki, T., Miyajima, H., and Hasegawa, T. (1983). File redundancy issues in distributed database systems. In *Proc. 9th Int. Conf. on Very Data Bases*, pages 275–277. [124](#)
- Muro, S., Ibaraki, T., Miyajima, H., and Hasegawa, T. (1985). Evaluation of file redundancy in distributed database systems. *IEEE Trans. Softw. Eng.*, SE-11(2):199–205. [124](#)
- Muth, P., Rakow, T., Weikum, G., Brössler, P., and Hasse, C. (1993). Semantic concurrency control in object-oriented database systems. In *Proc. 9th Int. Conf. on Data Engineering*, pages 233–242. [604](#), [605](#)
- Myers, G. J. (1976). *Software Reliability: Principles and Practices*. John Wiley & Sons. [455](#)
- Naacke, H., Tomasic, A., and Valduriez, P. (1999). Validating mediator cost models with DISCO. *Networking and Information Systems Journal*, 2(5):639–663. [307](#), [310](#), [331](#)
- Najork, M. and Wiener, J. L. (2001). Breadth-first crawling yields high-quality pages. In *Proc. 10th Int. World Wide Web Conf.*, pages 114–118. [665](#)
- Naumann, F., Ho, C.-T., Tian, X., Haas, L. M., and Megiddo, N. (2002). Attribute classification using feature analysis. In *Proc. 18th Int. Conf. on Data Engineering*, page 271. [146](#)
- Navathe, S. B., Ceri, S., Wiederhold, G., and Dou, J. (1984). Vertical partitioning of algorithms for database design. *ACM Trans. Database Syst.*, 9(4):680–710. [98](#), [99](#), [102](#), [109](#), [125](#)
- NBS (1977). Data encryption standard. Technical Report 46, U. S. Department of Commerce/National Bureau of Standards, Federal Information Processing Standards Publication. [180](#)
- Nejdl, W., Siberski, W., and Sintek, M. (2003). Design issues and challenges for rdf- and schema-based peer-to-peer systems. *ACM SIGMOD Rec.*, 32(3):41–46. [624](#), [628](#)
- Nepal, S. and Ramakrishna, M. (1999). Query processing issues in image (multimedia) databases. In *Proc. 15th Int. Conf. on Data Engineering*, pages 22–29. [629](#), [654](#)
- Newton, G. (1979). Deadlock prevention, detection and resolution: An annotated bibliography. *Operating Systems Rev.*, 13(2):33–44. [401](#)
- Ng, P. (1988). A commit protocol for checkpointing transactions. In *Proc. 7th. Symp. on Reliable Distributed Systems*, pages 22–31. [456](#)
- Niamir, B. (1978). Attribute partitioning in a self-adaptive relational database system. Technical Report 192, Laboratory for Computer Science, Massachusetts Institute of Technology, Cambridge, Mass. [98](#), [125](#)
- Nicola, M. and der Linden, B. V. (2005). Native XML support in db2 universal database. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 1164–1174. [699](#)
- Nicolas, J. M. (1982). Logic for improving integrity checking in relational data bases. *Acta Informatica*, 18:227–253. [192](#), [202](#)

- Nodine, M. and Zdonik, S. (1990). Cooperative transaction hierarchies: A transaction model to support design applications. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 83–94. 354
- OASIS UDDI. Universal description discovery & integration (UDDI) (2002). Available from: <http://uddi.xml.org/> [Last retrieved: December 2009]. 690
- Obermarck, R. (1982). Deadlock detection for all resource classes. *ACM Trans. Database Syst.*, 7(2):187–208. 39, 393, 401
- Omiecinski, E. (1991). Performance analysis of a load balancing hash-join algorithm for a shared-memory multiprocessor. In *Proc. 17th Int. Conf. on Very Large Data Bases*, pages 375–385. 528, 548
- Ooi, B., Shu, Y., and Tan, K.-L. (2003a). Relational data sharing in peer-based data management systems. *ACM SIGMOD Rec.*, 32(3):59–64. 627
- Ooi, B. C., Shu, Y., and Tan, K.-L. (2003b). Db-enabled peers for managing distributed data. In *Proc. 5th Asian-Pacific Web Conference*, pages 10–21. 612
- Ordóñez, C. (2003). Clustering binary data streams with k-means. In *Proc. ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery*. 743
- Orenstein, J., Haradvala, S., Margulies, B., and Sakahara, D. (1992). Query processing in the objectstore database system. In *ACM SIGMOD Int. Conf. on Management of Data*, pages 403–412. 586
- Orfali, R., Harkey, D., and Edwards, J. (1996). *The Essential Distributed Objects Survival Guide*. John Wiley & Sons. 607
- Osborn, S. L. and Heaven, T. E. (1986). The design of a relational database system with abstract data types for domains. *ACM Trans. Database Syst.*, 11(3):357–373. 557
- Osterhaug, A. (1989). *Guide to Parallel Programming on Sequent Computer Systems*. Prentice-Hall. 498
- O’Toole, J., Nettles, S., and Gifford, D. (1993). Concurrent compacting garbage collection of a persistent heap. In *Proc. 14th ACM Symp. Operating Syst. Principles*, pages 161–174. 581
- Ou, Z., Yu, G., Yu, Y., Wu, S., Yang, X., and Deng, Q. (2005). Tick scheduling: A deadline based optimal task scheduling approach for real-time data stream systems. In *Proc. 6th Int. Conf. on Web-Age Information Management*., pages 725–730. 735
- Ouksel, A. M. and Sheth, A. P. (1999). Semantic interoperability in global information systems: A brief introduction to the research area and the special section. *ACM SIGMOD Rec.*, 28(1):5–12. 160
- Özsoyoglu, Z. M. and Zhou, N. (1987). Distributed query processing in broadcasting local area networks. In *Proc. 20th Hawaii Int. Conf. on System Sciences*, pages 419–429. 214, 215
- Özsu, M. and Barker, K. (1990). Architectural classification and transaction execution models of multidatabase systems. In *Proc. Int. Conf. on Computing and Information*, pages 275–279. 40

- Özsu, M., Dayal, U., and Valduriez, P., editors (1994a). *Distributed Object Management*. Morgan Kaufmann, San Mateo, Calif. 607, 784, 785, 787, 789, 793, 800, 801, 807, 809, 814
- Özsu, M., Peters, R., Szafron, D., Irani, B., Munoz, A., and Lipka, A. (1995a). Tigukat: A uniform behavioral objectbase management system. *VLDB J.*, 4:445–492. 555, 606
- Özsu, M. T. (1985a). Modeling and analysis of distributed concurrency control algorithms using an extended petri net formalism. *IEEE Trans. Softw. Eng.*, SE-11(10):1225–1240. 401
- Özsu, M. T. (1985b). Performance comparison of distributed vs centralized locking algorithms in distributed database systems. In *Proc. 5th Int. Conf. on Distributed Computing Systems*, pages 254–261. 401
- Özsu, M. T. (1994). Transaction models and transaction management in OODBMSs. In Dogac et al. [1994], pages 275–279. 359, 607
- Özsu, M. T. and Blakeley, J. (1994). Query processing in object-oriented database systems. In Kim, W., editor, *Modern Database Management – Object-Oriented and Multidatabase Technologies*, pages 146–174. Addison-Wesley/ACM Press. 582, 607
- Özsu, M. T., Dayal, U., and Valduriez, P. (1994b). An introduction to distributed object management. In Özsu et al. [1994a], pages 1–24. 551
- Özsu, M. T., Munoz, A., and Szafron, D. (1995b). An extensible query optimizer for an objectbase management system. In *Proc. 4th Int. Conf. on Information and Knowledge Management*, pages 188–196. 584
- Özsu, M. T. and Valduriez, P. (1991). Distributed database systems: Where are we now? *Comp.*, 24(8):68–78. 38
- Özsu, M. T. and Valduriez, P. (1994). Distributed data management: Unsolved problems and new issues. In Casavant, T. and Singhal, M., editors, *Readings in Distributed Computing Systems*, pages 512–544. IEEE/CS Press. 38
- Özsu, M. T. and Valduriez, P. (1997). Distributed and parallel database systems. In Tucker, A., editor, *Handbook of Computer Science and Engineering*, pages 1093–1111. CRC Press. 38
- Özsu, M. T., Voruganti, K., and Unrau, R. (1998). An asynchronous avoidance-based cache consistency algorithm for client caching dbms. In *Proc. 24th Int. Conf. on Very Large Data Bases*, pages 440–451. 573
- Pacitti, E., Coulon, C., Valduriez, P., and Özsu, M. T. (2006). Preventive replication in a database cluster. *Distrib. Parall. Databases*, 18(3):223–251. 537, 539, 540, 548
- Pacitti, E., Minet, P., and Simon, E. (1999). Fast algorithms for maintaining replica consistency in lazy master replicated databases. In *Proc. 25th Int. Conf. on Very Large Data Bases*, pages 126–137. 463, 482, 484, 537
- Pacitti, E., Özsu, M. T., and Coulon, C. (2003). Preventive multi-master replication in a cluster of autonomous databases. In *Proc. 9th Int. Euro-Par Conf.*, pages 318–327. 537, 548
- Pacitti, E. and Simon, E. (2000). Update propagation strategies to improve freshness in lazy master replicated databases. *VLDB J.*, 8(3-4):305–318. 462, 493, 537

- Pacitti, E., Simon, E., and de Melo, R. (1998). Improving data freshness in lazy master schemes. In *Proc. 18th Int. Conf. on Distributed Computing Systems*, pages 164–171. [463](#), [493](#)
- Pacitti, E., Valduriez, P., and Mattoso, M. (2007a). Grid data management: open problems and new issues. *Journal of Grid Computing*, 5(3):273–281. [654](#)
- Pacitti, E., Valduriez, P., and Mattoso, M. (2007b). Grid data management: Open problems and new issues. *J. Grid Comp.*, 5(3):273–281. [750](#), [763](#)
- Page, L., Brin, S., Motwani, R., and Winograd, T. (1998). The pagerank citation ranking: Bringing order to the web. Technical report, Stanford University. [665](#)
- Page, T. W. and Popek, G. J. (1985). Distributed data management in local area networks. In *Proc. ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 135–142. [210](#), [250](#)
- Pal, S., Cseri, I., Seeliger, O., Rys, M., Schaller, G., Yu, W., Tomic, D., Baras, A., Berg, B., Churin, D., and Kogan, E. (2005). Xquery implementation in a relational database system. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 1175–1186. [699](#)
- Palma, W., Akbarinia, R., Pacitti, E., and Valduriez, P. (2009). Dhtjoin: processing continuous join queries using dht networks. *Distrib. Parall. Databases*, 26(2–3):291–317. [732](#)
- Palopoli, L., Saccà, D., Terracina, G., and Ursino, D. (1999). A unified graph-based framework for deriving nominal interscheme properties, type conflicts and object cluster similarities. In *Proc. Int. Conf. on Cooperative Information Systems*, pages 34–45. [134](#), [142](#), [160](#)
- Palopoli, L., Saccà, D., Terracina, G., and Ursino, D. (2003a). Uniform techniques for deriving similarities of objects and subschemes in heterogeneous databases. *IEEE Trans. Knowl. and Data Eng.*, 15(2):271–294. [145](#), [160](#)
- Palopoli, L., Saccà, D., and Ursino, D. (1998). Semi-automatic semantic discovery of properties from database schemas. In *Proc. Int. Conf. on Database Eng. and Applications*, pages 244–253. [134](#), [145](#), [160](#)
- Palopoli, L., Terracina, G., and Ursino, D. (2003b). Experiences using DIKE, a system for supporting cooperative information system and data warehouse design. *Inf. Syst.*, 28:835–865. [134](#), [160](#)
- Palpanas, T., Vlachos, M., Keogh, E., Gunopulos, D., and Truppel, W. (2004). Online amnesic approximation of streaming time series. In *Proc. 20th Int. Conf. on Data Engineering*, pages 338–349. [726](#)
- Pandey, S., Ramamritham, K., and Chakrabarti, S. (2003). Monitoring the dynamic web to respond to continuous queries. In *Proc. 12th Int. World Wide Web Conf.* [6](#)
- Papadimitriou, C. H. (1979). Serializability of concurrent database updates. *J. ACM*, 26(4):631–653. [350](#)
- Papadimitriou, C. H. (1986). *The Theory of Concurrency Control*. Computer Science Press. [401](#)
- Papakonstantinou, Y., Garcia-Molina, H., and Widom, J. (1995). Object exchange across heterogeneous information sources. In *Proc. 11th Int. Conf. on Data Engineering*, pages 251–260. [671](#), [673](#)

- Pape, C. L., Gançarski, S., and Valduriez, P. (2004). Refresco: Improving query performance through freshness control in a database cluster. In *Proc. Confederated Int. Conf. DOA, CoopIS and ODBASE*, Lecture Notes in Computer Science 3290, pages 174–193. [493](#), [540](#), [548](#)
- Paris, J. F. (1986). Voting with witnesses: A consistency scheme for replicated files. In *Proc. 6th Int. Conf. on Distributed Computing Systems*, pages 606–612. [493](#)
- Park, Y., Scheuermann, P., and Tang, H. (1995). A distributed deadlock detection and resolution algorithm based on a hybrid wait-for graph and probe generation scheme. In *Proc. ACM Int. Conf. Information and Knowledge Management*, pages 378–86. [401](#)
- Passerini, A., Frasconi, P., and Soda, G. (2001). Evaluation methods for focused crawling. In *Proc. 7th Congress of the Italian Association for Artificial Intelligence*, pages 33–39. [666](#)
- Patiño-Martínez, M., Jiménez-Peris, R., Kemme, B., and Alonso, G. (2005). MIDDLE-R: Consistent database replication at the middleware level. *ACM Trans. Comp. Syst.*, 23(4):375–423. [491](#)
- Patiño-Martínez, M., Jiménez-Peris, R., Kemme, B., and Alonso, G. (2000). Scalable replication in database clusters. In *Proc. 14th Int. Symp. on Distributed Computing*, pages 315–329. [482](#), [489](#), [548](#)
- Pavlo, A., Paulson, E., Rasin, A., Abadi, D. J., DeWitt, D. J., Madden, S., and Stonebraker, M. (2009). A comparison of approaches to large-scale data analysis. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 165–178. [760](#)
- Paxson, V. and Floyd, S. (1995). Wide-area traffic: The failure of poisson modeling. *IEEE/ACM Trans. Networking*, 3(3):226–244. [727](#)
- Pease, M., Shostak, R., and Lamport, L. (1980). Reaching agreement in the presence of faults. *J. ACM*, 27(2):228–234. [456](#)
- Pedone, F. and Schiper, A. (1998). Optimistic atomic broadcast. In *Proc. 12th Int. Symp. on Distributed Computing*, pages 318–332. [539](#)
- Perez-Sorrosal, F., Vuckovic, J., Patiño-Martínez, M., and Jiménez-Peris, R. (2006). Highly available long running transactions and activities for J2EE. In *Proc. 26th Int. Conf. on Distributed Computing Systems*, page 2. [546](#), [548](#)
- Peters, R. J., Lipka, A., Özsu, M. T., and Szafron, D. (1993). An extensible query model and its languages for a uniform behavioral object management system. In *Proc. 2nd International Conference on Information and Knowledge Management*, pages 403–412. [584](#)
- Piatetsky-Shapiro, G. and Connell, C. (1984). Accurate estimation of the number of tuples satisfying a condition. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 256–276. [252](#)
- Pinedo, M. (2001). *Scheduling: Theory, Algorithms and Systems*. Integre Technical Publishing, 2 edition. [537](#)
- Pirahesh, H., Mohan, C., Cheng, J. M., Liu, T. S., and Selinger, P. G. (1990). Parallelism in rdbms : Architectural issues and design. In *Proc. 2nd Int. Symp. on Databases in Distributed and Parallel Systems*, pages 4–29. [532](#), [533](#), [548](#)
- Plainfossé, D. and Shapiro, M. (1995). A survey of distributed garbage collection techniques. In *Proc. Int. Workshop on Memory Management*, pages 211–249. [581](#)

- Plattner, C. and Alonso, G. (2004). Ganymed: Scalable replication for transactional web applications. In *Proc. ACM/IFIP/USENIX Int. Middleware Conf.*, pages 155–174. [464](#)
- Plaxton, C., Rajaraman, R., and Richa, A. (1997). Accessing nearby copies of replicated objects in a distributed environment. In *ACM Symp. on Parallel Algorithms and Architectures (SPAA)*, pages 311–320. [646](#)
- Polyzotis, N. and Garofalakis, M. N. (2002). Statistical synopses for graph-structured XML databases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 358–369. [701](#)
- Polyzotis, N., Garofalakis, M. N., and Ioannidis, Y. E. (2004). Approximate XML query answers. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 263–274. [701](#)
- Polyzotis, N., Skiadopoulos, S., Vassiliadis, P., Simitsis, A., and Frantzell, N.-E. (2008). Meshing streaming updates with persistent data in an active data warehouse. *IEEE Trans. Knowl. and Data Eng.*, 20(7):976–991. [761](#)
- Poosala, V., Ioannidis, Y., Haas, P., and Shekita, E. (1996). Improved histograms for selectivity estimation of range predicates. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 294–305. [256](#)
- Popa, L., Velegrakis, Y., Miller, R. J., Hernandez, M. A., and Fagin, R. (2002). Translating web data. In *Proc. 28th Int. Conf. on Very Large Data Bases*. [155](#)
- Porto, F., Laber, E. S., and Valduriez, P. (2003). Cherry picking: A semantic query processing strategy for the evaluation of expensive predicates. In *Proc. Brazilian Symposium on Databases*, pages 356–370. [320](#), [326](#), [331](#)
- Potier, D. and LeBlanc, P. (1980). Analysis of locking policies in database management systems. *Commun. ACM*, 23(10):584–593. [401](#)
- Pottinger, R. and Levy, A. Y. (2000). A scalable algorithm for answering queries using views. In *Proc. 26th Int. Conf. on Very Large Data Bases*, pages 484–495. [305](#), [331](#)
- Pradhan, D. K., editor (1986). *Fault-Tolerant Computing: Theory and Techniques*, volume 2. Prentice-Hall. [455](#)
- Pu, C. (1988). Superdatabases for composition of heterogeneous databases. In *Proc. 4th Int. Conf. on Data Engineering*, pages 548–555. [147](#), [352](#)
- Pu, C. and Leff, A. (1991). Replica control in distributed systems: An asynchronous approach. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 377–386. [462](#)
- Pugh, W. (1989). Skip lists: A probabilistic alternative to balanced trees. In *Proc. Workshop on Algorithms and Data Structures*, pages 437–449. [622](#)
- Qiao, L., Agrawal, D., and Abbadi, A. E. (2003). Supporting sliding window queries for continuous data streams. In *Proc. 15th Int. Conf. on Scientific and Statistical Database Management*, pages 85–94. [737](#)
- Raghavan, S. and Garcia-Molina, H. (2001). Crawling the hidden web. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 129–138. [657](#), [686](#)
- Raghavan, S. and Garcia-Molina, H. (2003). Representing web graphs. In *Proc. 19th Int. Conf. on Data Engineering*, pages 405–416. [658](#), [661](#), [662](#), [663](#)



- Rahal, A., Zhu, Q., and Larson, P.-Å. (2004). Evolutionary techniques for updating query cost models in a dynamic multidatabase environment. *VLDB J.*, 13(2):162–176. [307](#), [313](#), [331](#)
- Rahimi, S. (1987). Reference architecture for distributed database management systems. In *Proc. 3th Int. Conf. on Data Engineering*. Tutorial Notes. [40](#)
- Rahm, E. and Bernstein, P. A. (2001). A survey of approaches to automatic schema matching. *VLDB J.*, 10(4):334–350. [138](#), [139](#), [143](#), [146](#), [160](#)
- Rahm, E. and Do, H. H. (2000). Data cleaning: Problems and current approaches. *Q. Bull. IEEE TC on Data Eng.*, 23(4):3–13. [157](#)
- Rahm, E. and Marek, R. (1995). Dynamic multi-resource load balancing in parallel database systems. In *Proc. 21th Int. Conf. on Very Large Data Bases*, pages 395–406. [530](#), [548](#)
- Ramabhadran, S., Ratnasamy, S., Hellerstein, J. M., and Shenker, S. (2004). Brief announcement: prefix hash tree. In *Proc. ACM SIGACT-SIGOPS 23rd Symp. on the Principles of Distributed Computing*, page 368. [622](#), [643](#)
- Ramakrishnan, R. (2009). Data management in the cloud. In *Proc. 25th Int. Conf. on Data Engineering*, page 5. [753](#), [763](#)
- Ramakrishnan, R. and Gehrke, J. (2003). *Database Management Systems*. McGraw-Hill, 3 edition. [70](#), [189](#), [201](#)
- Ramamoorthy, C. V. and Wah, B. W. (1983). The isomorphism of simple file allocation. *IEEE Trans. Comput.*, C-23(3):221–231. [121](#)
- Ramamritham, K. and Pu, C. (1995). A formal characterization of epsilon serializability. *IEEE Trans. Knowl. and Data Eng.*, 7(6):997–1007. [401](#), [462](#)
- Raman, V., Deshpande, A., and Hellerstein, J. M. (2003). Using state modules for adaptive query processing. In *Proc. 19th Int. Conf. on Data Engineering*, pages 353–365. [331](#)
- Raman, V. and Hellerstein, J. M. (2001). Potter’s wheel: An interactive data cleaning system. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 381–390. [158](#)
- Ramanathan, P. and Shin, K. G. (1988). Checkpointing and rollback recovery in a distributed system using common time base. In *Proc. 7th Symp. on Reliable Distributed Systems*, pages 13–21. [456](#)
- Randell, B., Lee, P. A., and Treleaven, P. C. (1978). Reliability issues in computing system design. *ACM Comput. Surv.*, 10(2):123–165. [406](#), [455](#)
- Rao, P. and Moon, B. (2004). Prix: Indexing and querying XML using prüfer sequences. In *Proc. 20th Int. Conf. on Data Engineering*, pages 288–300. [701](#)
- Ratnasamy, S., Francis, P., Handley, M., and Karp, R. (2001a). A scalable content-addressable network. In *Proc. ACM Int. Conf. on Data Communication*, pages 161–172. [620](#), [646](#)
- Ratnasamy, S., Francis, P., Handley, M., Karp, R. M., and Shenker, S. (2001b). A scalable content-addressable network. In *Proc. ACM Int. Conf. on Data Communication*, pages 161–172. [618](#)
- Ray, I., Mancini, L. V., Jajodia, S., and Bertino, E. (2000). Asep: A secure and flexible commit protocol for mls distributed database systems. *IEEE Trans. Knowl. and Data Eng.*, 12(6):880–899. [187](#), [202](#)

- Reiss, F. and Hellerstein, J. (2005). Data triage: an adaptive architecture for load shedding in telegraphCQ. In *Proc. 21st Int. Conf. on Data Engineering*, pages 155–156. 740
- Ribeiro-Neto, B. A. and Barbosa, R. A. (1998). Query performance for tightly coupled distributed digital libraries. In *Proc. 3rd ACM Int. Conf. on Digital Libraries*, pages 182–190. 668
- Ritter, J. Why Gnutella can't scale, no, really (2001). Available from: <http://www.darkridge.com/~jpr5/doc/gnutella.html> [Last retrieved: December 2009]. 618
- Rivera-Vega, P., Varadarajan, R., and Navathe, S. B. (1990). Scheduling data redistribution in distributed databases. In *Proc. Int. Conf. on Data Eng.*, pages 166–173. 124
- Rivest, R. L., Shamir, A., and Adelman, L. (1978). A method for obtaining digital signatures and public-key cryptosystems. *Commun. ACM*, 21(2):120–126. 180
- Rjaibi, W. (2004). An introduction to multilevel secure relational database management systems. In *Proc. Conf. of the IBM Centre for Advanced Studies on Collaborative Research*, pages 232–241. 187, 202
- Röhm, U., Böhm, K., and Schek, H.-J. (2000). Olap query routing and physical design in a database cluster. In *Advances in Database Technology, Proc. 7th Int. Conf. on Extending Database Technology*, pages 254–268. 535, 544, 548
- Röhm, U., Böhm, K., and Schek, H.-J. (2001). Cache-aware query routing in a cluster of databases. In *Proc. 17th Int. Conf. on Data Engineering*, pages 641–650. 535
- Röhm, U., Böhm, K., Schek, H.-J., and Schuldt, H. (2002a). Fas - a freshness-sensitive coordination cocoon for a cluster of olap components. In *Proc. 28th Int. Conf. on Very Large Data Bases*, pages 754–765. 493
- Röhm, U., Böhm, K., Schek, H.-J., and Schuldt, H. (2002b). FAS - A freshness-sensitive coordination middleware for a cluster of olap components. In *Proc. 28th Int. Conf. on Very Large Data Bases*, pages 754–765. 462, 541
- Roitman, H. and Gal, A. (2006). Ontobuilder: Fully automatic extraction and consolidation of ontologies from web sources using sequence semantics. In *EDBT Workshops*, volume 4254 of *LNCS*, pages 573–576. 152
- Rosenkrantz, D. J. and Hunt, H. B. (1980). Processing conjunctive predicates and queries. In *Proc. 6th Int. Conf. on Very Data Bases*, pages 64–72. 224, 241
- Rosenkrantz, D. J., Stearns, R. E., and Lewis, P. M. (1978). System level concurrency control for distributed database systems. *ACM Trans. Database Syst.*, 3(2):178–198. 390
- Roth, J. P., Bouricius, W. G., Carter, E. C., and Schneider, P. R. (1967). Phase ii of an architectural study for a self-repairing computer. Report SAMSO-TR-67-106, U. S. Air Force Space and Missile Division, El Segundo, Calif. Cited in [Siewiorek and Swarz, 1982]. 410
- Roth, M. and Schwartz, P. (1997). Don't scrap it, wrap it! a wrapper architecture for legacy data sources. In *Proc. 23th Int. Conf. on Very Large Data Bases*, pages 266–275. 327

- Roth, M. T., Ozcan, F., and Haas, L. M. (1999). Cost models do matter: Providing cost information for diverse data sources in a federated system. In *Proc. 25th Int. Conf. on Very Large Data Bases*, pages 599–610. [307](#), [310](#), [331](#)
- Rothermel, K. and Mohan, C. (1989). Aries/nt: A recovery method based on write-ahead logging for nested transactions. In *Proc. 15th Int. Conf. on Very Large Data Bases*, pages 337–346. [401](#)
- Rothnie, J. B. and Goodman, N. (1977). A survey of research and development in distributed database management. In *Proc. 3rd Int. Conf. on Very Data Bases*, pages 48–62. [116](#)
- Rowstron, A. I. T. and Druschel, P. (2001). Pastry: Scalable, decentralized object location, and routing for large-scale peer-to-peer systems. In *Proc. IFIP/ACM Int. Conf. on Distributed Systems Platforms*, pages 329–350. [621](#)
- Ryvkina, E., Maskey, A., Adams, I., Sandler, B., Fuchs, C., Cherniack, M., and Zdonik, S. (2006). Revision processing in a stream processing engine: A high-level design. In *Proc. 22nd Int. Conf. on Data Engineering*, page 141. [725](#)
- Sacca, D. and Wiederhold, G. (1985). Database partitioning in a cluster of processors. *ACM Trans. Database Syst.*, 10(1):29–56. [99](#), [115](#), [125](#)
- Sacco, M. S. and Yao, S. B. (1982). Query optimization in distributed data base systems. In Yovits, M., editor, *Advances in Computers*, volume 21, pages 225–273. Academic Press. [39](#), [209](#), [211](#), [220](#)
- Saito, Y. and Shapiro, M. (2005). Optimistic replication. *ACM Comput. Surv.*, 37(1):42–81. [462](#), [466](#), [493](#)
- Salton, G. (1989). *Automatic Text Processing – The Transformation, Analysis, and Retrieval of Information by Computer*. Addison-Wesley. [667](#)
- Schlageter, G. and Dadam, P. (1980). Reconstruction of consistent global states in distributed databases. In Delobel, C. and Litwin, W., editors, *Distributed Data Bases*, pages 191–200. North-Holland. [456](#)
- Schlichting, R. D. and Schneider, F. B. (1983). Fail-stop processors: An approach to designing fault-tolerant computing systems. *ACM Trans. Comp. Syst.*, 1(3):222–238. [455](#)
- Schmidt, C. and Parashar, M. (2004). Enabling flexible queries with guarantees in p2p systems. *IEEE Internet Computing*, 8(3):19–26. [622](#)
- Schmidt, S., Berthold, H., and Legler, T. (2004). QStream: Deterministic querying of data streams. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 1365–1368. [738](#)
- Schmidt, S., Legler, T., Schar, S., and Lehner, W. (2005). Robust real-time query processing with QStream. In *Proc. 31st Int. Conf. on Very Large Data Bases*, pages 1299–1301. [738](#)
- Schreiber, F. (1977). A framework for distributed database systems. In *Proc. Int. Computing Symposium*, pages 475–482. [39](#)
- Selinger, P. G. and Adiba, M. (1980). Access path selection in distributed data base management systems. In *Proc. First Int. Conf. on Data Bases*, pages 204–215. [250](#), [254](#), [277](#), [292](#), [293](#)
- Selinger, P. G., Astrahan, M. M., Chamberlin, D. D., Lorie, R. A., and Price, T. G. (1979). Access path selection in a relational database management system. In

- Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 23–34. [212](#), [253](#), [261](#), [292](#), [586](#)
- Serrano, D., Patiño-Martínez, M., Jiménez-Peris, R., and Kemme, B. (2007). Boosting database replication scalability through partial replication and 1-copy-snapshot-isolation. In *Proc. 13th IEEE Pacific Rim Int. Symp. on Dependable Computing*, pages 290–297. [491](#)
- Sevcik, K. C. (1983). Comparison of concurrency control methods using analytic models. In *Information Processing '83*, pages 847–858. [401](#)
- Severence, D. G. and Lohman, G. M. (1976). Differential files: Their application to the maintenance of large databases. *ACM Trans. Database Syst.*, 1(3):256–261. [419](#)
- Shafer, J. C., Agrawal, R., and Mehta, M. (1996). Sprint: A scalable parallel classifier for data mining. In *Proc. 22th Int. Conf. on Very Large Data Bases*, pages 544–555. [743](#)
- Shah, M. A., Hellerstein, J. M., Chandrasekaran, S., and Franklin, M. J. (2003). Flux: An adaptive partitioning operator for continuous query systems. In *Proc. 19th Int. Conf. on Data Engineering*, pages 25–36. [320](#), [321](#), [322](#), [331](#)
- Shapiro, L. (1986). Join processing in database systems with large main memories. *ACM Trans. Database Syst.*, 11(3):239–264. [587](#)
- Sharaf, M., Labrinidis, A., Chrysanthis, P., and Pruihs, K. (2005). Freshness-aware scheduling of continuous queries in the dynamic web. In *Proc. 8th Int. Workshop on the World Wide Web and Databases*, pages 73–78. [735](#)
- Sharp, J. (1987). *An Introduction to Distributed and Parallel Processing*. Blackwell Scientific Publications. [498](#)
- Shasha, D. and Wang, T.-L. (1991). Optimizing equijoin queries in distributed databases where relations are hash partitioned. *ACM Trans. Database Syst.*, 16(2):279–308. [292](#)
- Shatdal, A. and Naughton, J. F. (1993). Using shared virtual memory for parallel join processing. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 119–128. [534](#), [548](#)
- Shekita, E. J. and Carey, M. J. (1990). A performance evaluation of pointer-based joins. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 300–311. [590](#)
- Shekita, E. J., Young, H. C., and Tan, K. L. (1993). Multi-join optimization for symmetric multiprocessor. In *Proc. 19th Int. Conf. on Very Large Data Bases*, pages 479–492. [530](#), [548](#)
- Sheth, A. and Larson, J. (1990). Federated databases: Architectures and integration. *ACM Comput. Surv.*, 22(3):183–236. [40](#), [135](#), [160](#), [298](#)
- Sheth, A., Larson, J., Cornellio, A., and Navathe, S. B. (1988a). A tool for integrating conceptual schemas and user views. In *Proc. 4th Int. Conf. on Data Engineering*, pages 176–183. [147](#), [202](#)
- Sheth, A., Larson, J., and Watkins, E. (1988b). Tailor, a tool for updating views. In *Advances in Database Technology, Proc. 1st Int. Conf. on Extending Database Technology*, pages 190–213. Springer. [202](#)

- Sheth, A. P. and Kashyap, V. (1992). So far (schematically) yet so near (semantically). In *Proc. IFIP WG 2.6 Database Semantics Conf. on Interoperable Database Systems*, pages 283–312. [141](#)
- Shivakumar, N. and García-Molina, H. (1997). Wave-indices: indexing evolving databases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 381–392. [738](#)
- Shrivastava, S. K., editor (1985). *Reliable Computer Systems*. Springer. [455](#), [768](#)
- Sidell, J., Aoki, P. M., Sah, A., Staelin, C., Stonebraker, M., and Yu, A. (1996). Data replication in mariposa. In *Proc. 12th Int. Conf. on Data Eng.*, pages 485–494. [456](#), [493](#)
- Siegel, J., editor (1996). *CORBA Fundamentals and Programming*. John Wiley & Sons. [607](#)
- Siewiorek, D. P. and Swarz, R. S., editors (1982). *The Theory and Practice of Reliable System Design*. Digital Press. [407](#), [409](#), [455](#), [810](#)
- Silberschatz, A., Korth, H., and Sudarshan, S. (2002). *Database System Concepts*. McGraw-Hill, 4 edition. [70](#)
- Simon, E. and Valduriez, P. (1984). Design and implementation of an extendible integrity subsystem. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 9–17. [193](#), [202](#)
- Simon, E. and Valduriez, P. (1986). Integrity control in distributed database systems. In *Proc. 19th Hawaii Int. Conf. on System Sciences*, pages 622–632. [192](#), [202](#)
- Simon, E. and Valduriez, P. (1987). Design and analysis of a relational integrity subsystem. Technical Report DB-015-87, Microelectronics and Computer Corporation, Austin, Tex. [189](#), [192](#), [202](#)
- Singhal, M. (1989). Deadlock detection in distributed systems. *Comp.*, 22(11):37–48. [401](#)
- Sinha, M. K., Nanadikar, P. D., and Mehndiratta, S. L. (1985). Timestamp based certification schemes for transactions in distributed database systems. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 402–411. [385](#)
- Skarra, A. (1989). concurrency control for cooperating transactions in an object-oriented database. In *Proc. ACM SIGPLAN Workshop on Object-Based Concurrent Programming*, pages 145–147. [401](#)
- Skarra, A., Zdonik, S., and Reiss, S. (1986). An object server for an object-oriented database system. In *Proc. of the 1st Int. Workshop on Object-Oriented Database Systems*, pages 196–204. [401](#)
- Skeen, D. (1981). Nonblocking commit protocols. In *ACM SIGMOD Int. Conf. on Management of Data*, pages 133–142. [440](#), [443](#), [447](#), [456](#)
- Skeen, D. (1982a). *Crash Recovery in a Distributed Database Management System*. Ph.D. thesis, Department of Electrical Engineering and Computer Science, University of California at Berkeley, Berkeley, Calif. [456](#)
- Skeen, D. (1982b). A quorum-based commit protocol. In *Proc. 6th Berkeley Workshop on Distributed Data Management and Computer Networks*, pages 69–80. [448](#), [450](#)
- Skeen, D. and Stonebraker, M. (1983). A formal model of crash recovery in a distributed system. *IEEE Trans. Softw. Eng.*, SE-9(3):219–228. [437](#), [443](#), [449](#), [456](#)

- Skeen, D. and Wright, D. (1984). Increasing availability in partitioned networks. In *Proc. 3rd ACM SIGACT-SIGMOD Symp. on Principles of Database Systems*, pages 290–299. [456](#), [493](#)
- Smith, J. M. and Chang, P. Y. (1975). Optimizing the performance of a relational algebra database interface. *Commun. ACM*, 18(10):568–579. [228](#), [241](#)
- Somani, A., Choy, D., and Kleewein, J. C. (2002). Bringing together content and data management systems: Challenges and opportunities. *IBM Systems J.*, 41(4):686–696. [159](#)
- Sousa, A., Oliveira, R., Moura, F., and Pedone, F. (2001). Partial replication in the database state machine. In *Proc. IEEE Int. Symp. Network Computing and Applications*, pages 298–309. [491](#), [548](#)
- Srivastava, U. and Widom, J. (2004). Memory-limited execution of windowed stream joins. In *Proc. 30th Int. Conf. on Very Large Data Bases*, pages 324–335. [740](#)
- Stallings, W. (2011). *Data and Computer Communications*. Prentice-Hall, 9 edition. [70](#)
- Stanoi, I., Agrawal, D., and El-Abbad, A. (1998). Using broadcast primitives in replicated databases. In *Proc. 8th Int. Conf. on Distributed Computing Systems*, pages 148–155. [482](#)
- Stearns, R. E., II, P. M. L., and Rosenkrantz, D. J. (1976). Concurrency controls for database systems. In *Proc. 17th Symp. on Foundations of Computer Science*, pages 19–32. [350](#)
- Stöhr, T., Mörtens, H., and Rahm, E. (2000). Multi-dimensional database allocation for parallel data warehouses. In *Proc. 26th Int. Conf. on Very Large Data Bases*, pages 273–284. [542](#)
- Stoica, I., Morris, R., Karger, D. R., Kaashoek, M. F., and Balakrishnan, H. (2001a). Chord: A scalable peer-to-peer lookup service for internet applications. In *Proc. ACM Int. Conf. on Data Communication*, pages 149–160. [618](#)
- Stoica, I., Morris, R., Liben-Nowell, D., Karger, D., Kaashoek, M., Dabek, F., and Balakrishnan, H. (2001b). Chord: A scalable peer-to-peer lookup protocol for internet applications. In *Proc. ACM Int. Conf. on Data Communication*, pages 149–160. [621](#)
- Stonebraker, M. (1975). Implementation of integrity constraints and views by query modification. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 65–78. [172](#), [173](#), [186](#), [191](#), [192](#), [201](#), [202](#)
- Stonebraker, M. (1981). Operating system support for database management. *Commun. ACM*, 24(7):412–418. [39](#), [415](#)
- Stonebraker, M. (1986). The case for shared nothing. *Q. Bull. IEEE TC on Data Eng.*, 9(1):4–9. [547](#)
- Stonebraker, M. (2010). SQL databases v. NoSQL databases. *Commun. ACM*, 53(4):10–11. [753](#)
- Stonebraker, M., Abadi, D. J., DeWitt, D. J., Madden, S., Paulson, E., Pavlo, A., and Rasin, A. (2010). MapReduce and parallel DBMSs: friends or foes? *Commun. ACM*, 53(1):64–71. [760](#), [763](#)
- Stonebraker, M. and Brown, P. (1999). *Object-Relational DBMSs*. Morgan Kaufmann, 2nd edition. [552](#), [607](#)



- Stonebraker, M., Kreps, P., Wong, W., and Held, G. (1976). The design and implementation of ingres. *ACM Trans. Database Syst.*, 1(3):198–222. [56](#), [258](#)
- Stonebraker, M. and Neuhold, E. (1977). A distributed database version of ingres. In *Proc. 2nd Berkeley Workshop on Distributed Data Management and Computer Networks*, pages 9–36. [474](#)
- Stonebraker, M., Rowe, L., Lindsay, B., Gray, J., Carey, M., Brodie, M., Bernstein, P., and Beech, D. (1990). Third-generation data base system manifesto. *ACM SIGMOD Rec.*, 19(3):31–44. [553](#)
- Straube, D. and Özsu, M. T. (1990a). Queries and query processing in object-oriented database systems. *ACM Trans. Information Syst.*, 8(4):387–430. [585](#)
- Straube, D. and Özsu, M. T. (1990b). Type consistency of queries in an object-oriented database. In *Proc. Joint ACM OOPSLA/ECOOP '90 Conference on Object-Oriented Programming: Systems, Languages and Applications*, pages 224–233. [585](#)
- Straube, D. D. and Özsu, M. T. (1995). Query optimization and execution plan generation in object-oriented database systems. *IEEE Trans. Knowl. and Data Eng.*, 7(2):210–227. [589](#)
- Strong, H. R. and Dolev, D. (1983). Byzantine agreement. In *Digest of Papers — COMPCON*, pages 77–81, San Francisco, Calif. [456](#)
- Stroustrup, B. (1986). *The C++ Programming Language*. Addison Wesley. [559](#)
- Sullivan, M. and Heybey, A. (1998). Tribeca: A system for managing large databases of network traffic. In *Proc. USENIX 1998 Annual Technical Conf.* [726](#), [730](#)
- Swami, A. (1989). Optimization of large join queries: combining heuristics and combinatorial techniques. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 367–376. [212](#), [249](#)
- Tandem (1987). Nonstop sql – a distributed high-performance, high-availability implementation of sql. In *Proc. Int. Workshop on High Performance Transaction Systems*, pages 60–104. [377](#), [548](#)
- Tandem (1988). A benchmark of nonstop sql on the debit credit transaction. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 337–341. [377](#)
- Tanenbaum, A. (1995). *Distributed Operating Systems*. Prentice-Hall. [180](#)
- Tanenbaum, A. S. (2003). *Computer Networks*. Prentice-Hall, 4th edition. [60](#), [70](#)
- Tanenbaum, A. S. and van Renesse, R. (1988). Voting with ghosts. In *Proc. 8th Int. Conf. on Distributed Computing Systems*, pages 456–461. [493](#)
- Tanenbaum, A. S. and van Steen, M. (2002). *Distributed Systems: Principles and Paradigms*. Prentice-Hall. [2](#)
- Tao, Y. (2010). *Mining Time-Changing Data Streams*. PhD thesis, University of Waterloo. [763](#)
- Tao, Y. and Özsu, M. T. (2009). Efficient decision tree construction for mining time-varying data streams. In *Proc. Conf. of the IBM Centre for Advanced Studies on Collaborative Research*. [743](#)
- Tao, Y., Yiu, M. L., Papadias, D., Hadjieleftheriou, M., and Mamoulis, N. (2005). RPJ: Producing fast join results on streams through rate-based optimization. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 371–382. [738](#)

- Tatarinov, I., Ives, Z. G., Madhavan, J., Halevy, A. Y., Suciu, D., Dalvi, N. N., Dong, X., Kadiyska, Y., Miklau, G., and Mork, P. (2003). The piazza peer data management project. *ACM SIGMOD Rec.*, 32(3):47–52. [625](#), [654](#)
- Tatbul, N., Cetintemel, U., Zdonik, S., Cherniack, M., and Stonebraker, M. (2003). Load shedding in a data stream manager. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 309–320. [739](#)
- Terry, D., Goldberg, D., Nichols, D., and Oki, B. (1992). Continuous queries over append-only databases. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 321–330. [6](#)
- Thakkar, S. S. and Sweiger, M. (1990). Performance of an oltp application on symmetry multiprocessor system. In *Proc. 17th Int. Symposium on Computer Architecture*, pages 228–238. [503](#)
- Thiran, P., Hainaut, J.-L., Houben, G.-J., and Benslimane, D. (2006). Wrapper-based evolution of legacy information systems. *ACM Trans. Softw. Eng. and Methodology*, 15(4):329–359. [329](#), [331](#)
- Thomas, R. H. (1979). A majority consensus approach to concurrency control for multiple copy databases. *ACM Trans. Database Syst.*, 4(2):180–209. [385](#), [450](#), [487](#)
- Thomasian, A. (1993). Two-phase locking and its thrashing behavior. *ACM Trans. Database Syst.*, 18(4):579–625. [401](#)
- Thomasian, A. (1996). *Database Concurrency Control: Methods, Performance, and Analysis*. Kluwer Academic Publishers. [358](#), [398](#), [399](#), [401](#)
- Thomasian, A. (1998). Distributed optimistic concurrency control methods for high performance transaction processing. *IEEE Trans. Knowl. and Data Eng.*, 10(1):173–189. [401](#)
- Thuraisingham, B. (2001). Secure distributed database systems. *Information Security Technical Report*, 6(2). [187](#), [202](#)
- Tian, F. and DeWitt, D. (2003a). Tuple routing strategies for distributed Eddies. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 333–344. [739](#)
- Tian, F. and DeWitt, D. J. (2003b). Tuple routing strategies for distributed eddies. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 333–344. [322](#), [326](#), [331](#)
- Tomasic, A., Amouroux, R., Bonnet, P., Kapitskaia, O., Naacke, H., and Raschid, L. (1997). The distributed information search component (DISCO) and the world-wide web – prototype demonstration. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 546–548. [319](#), [329](#)
- Tomasic, A., Raschid, L., and Valduriez, P. (1996). Scaling heterogeneous databases and the design of disco. In *Proc. 16th Int. Conf. on Distributed Computing Systems*, pages 449–457. [319](#), [331](#)
- Tomasic, A., Raschid, L., and Valduriez, P. (1998). Scaling access to distributed heterogeneous data sources with Disco. In *IEEE Trans. Knowl. and Data Eng.* in press. [319](#), [331](#)
- Traiger, I. L., Gray, J., Galtieri, C. A., and Lindsay, B. G. (1982). Transactions and recovery in distributed database systems. *ACM Trans. Database Syst.*, 7(3):323–342. [456](#)

- Triantafillou, P. and Pitoura, T. (2003). Towards a unifying framework for complex query processing over structured peer-to-peer data networks. In *Int. Workshop on Databases, Information Systems and Peer-to-Peer Computing*, pages 169–183. 641
- Triantafillou, P. and Taylor, D. J. (1995). The location-based paradigm for replication: Achieving efficiency and availability in distributed systems. *IEEE Trans. Softw. Eng.*, 21(1):1–18. 493
- Tsichritzis, D. and Klug, A. (1978). The ansi/x3/sparc dbms framework report of the study group on database management systems. *Inf. Syst.*, 1:173–191. 22
- Tsuchiya, M., Mariani, M. P., and Brom, J. D. (1986). Distributed database management model and validation. *IEEE Trans. Softw. Eng.*, SE-12(4):511–520. 401
- Tucker, P., Maier, D., Sheard, T., and Faragas, L. (2003). Exploiting punctuation semantics in continuous data streams. *IEEE Trans. Knowl. and Data Eng.*, 15(3):555–568. 725, 732
- Ullman, J. (1997). Information integration using logical views. In *Proc. 6th Int. Conf. on Database Theory*, volume 1186 of *Lecture Notes in Computer Science*, pages 19–40. Springer. 303, 331
- Ullman, J. D. (1982). *Principles of Database Systems*. Computer Science Press, 2nd edition. 224, 228, 231, 241, 272
- Ullman, J. D. (1988). *Principles of Database and Knowledge Base Systems*, volume 1. Computer Science Press. 300, 301, 337
- Ulusoy, Ö. (2007). Research issues in peer-to-peer data management. In *Proc. 22nd Int. Symp. on Computer and Information Science*, pages 1–8. 653
- Urhan, T. and Franklin, M. J. (2000). XJoin: A reactively-scheduled pipelined join operator. *Q. Bull. IEEE TC on Data Eng.*, 23(2):27–33. 732
- Urhan, T. and Franklin, M. J. (2001). Dynamic pipeline scheduling for improving interactive query performance. In *Proc. 27th Int. Conf. on Very Large Data Bases*, pages 501–510. 738
- Urhan, T., Franklin, M. J., and Amsaleg, L. (1998a). Cost based query scrambling for initial delays. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 130–141. 322, 331
- Urhan, T., Franklin, M. J., and Amsaleg, L. (1998b). Cost-based query scrambling for initial delays. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 130–141. 739
- Valduriez, P. (1982). Semi-join algorithms for distributed database machines. In Schneider, J.-J., editor, *Distributed Data Bases*. North-Holland. pages 23–37. 270, 273, 291, 292
- Valduriez, P. (1987). Join indices. *ACM Trans. Database Syst.*, 12(2):218–246. 587, 588, 589
- Valduriez, P. (1993). Parallel database systems: Open problems and new issues. *Distrib. Parall. Databases*, 1:137–16. 497
- Valduriez, P. and Boral, H. (1986). Evaluation of recursive queries using join indices. In *Proc. First Int. Conf. on Expert Database Systems*, pages 197–208. 219

- Valduriez, P. and Gardarin, G. (1984). Join and semi-join algorithms for a multi processor database machine. *ACM Trans. Database Syst.*, 9(1):133–161. 291, 292, 513
- Valduriez, P., Khoshafian, S., and Copeland, G. (1986). Implementation techniques of complex objects. In *Proc. 11th Int. Conf. on Very Large Data Bases*, pages 101–109. 579
- Valduriez, P. and Pacitti, E. (2004). Data management in large-scale p2p systems. In *Proc. 6th Int. Conf. High Performance Comp. for Computational Sci.*, pages 104–118. 612, 653
- Varadarajan, R., Rivera-Vega, P., and Navathe, S. B. (1989). Data redistribution scheduling in fully connected networks. In *Proc. 27th Annual Allerton Conf. on Communication, Control, and Computing*. 124
- Velegarakis, Y., Miller, R. J., and Popa, L. (2004). Preserving mapping consistency under schema changes. *VLDB J.*, 13(3):274–293. 156, 157
- Verhofstadt, J. S. (1978). Recovery techniques for database systems. *ACM Comput. Surv.*, 10(2):168–195. 39, 419, 456
- Vermeer, M. (1997). *Semantic Interoperability for Legacy Databases*. Ph.D. thesis, Department of Computer Science, University of Twente, Enschede, Netherlands. 140
- Vidal, M.-E., Raschid, L., and Gruser, J.-R. (1998). A meta-wrapper for scaling up to multiple autonomous distributed information sources. In *Proc. Int. Conf. on Cooperative Information Systems*, pages 148–157. 314
- Viglas, S. and Naughton, J. (2002). Rate-based query optimization for streaming information sources. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 37–48. 738, 739
- Viglas, S., Naughton, J., and Burger, J. (2003). Maximizing the output rate of multi-join queries over streaming information sources. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 285–296. 732, 739
- Vossough, E. and Getta, J. R. (2002). Processing of continuous queries over unlimited data streams. In *Proc. 13th Int. Conf. Database and Expert Systems Appl.*, pages 799–809. 733
- Voulgaris, S., Jelasity, M., and van Steen, M. (2003). A robust and scalable peer-to-peer gossiping protocol. In *Agents and Peer-to-Peer Computing, Second Int. Workshop, (AP2PC)*, pages 47–58. 618
- Vu, Q. H., Lupu, M., and Ooi, B. C. (2009). *Peer-to-Peer Computing: Principles and Applications*. Springer. 653
- Wah, B. W. and Lien, Y. N. (1985). Design of distributed databases on local computer systems. *IEEE Trans. Softw. Eng.*, SE-11(7):609–619. 214, 215
- Walsh, N., editor. The DocBook schema (2006). Available from: <http://www.oasis-open.org/docbook/specs/wd-docbook-docbook-5.0b3.html> [Last retrieved: December 2009]. 690
- Walton, C., Dale, A., and Jenevin, R. (1991). A taxonomy and performance model of data skew effects in parallel joins. In *Proc. 17th Int. Conf. on Very Large Data Bases*, pages 537–548. 527, 548

- Wang, H., Fan, W., Yu, P., and Han, J. (2003a). Mining concept-drifting data streams using ensemble classifiers. In *Proc. 9th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 226–235. [743](#)
- Wang, H. and Meng, X. (2005). On the sequencing of tree structures for XML indexing. In *Proc. 21st Int. Conf. on Data Engineering*, pages 372–383. [701](#)
- Wang, H., Park, S., Fan, W., and Yu, P. S. (2003b). ViST: A dynamic index method for querying XML data by tree structures. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 110–121. [701](#)
- Wang, H., Zaniolo, C., and Luo, R. (2003c). Atlas: A small but complete SQL extension for data mining and data streams. In *Proc. 29th Int. Conf. on Very Large Data Bases*, pages 1113–1116. [732](#)
- Wang, S., Rundensteiner, E., Ganguly, S., and Bhatnagar, S. (2006). State-slice: New paradigm of multi-query optimization of window-based stream queries. In *Proc. 32nd Int. Conf. on Very Large Data Bases*. [740](#)
- Wang, W., Li, J., Zhang, D., and Guo, L. (2004). Processing sliding window join aggregate in continuous queries over data streams. In *Proc. 8th East European Conf. Advances in Databases and Information Systems*, pages 348–363. [733](#)
- Wang, Y. and Rowe, L. (1991). Cache consistency and concurrency control in a client/server dbms architecture. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 367–376. [573](#)
- Weihl, W. (1988). Commutativity-based concurrency control for abstract data types. *IEEE Trans. Comput.*, C-37(12):1488–1505. [594](#), [595](#), [604](#)
- Weihl, W. (1989). Local atomicity properties: Modular concurrency control for abstract data types. *ACM Trans. Prog. Lang. and Syst.*, 11(2):249–28. [594](#), [595](#)
- Weikum, G. (1986). Pros and cons of operating system transactions for data base systems. In *Proc. AFIPS Fall Joint Computer Conf.*, pages 1219–1225. [397](#)
- Weikum, G. (1991). Principles and realization strategies of multilevel transaction management. *ACM Trans. Database Syst.*, 16(1):132–180. [397](#), [398](#)
- Weikum, G. and Hasse, C. (1993). Multi-level transaction management for complex objects: Implementation, performance, parallelism. *VLDB J.*, 2(4):407–454. [397](#), [604](#), [605](#)
- Weikum, G. and Schek, H. J. (1984). Architectural issues of transaction management in layered systems. In *Proc. 10th Int. Conf. on Very Large Data Bases*, pages 454–465. [397](#)
- Weikum, G. and Vossen, G. (2001). *Transactional Information Systems: Theory, Algorithms, and the Practice of Concurrency Control*. Morgan Kaufmann. [358](#)
- White, S. and DeWitt, D. (1992). Quickstore: A high performance mapped object store. In *Proc. 18th Int. Conf. on Very Large Data Bases*, pages 419–431. [576](#)
- Wiederhold, G. (1982). *Database Design*. McGraw-Hill, 2nd edition. [83](#)
- Wiederhold, G. (1992). Mediators in the architecture of future information systems. *Comp.*, 25(3):38–49. [37](#), [331](#)
- Wiesmann, M., Schiper, A., Pedone, F., Kemme, B., and Alonso, G. (2000). Database replication techniques: A three parameter classification. In *Proc. 19th Symp. on Reliable Distributed Systems*, pages 206–215. [493](#)

- Wilkinson, K. and Neimat, M. (1990). Maintaining consistency of client-cached data. In *Proc. 16th Int. Conf. on Very Large Data Bases*, pages 122–133. [572](#)
- Williams, R., Daniels, D., Haas, L., Lapis, G., Lindsay, B., Ng, P., Obermarck, R., Selinger, P., Walker, A., Wilms, P., and Yost, R. (1982). R\*: An overview of the architecture. In *Proc. 2nd Int. Conf. on Databases*, pages 1–28. [175](#), [214](#), [215](#)
- Wilms, P. F. and Lindsay, B. G. (1981). A database authorization mechanism supporting individual and group authorization. Research Report RJ 3137, IBM Almaden Research Laboratory, San Jose, Calif. [186](#), [187](#), [201](#)
- Wilschut, A. and Apers, P. (1991). Dataflow query execution in a parallel main-memory environment. In *Proc. 1st Int. Conf. on Parallel and Distributed Information Systems*, pages 68–77. [322](#), [325](#), [641](#), [732](#)
- Wilshut, A. N. and Apers, P. (1992). Parallelism in a main-memory system: The performance of prisma/db. In *Proc. 22th Int. Conf. on Very Large Data Bases*, pages 23–27. [526](#)
- Wilshut, A. N., Flokstra, J., and Apers, P. (1995). Parallel evaluation of multi-join queries. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 115–126. [529](#), [534](#)
- Wilson, B. and Navathe, S. B. (1986). An analytical framework for the redesign of distributed databases. In *Proc. 6th Advanced Database Symposium*, pages 77–83. [124](#)
- Wolf, J. L., Dias, D., Yu, S., and Turek, J. (1993). Algorithms for parallelizing relational database joins in the presence of data skew. Research Report RC19236 (83710), IBM Watson Research Center, Yorktown Heights, NY. [529](#), [548](#)
- Wolfson, O. (1987). The overhead of locking (and commit) protocols in distributed databases. *ACM Trans. Database Syst.*, 12(3):453–471. [455](#), [456](#), [493](#)
- Wong, E. (1977). Retrieving dispersed data from sdd-1. In *Proc. 2nd Berkeley Workshop on Distributed Data Management and Computer Networks*, pages 217–235. [281](#), [293](#)
- Wong, E. and Youssefi, K. (1976). Decomposition: A strategy for query processing. *ACM Trans. Database Syst.*, 1(3):223–241. [258](#), [275](#), [292](#)
- Wright, D. D. (1983). Managing distributed databases in partitioned networks. Technical Report TR83-572, Department of Computer Science, Cornell University, Ithaca, N.Y. [456](#), [493](#)
- Wu, E., Diao, Y., and Rizvi, S. (2006). High-performance complex event processing over streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 407–418. [725](#)
- Wu, K.-L., Chen, S.-K., and Yu, P. (2004). Interval query indexing for efficient stream processing. In *Proc. 13th ACM Int. Conf. on Information and Knowledge Management*, pages 88–97. [741](#)
- Wu, K.-L., Yu, P. S., and Pu, C. (1997). Divergence control algorithms for epsilon serializability. *IEEE Trans. Knowl. and Data Eng.*, 9(2):262–274. [401](#), [462](#)
- Wu, S., Yu, G., Yu, Y., Ou, Z., Yang, X., and Gu, Y. (2005). A deadline-sensitive approach for real-time processing of sliding windows. In *Proc. 6th Int. Conf. on Web-Age Information Management*, pages 566–577. [740](#)



- Fernández, M., Malhotra, A., Marsh, J., Nagy, M., and Walsh, N., editors. XQuery 1.0 and XPath 2.0 data model (XDM) (2007). Available from: <http://www.w3.org/TR/2007/REC-xpath-datamodel-20070123> [Last retrieved: February 2010]. 712
- XHTML. XHTML 1.0 The extensible HyperText markup language (2nd edition) (2002). Available from: <http://www.w3.org/TR/xhtml1/> [Last retrieved: December 2009]. 690
- Xie, J., Yang, J., and Chen, Y. (2005). On joining and caching stochastic streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 359–370. 740
- Xu, J., Lin, X., and Zhou, X. (2004). Space efficient quantile summary for constrained sliding windows on a data stream. In *Proc. 5th Int. Conf. on Web-Age Information Management*, pages 34–44. 737
- Yan, L. L. (1997). Towards efficient and scalable mediation: The aurora approach. In *Proc. IBM CASCON Conference*, pages 15–29. 134
- Yan, L.-L., Miller, R. J., Haas, L. M., and Fagin, R. (2001). Data-driven understanding and refinement of schema mappings. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 485–496. 152
- Yan, L.-L. and Özsu, M. T. (1999). Conflict tolerant queries in aurora. In *Proc. Int. Conf. on Cooperative Information Systems*, pages 279–290. 158
- Yan, L. L., Özsu, M. T., and Liu, L. (1997). Accessing heterogeneous data through homogenization and integration mediators. In *Proc. Int. Conf. on Cooperative Information Systems*, pages 130–139. 134
- Yang, B. and Garcia-Molina, H. (2002). Improving search in peer-to-peer networks. In *Proc. 22nd Int. Conf. on Distributed Computing Systems*, pages 5–14. 617
- Yang, X., Lee, M.-L., and Ling, T. W. (2003). Resolving structural conflicts in the integration of XML schemas: A semantic approach. In *Proc. 22nd Int. Conf. on Conceptual Modeling*, pages 520–533. 134
- Yao, S. B., Navathe, S. B., and Weldon, J.-L. (1982a). *An Integrated Approach to Database Design*, pages 1–30. Lecture Notes in Computer Science 132. Springer. 73
- Yao, S. B., Waddle, V., and Housel, B. (1982b). View modeling and integration using the functional data model. *IEEE Trans. Softw. Eng.*, SE-8(6):544–554. 149
- Yeung, C. and Hung, S. (1995). A new deadlock detection algorithm for distributed real-time database systems. In *Proc. 14th Symp. on Reliable Distributed Systems*, pages 146–153. 401
- Yong, V., Naughton, J., and Yu, J. (1994). Storage reclamation and reorganization in client-server persistent object stores. In *Proc. 10th Int. Conf. on Data Engineering*, pages 120–133. 581
- Yormark, B. (1977). The ansi/sparc/dbms architecture. In Jardine, D. A., editor, *ANSI/SPARC DBMS Model*, pages 1–21. North-Holland. 22
- Yoshida, M., Mizumachi, K., Wakino, A., Oyake, I., and Matsushita, Y. (1985). Time and cost evaluation schemes of multiple copies of data in distributed database systems. *IEEE Trans. Softw. Eng.*, SE-11(9):954–958. 124
- Yu, C. and Meng, W. (1998). *Principles of Query Processing for Advanced Database Applications*. Morgan Kaufmann. 331

- Yu, C. T. and Chang, C. C. (1984). Distributed query processing. *ACM Comput. Surv.*, 16(4):399–433. [220](#)
- Yu, P. S., Cornell, D., Dias, D. M., and Thomasian, A. (1989). Performance comparison of the io shipping and database call shipping schemes in multi-system partitioned database systems. *Perf. Eval.*, 10:15–33. [401](#)
- Zaniolo, C. (1983). The database language gem. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 207–218. [587](#)
- Zdonik, S. and Maier, D., editors (1990). *Readings in Object-Oriented Database Systems*. Morgan Kaufmann. [607](#)
- Zezula, P., Amato, G., Debole, F., and Rabitti, F. (2003). Tree signatures for XML querying and navigation. In *Database and XML Technologies, 1st Int. XML Database Symp.*, pages 149–163. [701](#)
- Zhang, C., Naughton, J. F., DeWitt, D. J., Luo, Q., and Lohman, G. M. (2001). On supporting containment queries in relational database management systems. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 425–436. [699](#), [700](#)
- Zhang, J. and Honeyman, P. (2008). A replicated file system for grid computing. *Concurrency and Computation: Practice and Experience*, 20(9):1113–1130. [750](#)
- Zhang, N. (2006). *Query Processing and Optimization in Native XML Databases*. PhD thesis, University of Waterloo. [719](#)
- Zhang, N., Agarwal, N., Chandrasekar, S., Idicula, S., Medi, V., Petride, S., and Sthanikam, B. (2009a). Binary XML storage and query processing in oracle 11g. *PVLDB*, 2(2):1354–1365. [703](#)
- Zhang, N., Kacholia, V., and Özsu, M. T. (2004). A succinct physical storage scheme for efficient evaluation of path queries in XML. In *Proc. 20th Int. Conf. on Data Engineering*, pages 54–65. [699](#)
- Zhang, N. and Özsu, M. T. (2010). XML native storage and query processing. In Li, C. and Ling, T.-W., editors, *Advanced Applications and Structures in XML Processing: Label Streams, Semantics Utilization and Data Query Technologies*. IGI Global. [699](#)
- Zhang, N., Özsu, M. T., Aboulmaga, A., and Ilyas, I. F. (2006a). XSEED: accurate and fast cardinality estimation for XPath queries. In *Proc. 22nd Int. Conf. on Data Engineering*, page 61. [702](#)
- Zhang, N., Özsu, M. T., Ilyas, I. F., and Aboulmaga, A. (2006b). Fix: Feature-based indexing technique for XML documents. In *Proc. 32nd Int. Conf. on Very Large Data Bases*, pages 259–270. [701](#)
- Zhang, R., Koudas, N., Ooi, B. C., and Srivastava, D. (2005). Multiple aggregations over data streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 299–310. [740](#)
- Zhang, Y. (2010). *XRPC: Efficient Distributed Query Processing on Heterogeneous XQuery Engines*. PhD thesis, Universiteit van Amsterdam. [719](#)
- Zhang, Y. and Boncz, P. A. (2007). Xrpc: Interoperable and efficient distributed XQuery. In *Proc. 33rd Int. Conf. on Very Large Data Bases*, pages 99–110. [712](#)
- Zhang, Y., Tang, N., and Boncz, P. A. (2009b). Efficient distribution of full-fledged XQuery. In *Proc. 25th Int. Conf. on Data Engineering*, pages 565–576. [710](#), [712](#)

- Zhao, B., Huang, L., Stribling, J., Rhea, S., Joseph, A. D., and Kubiataowicz, J. (2004). Tapestry: A resilient global-scale overlay for service deployment. *IEEE J. Selected Areas in Comm.*, 22(1):41–53. [620](#), [646](#)
- Zhu, Q. (1995). *Estimating Local Cost Parameters for Global Query Optimization in a Multidatabase System*. Ph.D. thesis, Department of Computer Science, University of Waterloo, Waterloo, Canada. [313](#)
- Zhu, Q. and Larson, P.-Å. (1994). A query sampling method of estimating local cost parameters in a multidatabase system. In *Proc. 10th Int. Conf. on Data Engineering*, pages 144–153. [307](#), [308](#), [331](#)
- Zhu, Q. and Larson, P. A. (1996a). Developing regression cost models for multidatabase systems. In *Proc. 4th Int. Conf. on Parallel and Distributed Information Systems*, pages 220–231. [307](#), [309](#), [331](#)
- Zhu, Q. and Larson, P. A. (1996b). Global query processing and optimization in the cords multidatabase system. In *Proc. Int. Conf. on Parallel and Distributed Computing Systems*, pages 640–647. [308](#)
- Zhu, Q. and Larson, P. A. (1998). Solving local cost estimation problem for global query optimization in multidatabase systems. *Distrib. Parall. Databases*, 6(4):373–420. [307](#), [308](#), [331](#)
- Zhu, Q. and Larson, P.-Å. (2000). Classifying local queries for global query optimization in multidatabase systems. *Int. J. Cooperative Information Syst.*, 9(3):315–355. [309](#)
- Zhu, Q., Motheramgari, S., and Sun, Y. (2003). Cost estimation for queries experiencing multiple contention states in dynamic multidatabase environments. *Knowledge and Information Systems*, 5(1):26–49. [307](#), [314](#), [331](#)
- Zhu, Q., Sun, Y., and Motheramgari, S. (2000). Developing cost models with qualitative variables for dynamic multidatabase environments. In *Proc. 16th Int. Conf. on Data Engineering*, pages 413–424. [307](#), [313](#), [331](#)
- Zhu, S. and Ravishankar, C. (2004). A scalable approach to approximating aggregate queries over intermittent streams. In *Proc. 16th Int. Conf. on Scientific and Statistical Database Management*, pages 85–94. [727](#)
- Zhu, Y., Rundensteiner, E., and Heineman, G. (2004). Dynamic plan migration for continuous queries over data streams. In *Proc. ACM SIGMOD Int. Conf. on Management of Data*, pages 431–442. [739](#)
- Zhu, Y. and Shasha, D. (2003). Efficient elastic burst detection in data streams. In *Proc. 9th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, pages 336–345. [727](#)
- Ziane, M., Zait, M., and Borla-Salamat, P. (1993). Parallel query processing with zigzag trees. *VLDB J.*, 2(3):277–301. [523](#), [548](#)
- Zloof, M. M. (1977). Query-by-example: A data base language. *IBM Systems J.*, 16(4):324–343. [57](#)
- Zobel, D. D. (1983). The deadlock problem: A classifying bibliography. *Operating Systems Rev.*, 17(2):6–15. [401](#)

# Index

- $\theta$ -join, 46, 50
- nary integration, 148
- 1SR, *see* one-copy serializability
- 2PC, *see* two-phase commit
- 2PL, *see* two-phase locking
- 3PC, *see* three-phase commit
  
- abort, 339, 411
- abort list, 422
- abstract data type, 551, 554
- access control, 180
- access frequency, 85
- access path, 35
- access path selector, 35
- access pattern, 19
- access support relation, 564, 590
- ACID properties, 344, 396, 747
- action model, 350
- activation queue, 532
- Active XML, 703
- activity, 354, 355
- adaptive query processing, 320
- adaptive reaction, 322
- adaptive virtual partitioning, 544
- ADT, *see* abstract data type
- affix, 142
- after image, 418
- aggregate assertion, 199
- aggregate constraint, 195
- aggregation graph, *see* composition, graph
- algebraic query, 205, 221, 222, 227
- allocation, 75, 79–82, 89, 95, 96, 113–119, 121, 123–125, 128, 560
- anomaly serializability, 349
- ANSI/SPARC architecture, 22, 32
- APPA, 626, 627, 636, 638, 649, 651, 652, 654
- application server, 30
- apprentice site, 278
- archive, 426
- ARIES, 418
- ARTEMIS, 160
- associated horizontal fragmentation, 560
- atomic commitment, 428
- atomic operation, 342
- atomicity, 344, 405, 427
- attribute, 42
- attribute affinity matrix, 101, 102, 106
- attribute affinity measure, 100, 101
- attribute usage value, 100
- AURORA data integration system, 134
- Aurora DSMS, 730
- authorization matrix, 182
- autonomy, 25
  - communication, 26, 298
  - design, 26, 298
  - execution, 26, 298
- Autoplex, 145
- availability, 18, 405, 406, 408
- AVP, *see* adaptive virtual partitioning
  
- B-tree index, 510, 515
- backend computer, *see* also database machine, 30
- backlink, 665
- bandwidth, 15, 65
- base relation, 172
- BATON, 622, 643, 645
- BATON\*, 622
- before image, 418
- behavioral conflict, 140
- behavioral constraint, 188
- Bell number, 98
- Best Position algorithm, 634
- Bigtable, 753, 755

- binary integration, 147
- BitTorrent, 615
- bond energy algorithm, 102
- bottom-up design, 73, 131, 133
- Boyce-Codd normal form, 555
- BPA, *see* Best Position algorithm
- BPEL, *see* Business Process Execution Language
  - Language
- broadcast network, 63
- bucket algorithm, 305
- bushy query tree, 248
- bushy querytree, 523
- Business Process Execution Language, 750
- cache consistency, 572
  - adaptive optimistic algorithm, 573
  - asynchronous avoidance-based, 573
  - avoidance-based algorithm, 572
  - caching 2PL, 573
  - callback-read locking, 573
  - detection-based algorithm, 572
  - no-wait locking, 573
  - optimistic 2PL, 573
- cache manager, 35
- calculus query, 205, 221, 222
- CAN, 646
- candidate key, 42
- candidate set cover, 152
- canonical data model, 134
- carrier sense medium access with collision
  - detection, 62, 70
- Cartesian product, 46, 49
- cascading abort, 347, 371
- catalog, 122
- cell, 64
- cellular network, 64
- centralized query optimization, 257
- chained partitioning, 512
- chained query, 272
- checkpointing, 425
  - action-consistent, 426
  - automatic, 456
  - delta, 456
  - fuzzy, 426
  - state, 456
  - transaction-consistent, 426
- Chord, 621
- circuit switching, 65
- class, 556, 565, 577, 579
  - graph, 579
  - partitioning, 564
- cleaning operator, 158
- client/server DBMS, 4, 11, 21, 27–30, 35, 567
  - object server, 567, 568
  - page server, 568
- cloud computing, 723, 744, 745
- cloud data management, 723, 744
- cluster, 502, 505, 506, 508, 530
- clustered affinity matrix, 102, 103, 106, 108, 110, 126
- clustering, 102, 508
- collection, 557
- COMA, 142, 144
- commit, 339
- commit list, 422
- committable state, 444
- communication cost, 210, 245
- communication links, 65
- communication time, 250
- commutativity, 594, 600, 603
  - semantic, 595
  - syntactic, 594
- complexity of relational algebra operators, 210
- composite matching, 146
- composition, 578, 579
  - graph, 587, 601
  - link, 579
- computer network, 1
- conceptual design, 73
- conceptual view, 22
- concurrency control, 20, 116, 358
  - optimistic, *see* optimistic concurrency control
  - pessimistic, *see* pessimistic concurrency control
- concurrency level, 361
- conflict, 362
  - read-write, 362
  - write-read, 362
  - write-write, 362
- conflict equivalence, 365
- conjunctive normal form, 222
- conjunctive query, 301
- connection graph, 224
- consistency, 345, 361
  - degree 0, 346
  - degree 1, 345
  - degree 2, 345
  - degree 3, 345, 366
  - strong, 460
  - weak, 460
- constraint-based matching, 143
- containment edge, 145
- contingency task, 356
- continual query, *see* continuous query
- continuous query, 6, 724
- Continuous Query Language, 728, 731
- coordinator timeout, 437
- cost function, 250

- cost model, 246, 249, 523
- COUGAR, 726, 730
- CPU cost, 210
- CQL, *see* Continuous Query Language
- crash recovery, 345
- crawler, 663–665
  - focused, 666
  - incremental, 666
  - parallel, 666
- crawling, 686
- cross-fragment join, 717
- CSMA/CD, *see* carrier sense medium access
  - with collision detection
- CUPID, 144
- cursor stability, 347
- cyclic query, 271
  
- DAS, *see* directly attached storage
- data blade, 606
- data cartridge, 606
- data cleaning, 157
  - instance-level, 157
  - schema-level, 157
- data dictionary, 122
- data directory, 122
- data distribution, 17, 19
- data encryption, 180
- data extender, 606
- data independence, 1, 8, 23, 578
  - logical, 9, 23
  - physical, 9, 23
- data integration, 133
- data integration system, 20, 35
- data localization, 206, 215–217, 221, 231
- data manager, 501
- data processor, 33
- data protection, 180
- data security, 180
- data shipping, 566, 710
- data skew, 527
- data stream, 723, 725
- data stream management, 723
- data stream management systems, 723
- data transfer rate, 65
- data translation, 155
- data warehouse, 131, 132, 149, 157
- database allocation problem, 116
- database buffer manager, 35, 413
- database cluster, 534
- database computer, *see* also database machine, 30
  - physical, 131
- database log, 416
- database machine, 30
- database profiles, 283
- database recovery, 349
- database server, 30
- database statistics, 213, 252
- database system, 1
- DataGuide, 675, 701
- DATAID-D, 125
- Datalog, 300, 301, 628
- deadlock, 18, 361, 387
  - avoidance, 18, 390
  - centralized detection, 392
  - detection, 18
  - detection and resolution, 391
  - distributed detection, 393
    - global, 388
    - hierarchical detection, 392
    - prevention, 18, 389, 391
- deadlock management, 20, 387
- decision tree, 146
- declustering, 508
- decomposition, 258
- decomposition storage model, 579
- deep extent, 560, 599
- deep web, 657
- deletion anomaly, 44
- demand paging, 415
- dependency conflict, 140
- derived fragmentation, 96
- derived horizontal fragmentation, 81, 85, 92–95, 97, 98, 127, 237, 560
- detachment, 258, 275
- deterministic search strategy, 248
- DHT, *see* dynamic hash table
- differential file, 419
- differential relation, 177
- DIKE, 145, 160
- DIPE, 160
- direct storage model, 579
- directly attached storage, 507
- directory management, 14
- dirty read, 348
- disjointness, 79
- disjunctive normal form, 222
- distributed computing, 2
- distributed computing system, 2
- distributed concurrency control, 14, 18, 361
- distributed cost model, 249
- distributed database, 3
- distributed database design, 17, 19
- distributed database management system, 3
- distributed database reliability, 18



- distributed database system, 1
- distributed deadlock management, 18
- distributed directory, 171
- distributed directory management, 17, 19
- distributed execution monitor, 33
- Distributed INGRES, 292
- distributed INGRES, 392, 474
- distributed join, 33
- distributed object DBMS, 552
- distributed processing, 2
- distributed query, 176, 205
- distributed query execution, 216, 219
- distributed query execution plan, 219
- distributed query processing, 17, 205
- distributed query processor, 212
- distributed recovery protocols, 14
- distributed relation, 221
- distributed reliability, 14
- distributed reliability protocol, 427
- distributed static query optimization, 277
- distributed transaction log, 453
- distributed transaction manager, 33
- distribution design, 74
- division operator, 46, 54
- DocBook, 690
- Document Type Definition, 693
- domain, 42
- domain constraint, 190
- domain relational calculus, 55, 57
- domain variable, 57
- DSM, *see* direct storage model
- DSMS, *see* data stream management system
- DTD, *see* Document Type Definition
- durability, 349, 396, 405, 427
- dynamic buffer allocation, 415
- dynamic distributed query optimization, 274
- dynamic hash table, 618, 637
  - replica consistency, 646
- dynamic programming, 248, 261
- dynamic query optimization, 213, 257
- dynamic schema evolution, 605
  
- E-R model, 136, 161
- EAI, *see* Enterprise Application Integration
- Eddy, 321, 323, 325, 326, 331, 739
- edit distance, 142
- Edutella, 624, 628
- EII, *see* Enterprise Information Integration
- elasticity, 746
- element-level matching, 139, 143
- elimination of redundancy, 222, 226
- Enterprise Application Integration, 131
- Enterprise Information Integration, 131
- entity analysis, 73
- entity-relationship data model, 136
- epidemic protocol, 617
- equi-join, 50
- erroneous state, 406
- error, 406
- error latency, 409
- Ethernet, 62
- ETL, *see* extract-transform-load
- exhaustive search, 212, 213
- export schema, 36
- external, 262
- external view, 22
- extract-transform-load, 131
  
- fail-fast module, 455
- fail-stop module, 455
- failover, 500
- failure, 18, 406
  - communication, 412
  - hardware, 411
  - media, 412, 426
  - performance, 413
  - site, 411, 436
  - software, 411
  - system, 411
- failure atomicity, 13
- failures of commission, 455
- failures of omission, 455
- fault, 406
  - hard, 407
  - intermittent, 407
  - permanent, 407
  - soft, 407
  - transient, 407
- federated database, 20, 36
- fetch-as-needed, 279
- file allocation problem, 116
- fix/flush, 424, 453
- fix/no-fix decision, 420
- fix/no-flush, 423
- flush/no-flush decision, 420
- FLWOR expression, 697, 702
- force/no-force decision, 420
- forcing a log, 418
- foreign key constraint, 190
- fragment, 17, 75–81, 85–95, 97–100, 108–120, 123–125, 128
- fragment query, 11
- fragment tree pattern, 716
- fragment-and-replicate, 276
- fragmentation, 8, 17, 19, 75–82, 85–87, 89, 93–98, 101, 102, 110, 113, 117, 123–126, 128, 508, 560
- horizontal, *see* horizontal fragmentation

- vertical, *see* vertical fragmentation
- vertical class, 578, 579
- fragmentation predicate, 85
- fragmentation scheme, 98
- fragmentation tree patterns, 706
- Freenet, 615
- FTP, *see* fragmentation tree patterns
- full partitioning, 509
- full reducer, 271
- fully decentralized top-k, 636
- fully duplicated database, *see* fully replicated database
- fully replicated database, 17, 80
- function shipping, 566, 569
- functional analysis, 73
- functional dependency, 44
- functional dependency constraint, 190
- fuzzy read, 348
- Galax, 702
- garbage collection, 568, 579, 580
  - automatic, 579
  - copy-based, 580
  - distributed, 578–580
  - mark and sweep, 580
  - reference counting, 580
  - tracing-based, 580
- Garlic, 317
- GAV, *see* global-as-view
- GCS, *see* global conceptual schema
- general constraint, 189
- GFS, *see* Google File System
- Gigascope, 729
- GLAV, *see* global-local-as-view
- global affinity measure, 103
- global commit rule, 429
- global conceptual schema, 32, 73, 74, 131–135, 137, 147–151, 153–155, 159, 161, 217
- global directory/dictionary, 122
- global history, 366
- global index, 510
- global query, 11
- global query optimization, 216, 218
- global query optimizer and decomposer, 33
- global relation, 221
- global schema, 627
- global undo, 422
- global wait-for graph, 388, 391, 392
- global-as-view, 133, 154, 160, 300–302
- global-local-as-view, 133, 155, 301
- Globus, 750
- Gnutella, 612, 615, 645
- Google File System, 753
- gossip protocol, 617
- grid computing, 748
- Grosh's law, 15
- Grouping, 99
- GSQL, 728, 729, 731
- Hadoop, 747
- Hadoop Distributed File System, 753
- hashed index, 510
- hazard function, 408
- HDFS, *see* Hadoop Distributed File System
- heterogeneity, 27
- heterogeneous cost model, 307
- hidden web, 657, 685
- hill-climbing algorithm, 281
- histogram, 256
- history, 362, 364
  - complete, 362, 363
  - global, *see* global history
  - incomplete, 364
  - serial, *see* serial history
  - serializable, *see* serializable history
- HITS algorithm, 668
- holistic twig join, 701
- homonyms, 141
- horizontal fragmentation, 11, 76, 78, 79, 81, 85, 98, 110, 112, 113, 117, 123, 125, 127, 508, 560
- HTML, 689
- hybrid algorithm, 368
- hybrid cloud, 747
- Hybrid distributed query optimization, 286
- hybrid fragmentation, 77, 112, 113, 128, 238, 560
- hybrid matching, 146
- hybrid P2P network, 614
- hybrid query optimization, 213, 265
- hypernym, 141
- I/O cost, 210
- IaaS, *see* infrastructure-as-a-service
- ICQ, 612
- idempotency rules, 226
- IEEE 802 Standard, 70
- iMAP, 147
- impedance mismatch, 552
- in-place updating, 416
- inclusion dependency, 188
- independent parallelism, 514
- independent recovery protocol, 428, 436
- individual constraint, 194, 195, 197
- information integration, 133
- infrastructure-as-a-service, 746
- INGRES, 172, 292
- inheritance, 558, 559, 579

- inner join, 50
- insertion anomaly, 44
- installation read, 568
- instance matching, 139
- instance variable, 554, 555
- instance-based matching, 138, 139, 141
- integration, 2
- integrity constraint, 335
- inter-operator load balancing, 529
- inter-operator parallelism, 514, 521
- inter-query parallelism, 15
- inter-transaction caching, 571
- internal cloud, 747
- internal relation, 262
- internal view, 22
- Internet, 59
- Internet layer protocol, 67
- interoperability, 131
- interschema rules, 142
- intersection operator, 46, 50
- intra-operator load balancing, 527
- intra-operator parallelism, 513, 515, 521
- intra-query load balancing, 530
- intra-query parallelism, 15
- intranet, 60
- intranode graph, 661
- intraquery concurrency, 76
- intraschema rules, 142
- invalidation, 594, 595
- inverse rule algorithm, 305
- isolation, 346, 361, 396
- iterative improvement, 212
- join graph, 82, 94, 97, 126, 224
  - partitioned, 95
  - simple, 94
- join graph.simple, 94, 95
- join index, 589
- join ordering, 218, 267
  - distributed queries, 267
- join predicate, 50
- join selectivity factor, 252
- join trees, 246
- JXTA, 624
- Kademlia, 621
- Kazaa, 612, 615, 645
- key, 42
  - candidate, *see* candidate key
  - primary, *see* primary key
- key conflict, 140
- LAN, *see* local area network
- landmark window, 726
- latency, 15
- latent failure, 409
- LAV, 133, *see* local-as-view
- LCS, *see* local conceptual schema
- learning-based matching, 145
- least recently used algorithm, 415
- left-deep tree, 522
- legacy system, 131
- Lewenstein metric, 142
- linear join tree, 248
- linguistic matching, 141
- link analysis, 668
- LIS, *see* local internal schema
- load balancing, 525
- local area network, 61
- local conceptual schema, 132
- local conceptual schema, 32, 131–133, 135, 137, 147, 149, 150, 154, 155, 157, 159
- local directory/dictionary, 122
- local export schema, 134
- local external schema, 134
- local history, 366
- local internal schema, 32
- local processing cost, 245
- local query, 219
- local query optimizer, 35
- local recovery manager, 35, 356
- local reliability protocol, 413
- local wait-for graph, 388, 392
- local-as-view, 133, 160, 300, 301, 304, 627
- localization, 231, 715
- localization program, 217, 231, 715
- localized query, 232
- lock, 368
  - logical, 368
  - manager, 369
  - mode, 369, 372
  - point, 370
  - unit, 368
- lock-step, 456
- locking, 18, 361, 400
- locking algorithm, 368, 369
- locking granularity, 368
- log buffer, 418
- logical link control layer, 70
- LoREL, 673
- lossless decomposition, 79
- lost update, 347, 362
- LSD, 145, 147
- MADMAN, 390
- MAN, *see* metropolitan area network
- mapping creation, 149, 150
- mapping maintenance, 149, 155

- MapReduce, 753, 758
- master site, 274, 278
- materialization program, 218
- materialized view, 172, 176, 199
- materialized view maintenance, 132
- Maveric, 156
- maximally-contained query, 304
- MDBS, *see* multidatabase system
- mean time between failure, 409
- mean time to detect, 409
- mean time to fail, 409
- mean time to repair, 409
- mediated schema, 131, 135, 149
- mediator, 299
- mediator/wrapper architecture, 297, 299
- medium access control layer, 70
- merge-join, 262
- metadata, 122
- metasearch, 670, 687, 689
- metropolitan area network, 61
- middleware, 12
- MinCon algorithm, 305, 306
- minterm fragment, 86, 90
- minterm predicate, 83–92, 97, 98, 560
- minterm selectivity, 84
- mixed fragmentation, 112
- MOB, *see* modified object buffer
- MonetDB/XQuery, 703
- monitoring parameter, 321
- monotonic query, 727
- MPEG-7, 690
- MTBF, *see* mean time between failure
- MTTD, *see* mean time to detect
- MTTF, *see* mean time to fail
- MTTR, *see* mean time to repair
- Mulder, 681
- multi-point network, 63
- multicast, 64
- multidatabase, 133, 135, 308, 316
- multidatabase query optimization, 307
- multidatabase query processing, 297
- multidatabase system, 20, 21, 131, 161, 297, 298
- multigranularity locking, 597, 599, 601, 604
- multiple client/multiple server system, 29
- multiple client/single server system, 29
- multiple inheritance, 599
- multivalued dependency, 44
- mutual consistency, 18
- mutually consistent state, 336
  
- n-gram, 142
- n-way partitioning, 110
- naming, 14
  
- Napster, 615
- NAS, *see* network-attached storage
- natural join, 46, 51
- negative superedge graph, 662
- negative tuple, 735
- nested fragmentation, 112
- nested loop join, 262, 732
- network layer protocol, 67
- network partitioning, 18, 412, 448
  - multiple, 448
  - simple, 448
- network protocol, 65
- network-attached storage, 507
- neural network, 145
- no-fix/flush, 423
- no-fix/no-flush, 421, 453
- no-force/no-steal, 424
- no-steal/force, 424
- no-undo/no-redo, 424
- NODO protocol, 489, 491, 495, 537, 540, 546, 550
- non-committable state, 444
- non-null attribute constraint, 189
- non-replicated database, 17, 80
- non-uniform memory architecture, 502, 505–508, 530, 547
  - cache coherent, 506
- NonStop SQL, 377
- normal form, 44
  - Boyce-Codd, 44
  - fifth, 44
  - first, 44
  - fourth, 44
  - second, 44
  - third, 44
- normalization, 43, 222, 555
- normalized storage model, 579
- NSM, *see* normalized storage model
- NUMA, *see* non-uniform memory architecture
- NWL, *see* no-wait locking cache consistency
  
- object, 553
  - aggregation, 557
  - aggregation graph, 558
  - aggregation hierarchy, 558
  - atomic value, 554
  - complex, 551, 558, 578, 593
  - composite, 551, 557, 578, 590, 605
  - composition, 557
  - composition graph, 558
  - composition hierarchy, 558
  - identifier, *see* object identifier
  - interface, 555
  - manager, 567, 568

- method, 555, 560, 567, 568, 577
- model, 553
- physical clustering, 578
- query, 582
- set value, 554
- state, 560, 577
- storage, 578
- tuple value, 554
- value, 554
- object algebra, 585
- object assembly, 578, 590
- object buffer, 571
  - modified, 571
- object clustering, 568, 578, 579
- Object Data Management Group, 553
- object DBMS, 551, 553
- Object Definition Language, 553
- Object Exchange Model, 671
- object identifier, 553, 568, 574, 578, 579
  - logical, 568, 574, 578
  - physical, 568, 574, 578
  - pure logical, 574
  - virtual, 568
- object migration, 574, 577
- Object Query Language, 553
- OceanStore, 649
- ODL, *see* Object Definition Language
- ODMG, *see* Object Data Management Group
- ODMG model, 553
- OEM, *see* Object Exchange Model
- OGSA, *see* Open Grid Services Architecture
- OGSA Database Access and Integration, 750
- OGSA-DAI, *see* OGSA Database Access and Integration
- OID, *see* object identifier
- OLAP, *see* On-Line Analytical Processing, *see*
  - On-Line Analytical Processing
- OLTP, *see* On-Line Transaction Processing, *see*
  - On-Line Transaction Processing
- On-Line Analytical Processing, 132, 497, 747
- On-Line Transaction Processing, 132, 497, 747
- one-copy equivalence, 336
- one-copy serializability, 464
- online recovery, 546
- ontology, 141
- Open Grid Services Architecture, 750
- operation, 341
- operation conflict, 342
- operational logging, 418
- operator tree, 227, 246, 522
- optimal ordering, 245
- optimal strategy, 245
- optimistic concurrency control, 18, 361, 367, 384
- optimizer, 245
- OQL, *see* Object Query Language
- ordered shared locking, 372, 395
- ordered sharing, 600
- out-of-place updating, 416
- outer join, 46, 50, 51
- overlay network, 614, 621
  - pure, *see* pure P2P network
- P-Grid, 622, 649, 651, 654
- P2P, *see* peer-to-peer
- P2P DBMS, *see* peer-to-peer DBMS
- PaaS, *see* platform-as-a-service
- packet, 65
- packet switching, 66
- page buffer, 570
- PageRank, 665
- PAJ, *see* parallel associative join
- parallel architecture, 498
- parallel associative join, 515, 516, 520, 641
- parallel database system, 4
- parallel hash join, 515, 518, 520, 641
- parallel nested loop join, 515, 520
- parallel query optimization, 521
- partial redo, 422
- partial undo, 422
- partially duplicated database, *see* partially
  - replicated database
- partially replicated database, 17, 80
- participant timeout, 438
- partition, 508
- partitioned database, 17, 80
- partitioning, 108, 508
- Pastry, 621
- path expression, 576, 583, 587, 589
- path index, 588
- path partitioning, 560, 563
- peer-to-peer, 611
- peer-to-peer computing, 20
- peer-to-peer data management, 611
- peer-to-peer DBMS, 21, 28, 30
- peer-to-peer system, 27, 30, 35
- peer-to-peer systems, 139
- PeerDB, 627
- Pegasus, 308, 309
- pessimistic concurrency control, 18, 361, 367
- phantom, 341, 348
- PHJ, *see* parallel hash join
- PHORIZONTAL, 89
- PHT, 622, *see* prefix hash tree
- physical data description, 8
- physical layer, 70
- PIER, 641
- PIERjoin, 641

- pipeline parallelism, 514
- pipelined symmetric hash join, 732
- PIW, *see* publicly indexable web
- PlanetP, 636
- planning function, 317
- platform-as-a-service, 746
- PNL, *see* parallel nested loop join
- PNUTS, 757
- POID, *see* physical object identifier
- point-to-point network, 63
- pointer swizzling, 574, 576
- positive superedge graph, 661
- posttest, 191
- precondition constraint, 189
- predefined constraint, 189
- predicate calculus, 47
- prefix hash tree, 643
- pretest, 191, 193
- preventive replication protocol, 537
- primary copy two-phase locking, 474
- primary horizontal fragmentation, 81, 85, 87, 89, 92, 97, 126, 232
- primary key, 42
- prime attribute, 42
- private cloud, 747
- process pair, 455
  - persistent, 456
- projection operator, 46, 48
- projection-join dependency, 44
- protocol, 67
- proxy, 577
- proxy node, 706
- pruning, 715
- public cloud, 747
- publicly indexable web, 657, 685
- publish/subscribe system, 725
- punctuation, 732
- pure P2P network, 614
- push-based system, 5, 6
  
- QBE, *see* Query-by-eExample, *see* Query-by-Example
- QTP, *see* query tree pattern
- QUEL, 56
- query analysis, 223
- query decomposition, 216, 221, 222
- query evaluation strategy, 19
- query execution, 301, 327
- query execution plan, 245, 246
- query graph, 224
- query modification, 173
- query normalization, 222
- query optimization, 206, 245
  - rule-based, 583
- query processing, 205
- query processor, 19, 205
- query rewrite, 222
  - using views, 304
- query rewriting, 227, 299
- query scrambling, 739
- query shipping, *see also* function shipping, 710
- query translation, 301, 327
- query tree pattern, 697, 715–717
- Query-by-Example, 23, 57
- question answering system, 681
- quorum, 450
- quorum-based voting protocol, 488
  
- R\*, 293
- randomized search algorithm, 586
- randomized search strategy, 249
- randomized strategy, 212
- range partitioning, 756
- range query on P2P systems, 642
- ranking, 664, 665, 668
- read lock, 369
- read quorum, 487
- read-one/write-all available protocol, 486–489
  - distributed, 487
- read-one/write-all protocol, 465, 486–488
- reconstruction, 79
- reconstruction program, 218
- recoverability, 594, 596
- recovery, 13, 18, 336
- recovery protocol, 428, 440
- redo/no-undo, 424
- reducer, 268, 269
- reduction technique, 232
- reference architecture, 21
- referential edge, 145
- referential integrity, 97
- referential sharing, 557
- relation, 41
  - cardinality, 42
  - degree, 42
  - fragment, 221
  - instance, 42
  - schema, *see* schema
- relational algebra, 45
- relational calculus, 45, 55
- relational database, 41
- relative consistency, 395
- relevant simple predicate, 87
- reliability, 12, 18, 20, 405, 406, 408
- remote procedure call, 11
- repetition anomaly, 43
- replicated database, 17, 336
- replication, 8, 10, 14, 19, 20, 565



- resiliency, 336
- response time, 210, 250, 251
  - optimization, 209
- right-deep tree, 522
- ring network, 63
- ripple join, 322, 325
- rollback, 339
- root proxy node, 706
- routing, 64
- ROWA, *see* read-one/write-all protocol
- ROWA-A, *see* read-one/write-all available protocol
- run-time support processor, 35
  
- S-Nodes, 661
- SaaS, *see* software-as-a-service
- saga, 351, 397, 401
- SAN, *see* storage area network
- schedule, *see* history
- scheduler, 356
- schema, 8, 42
  - heterogeneity, 140
  - adaptation, 156
  - definition, 8
  - generation, 133
  - heterogeneity, 138
  - integration, 135, 147
  - integration, *nary*, 147
  - integration, *binary*, 147
  - mapping, 135, 137, 149
  - matching, 135, 137
  - translation, 133, 169
- schema-based matching, 138, 139, 141
- schema-level matching, 143
- SDD-1, 293, 395
- search engine, 658, 663
- search space, 246, 522
- search strategy, 246, 248, 525
- security constraint, 171
- security control, 171
- selection operator, 46, 47
- selection predicate, 47
- selection selectivity, 253
- selectivity factor, 253
- semantic data control, 171
- semantic data controller, 33
- semantic heterogeneity, 140
- semantic integrity constraint, 171, 187
- semantic integrity control, 171, 187
- semantic relative atomicity, 395
- semantic translation, 155
- semantic web, 626
- semiautonomous systems, 26
- semijoin operator, 46, 53
- semijoin program, 271
- semijoin selectivity, 255
- semijoin-based distributed query optimization
  - algorithm, 281
- SEMENT, 145
- semistructured data, 670, 671
- serial history, 365, 366
- serializability, 349, 362, 364, 394, 594
  - conflict-based, 366
  - graph testing, 399
  - multilevel, 398
  - one-copy, *see* one-copy serializability
- serializable history, 366
- server virtualization, 746
- service level agreement, 745, 751, 753
- service oriented architecture, 744, 750
- session manager, 501
- set difference operator, 46, 48
- set-oriented constraint, 194, 196, 197
- SETI@home, 612
- shadow page, 419
- shadowing, 419
- shallow extent, 560
- shared-disk, 503
- shared-memory, 502
- shared-nothing, 504
- ship-whole, 279
- similarity flooding, 160
- similarity value, 137, 138
- Simple Object Access Protocol, 750
- simple predicate, 83, 84, 86–91, 98, 222
  - completeness, 86
  - minimality, 86
- simple virtual partitioning, 542
- simplification, 193
- simulated annealing, 212
- sketch, 733
- Skip Graph, 622
- SkipNet, 622
- SLA, *see* service level agreement
- sliding window, 726
  - operator, 733
- snapshot database, 723
- snapshot isolation, 349
- SOA, *see* service oriented architecture
- SOAP, 690, *see* Simple Object Access Protocol
- software-as-a-service, 746
- sort merge join, 516
- soundex code, 143
- source schema, 135
- specialization, 558
- Splitting, 99
- SQL, 56
- SQL/XML, 702

- SQuAL, 731
- SQuAI, 730, 731
- stable database, 414
- stable log, 418
- stable storage, 413
- star network, 63
- Start, 681
- state logging, 418
- static optimization, 218
- static query optimization, 213, 261
- steal/force, 423
- steal/no-steal decision, 420
- storage area network, 507
- STREAM, 728
- stream mining, 741
- StreaQuel, 728, 729, 731
- strict history, 347
- structural conflict, 140
- structural constraint, 188
- structural similarity, 144
- structure index, 667
- structure-based matching, 144
- structure-level matching, 139
- structured P2P network, 614, 618
- StruQL, 676
- subclassing, 558
  - multiple, 558
  - single, 558
- substitutability, 558
- substitution, 258
- subtype, 558
- subtyping, 558, 578
- super-peer P2P networks, 622
- super-peer system, 614
- superkey, 42
- supernode graph, 661
- surrogate, 577
- SVP, *see* simple virtual partitioning
- switching, 64
- symmetric hash join, 322, 325
- synonyms, 141
- synopsis, 742
- System R, 172, 292, 419
- System R\*, 377, 393
- TA, *see* Threshold algorithm, 629
- table queue, 532
- Tapestry, 620, 646
- target schema, 135
- TCP/IP, 66, 67, 69
- TelegraphCQ, 729
- termination protocol, 428, 437
  - non-blocking, 428, 436
- text index, 667
- third normal form, 555
- Three Phase Uniform Threshold algorithm, 631
- three-phase commit, 443
  - recovery, 448
  - termination, 445
- three-phase commit protocol
  - centralized, 445
  - distributed, 445
  - linear, 445
- Threshold algorithm, 629
- TID, *see* tuple, identifier
- tight integration, 26
- time-decay model, 726
- timestamp, 377–379, 382, 383, 385, 386, 394
  - read, 378
  - write, 378
- timestamp ordering, 361, 368, 377, 378, 382, 400
  - basic, 368, 378
  - conservative, 368, 381–383
  - multiversion, 368, 383
  - nested, 597
- timestamping, 18
- top-down design, 73
- top-k query, 628
- total cost optimization, 209
- total isolation, 26
- total time, 250
- TPUT, *see* Three Phase Uniform Threshold algorithm
- transaction, 13, 23, 335, 568, 593
  - abort, *see* abort
  - atomicity, *see* atomicity
  - base set, 341
  - batch, 350
  - closed, 351
  - closed nested, 352, 396
  - compensating, 352
  - consistency, *see* consistency
  - conversational, 350
  - distributed, 13
  - durability, *see* durability
  - failure, *see* transaction failure
  - flat, 351, 394, 593, 596
  - formal definition, 342
  - global undo, *see* global undo
  - isolation, *see* isolation
  - long-life, 350
  - model, 593
  - multilevel, 397
  - nested, 352, 396, 600
  - online, 350
  - open nested, 351, 352
  - partial undo, *see* partial undo

- properties, 344
- read set, 340
- read-before-write, 350
- recovery, *see* transaction recovery
- redo, *see* transaction redo
- restricted, 350
- restricted two-step, 350
- short-life, 350
- split, 352
- two-step, 350
- types, 349
- undo, *see* transaction undo
- workflow, *see* workflow
- write set, 340
- transaction consistency, 335
- transaction failure, 411
- transaction management, 10, 20
- transaction manager, 356, 501
- transaction recovery, 344
- transaction redo, 417, 419
- transaction undo, 417, 419, 422
- transformation rule, 228, 585
- transition constraint, 190
- transitive closure, 46
- transparency, 3, 7, 12, 30, 32
  - concurrency, 13
  - distribution, 9
  - fragmentation, 11
  - language, 12
  - location, 9
  - naming, 10
  - network, 9, 10
  - replication, 10
- transport layer protocol, 67
- tree query, 271
- TreeSketch, 701
- Tribeca, 726, 729–731
- Tritus, 681
- tuple, 41
  - identifier, 99
  - variable, 56
- tuple relational calculus, 55, 56
- tuple substitution, 259
- two-phase commit, 14, 428, 456
  - centralized, 431
  - distributed, 432
  - linear, 431
  - nested, 431
  - presumed abort, 434
  - presumed commit, 436
- two-phase locking, 370
  - centralized, 373
  - distributed, 374
  - nested, 597
- primary copy, *see* primary copy two-phase locking
- primary site, 373
- strict, 371, 379
- type, 551, 556
  - abstract, 551
  - composite, 557
  - conflict, 140
  - lattice, 605
  - system, 551
- UDDI, 690
- UMA, *see* uniform memory access
- undo/no-redo, 423
- unfolding, 303
- unicast network, 63
- uniform memory access, 506
- unilateral abort, 429
- union operator, 46, 48
- unique key constraint, 190
- unstructured P2P network, 614, 615
- update anomaly, 44
- usage pattern, 19
- user interface handler, 33
- user processor, 33
- variable partitioning, 510
- VBI-tree, 622
- vertical fragmentation, 11, 76, 81, 98–100, 102, 111, 112, 123, 125, 127, 235, 560
- Viceroy, 621
- view, 23, 171, 172, 297, 301, 303, 557
  - definition, 173, 300
  - design, 73, 74
  - integration, 73
  - management, 171, 172
  - materialization, 172
- virtual private cloud, 747
- virtual relation, 23, 172
- volatile database, 414
- voting-based protocol, 450
- W3QL, 676
- WAIT-DIE algorithm, 390
- wait-for graph, 388
- WAL, *see* write-ahead logging
- WAN, *see* wide area network
- web, *see* World Wide Web
  - crawling, 664
  - data management, 657
  - graph, 658
  - querying, 670
  - search, 663
- web service, 744

- call, 749
- Web Service Definition Language, 750
- WebLog, 676
- WebOQL, 676, 678
- WebQA, 681
- WebSQL, 676, 678
- wide area network, 61
- window, 725, 727
  - count-based, 727, 729, 735
  - elastic, 727
  - fixed, 726
  - jumping, 727
  - landmark, 729
  - n-of-N, 727
  - partitioned, 727
  - predicate, 727
  - query, 725
  - sliding, 728
  - time-based, 727, 729, 735
  - tumbling, 727
  - tuple-based, 727
- wireless broadband network, 64
- wireless LAN, *see* wireless local area network
- wireless local area network, 64
- wireless network, 64
- workflow, 351, 354, 596
  - human-oriented, 354
  - system-oriented, 354
  - transactional, 354
- working-set algorithm, 415
- World Wide Web, 20, 21, 657
- WOUND-WAIT algorithm, 391
- wrapper, 149, 297, 299
- wrapper schema, 301
- write lock, 369
- write quorum, 487
- write-ahead logging, 419
- WS call, *see* web service, call
- WSDL, 690, *see* Web Service Definition Language
- WWW, *see* World Wide Web
- XB-tree, 701
- XHTML, 690
- XML, 134, 658, 689
  - data fragmentation, 703
  - document tree, 693
  - query processing, 699
- XMLSchema, 693
- XMLTable function, 702
- XPath, 690, 694
- XQuery, 690, 694, 697, 703
- XR-tree, 701
- XRPC, 712
- XSEED, 702
- XSketch, 701
- zigzag tree, 523