

GraphFramework

Erzeugt von Doxygen 1.8.9.1

Die Mai 26 2015 00:29:10

Inhaltsverzeichnis

1	Verzeichnis der Namensbereiche	1
1.1	Pakete	1
2	Hierarchie-Verzeichnis	3
2.1	Klassenhierarchie	3
3	Klassen-Verzeichnis	5
3.1	Auflistung der Klassen	5
4	Datei-Verzeichnis	7
4.1	Auflistung der Dateien	7
5	Dokumentation der Namensbereiche	9
5.1	Paket GraphFramework	9
5.2	Paket GraphFramework.Interfaces	9
6	Klassen-Dokumentation	11
6.1	GraphFramework.Attribute Klassenreferenz	11
6.1.1	Ausführliche Beschreibung	12
6.1.2	Beschreibung der Konstruktoren und Destruktoren	12
6.1.2.1	Attribute	12
6.1.3	Dokumentation der Propertys	12
6.1.3.1	Name	12
6.1.3.2	Type	12
6.1.3.3	Value	12
6.2	GraphFramework.Edge Klassenreferenz	12
6.2.1	Ausführliche Beschreibung	14
6.2.2	Beschreibung der Konstruktoren und Destruktoren	14
6.2.2.1	Edge	14
6.2.3	Dokumentation der Propertys	14
6.2.3.1	Node1	14
6.2.3.2	Node2	14
6.3	GraphFramework.Graph Klassenreferenz	15

6.3.1	Beschreibung der Konstruktoren und Destruktoren	16
6.3.1.1	Graph	16
6.3.2	Dokumentation der Elementfunktionen	16
6.3.2.1	AddEdge	16
6.3.2.2	AddGraph	17
6.3.2.3	AddGraph	17
6.3.2.4	AddNode	18
6.3.2.5	GetEdges	18
6.3.2.6	GetSingleNodes	18
6.3.2.7	MergeGraphs	18
6.3.2.8	MergeGraphs	19
6.3.2.9	RemoveEdge	20
6.3.2.10	RemoveNode	20
6.3.3	Dokumentation der Propertyys	21
6.3.3.1	Edges	21
6.3.3.2	Nodes	21
6.4	GraphFramework.GraphElement Klassenreferenz	21
6.4.1	Ausführliche Beschreibung	22
6.4.2	Beschreibung der Konstruktoren und Destruktoren	22
6.4.2.1	GraphElement	22
6.4.3	Dokumentation der Elementfunktionen	22
6.4.3.1	AddAttribute	22
6.4.3.2	RemoveAttribute	22
6.4.3.3	RemoveAttribute	23
6.4.4	Dokumentation der Datenelemente	23
6.4.4.1	mAttributes	23
6.4.5	Dokumentation der Propertyys	23
6.4.5.1	Attributes	23
6.5	GraphFramework.Interfaces.IAttribute Schnittstellenreferenz	23
6.5.1	Ausführliche Beschreibung	24
6.5.2	Dokumentation der Propertyys	24
6.5.2.1	Name	24
6.5.2.2	Type	24
6.5.2.3	Value	24
6.6	GraphFramework.Interfaces.IEdge Schnittstellenreferenz	25
6.6.1	Ausführliche Beschreibung	26
6.6.2	Dokumentation der Propertyys	26
6.6.2.1	Node1	26
6.6.2.2	Node2	26
6.7	GraphFramework.Interfaces.IGraph Schnittstellenreferenz	26

6.7.1	Ausführliche Beschreibung	27
6.7.2	Dokumentation der Elementfunktionen	28
6.7.2.1	AddEdge	28
6.7.2.2	AddGraph	29
6.7.2.3	AddGraph	29
6.7.2.4	AddNode	29
6.7.2.5	GetEdges	29
6.7.2.6	GetSingleNodes	30
6.7.2.7	RemoveEdge	30
6.7.2.8	RemoveNode	30
6.7.3	Dokumentation der Propertyys	30
6.7.3.1	Edges	30
6.7.3.2	Nodes	30
6.8	GraphFramework.Interfaces.IGraphElement Schnittstellenreferenz	31
6.8.1	Ausführliche Beschreibung	31
6.8.2	Dokumentation der Elementfunktionen	31
6.8.2.1	AddAttribute	31
6.8.2.2	RemoveAttribute	32
6.8.2.3	RemoveAttribute	33
6.8.3	Dokumentation der Propertyys	33
6.8.3.1	Attributes	33
6.9	GraphFramework.Interfaces.INode Schnittstellenreferenz	33
6.9.1	Ausführliche Beschreibung	34
6.10	GraphFramework.Node Klassenreferenz	34
6.10.1	Ausführliche Beschreibung	35
6.10.2	Beschreibung der Konstruktoren und Destruktoren	35
6.10.2.1	Node	35
7	Datei-Dokumentation	37
7.1	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/Attribute.cs-Dateireferenz	37
7.2	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/Edge.cs-Dateireferenz	37
7.3	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/Graph.cs-Dateireferenz	37
7.4	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/GraphElement.cs-Dateireferenz	38
7.5	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/Interfaces/IAttribute.cs-Dateireferenz	38
7.6	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↵ Implementierung/src/GraphFramework/Interfaces/IEdge.cs-Dateireferenz	38

7.7	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↔ Implementierung/src/GraphFramework/Interfaces/IGraph.cs-Dateireferenz	38
7.8	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↔ Implementierung/src/GraphFramework/Interfaces/IGraphElement.cs-Dateireferenz	39
7.9	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↔ Implementierung/src/GraphFramework/Interfaces/INode.cs-Dateireferenz	39
7.10	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↔ Implementierung/src/GraphFramework/Node.cs-Dateireferenz	39
7.11	C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_↔ Implementierung/src/GraphFramework/Properties/AssemblyInfo.cs-Dateireferenz	39
Index		41

Kapitel 1

Verzeichnis der Namensbereiche

1.1 Pakete

Hier folgen die Pakete mit einer Kurzbeschreibung (wenn verfügbar):

GraphFramework	9
GraphFramework.Interfaces	9

Kapitel 2

Hierarchie-Verzeichnis

2.1 Klassenhierarchie

Die Liste der Ableitungen ist -mit Einschränkungen- alphabetisch sortiert:

GraphFramework.Interfaces.IAttribute	23
GraphFramework.Attribute	11
GraphFramework.Interfaces.IGraphElement	31
GraphFramework.GraphElement	21
GraphFramework.Edge	12
GraphFramework.Graph	15
GraphFramework.Node	34
GraphFramework.Interfaces.IEdge	25
GraphFramework.Edge	12
GraphFramework.Interfaces.IGraph	26
GraphFramework.Graph	15
GraphFramework.Interfaces.INode	33
GraphFramework.Node	34

Kapitel 3

Klassen-Verzeichnis

3.1 Auflistung der Klassen

Hier folgt die Aufzählung aller Klassen, Strukturen, Varianten und Schnittstellen mit einer Kurzbeschreibung:

GraphFramework.Attribute	
The attribute class. A attribute is a holder of a generic value which has a name	11
GraphFramework.Edge	
The edge class	12
GraphFramework.Graph	
GraphFramework.GraphElement	
the abstract graphelement class nearly every framework class inherits from. The class generalize the relation between classes that can have attributes and the attribute class	21
GraphFramework.Interfaces.IAttribute	
An interface for classes that contain a value that has a name. Objects of classes that implement this interface can be added to objects of classes that implement the interface IGraphElement . .	23
GraphFramework.Interfaces.IEdge	
An interface for classes that are able to connect two objects of a class that implements the interface INode . Objects of classes that implement this interface can be added to objects of classes that implement the interface IGraph	25
GraphFramework.Interfaces.IGraph	
Classes that implement this interface are a representation of a set of objects that implement the interfaces INode and IEdge and the relations between them. It is able to perform actions on this objects.	26
GraphFramework.Interfaces.IGraphElement	
An interface for classes that are able to hold objects of classes that implement the interface IAttribute . The interfaces INode , IEdge and IGraph inherit from this interface.	31
GraphFramework.Interfaces.INode	
An interface for a class that is able to hold objects of a class that implements the interface IAttribute . Objects of classes that implement this interface can be added to objects of classes that implement the interface IGraph	33
GraphFramework.Node	
Node class	34

Kapitel 4

Datei-Verzeichnis

4.1 Auflistung der Dateien

Hier folgt die Aufzählung aller Dateien mit einer Kurzbeschreibung:

C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/ Attribute.cs	37
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/ Edge.cs	37
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/ Graph.cs	37
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/ GraphElement.cs	38
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/ Node.cs	39
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/ IAttribute.cs	38
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/ IEdge.cs	38
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/ IGraph.cs	38
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/ IGraphElement.cs	39
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/ INode.cs	39
C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Properties/ AssemblyInfo.cs	39

Kapitel 5

Dokumentation der Namensbereiche

5.1 Paket GraphFramework

Namensbereiche

- package [Interfaces](#)

Klassen

- class [Attribute](#)
The attribute class. A attribute is a holder of a generic value which has a name
- class [Edge](#)
The edge class
- class [Graph](#)
- class [GraphElement](#)
the abstract graphelement class nearly every framework class inherits from. The class generalize the relation between classes that can have attributes and the attribute class
- class [Node](#)
Node class

5.2 Paket GraphFramework.Interfaces

Klassen

- interface [IAttribute](#)
An interface for classes that contain a value that has a name. Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraphElement](#).
- interface [IEdge](#)
An interface for classes that are able to connect two objects of a class that implements the interface [INode](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).
- interface [IGraph](#)
Classes that implement this interface are a representation of a set of objects that implement the interfaces [INode](#) and [IEdge](#) and the relations between them. It is able to perform actions on this objects.
- interface [IGraphElement](#)
An interface for classes that are able to hold objects of classes that implement the interface [IAttribute](#). The interfaces [INode](#), [IEdge](#) and [IGraph](#) inherit from this interface.
- interface [INode](#)


An interface for a class that is able to hold objects of a class that implements the interface [IAttribute](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

Kapitel 6


Klassen-Dokumentation

6.1 GraphFramework.Attribute Klassenreferenz

The attribute class. A attribute is a holder of a generic value which has a name
Klassendiagramm für GraphFramework.Attribute:



Zusammengehörigkeiten von GraphFramework.Attribute:



Öffentliche Methoden

- [Attribute](#) (string name, object val)

attribute constructor

Propertys

- object **Value** [get, set]
Gets and sets the value of the attribute
- Type **Type** [get]
Gets the type of the attribute
- string **Name** [get]
Gets the name of the attribute

6.1.1 Ausführliche Beschreibung

The attribute class. A attribute is a holder of a generic value which has a name

6.1.2 Beschreibung der Konstruktoren und Destruktoren

6.1.2.1 GraphFramework.Attribute.Attribute (string name, object val)

attribute constructor

Parameter

<i>name</i>	the name
<i>val</i>	the generic value

6.1.3 Dokumentation der Propertys

6.1.3.1 string GraphFramework.Attribute.Name [get]

Gets the name of the attribute

6.1.3.2 Type GraphFramework.Attribute.Type [get]

Gets the type of the attribute

6.1.3.3 object GraphFramework.Attribute.Value [get], [set]

Gets and sets the value of the attribute


Die Dokumentation für diese Klasse wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/[Attribute.cs](#)


6.2 GraphFramework.Edge Klassenreferenz

The edge class

Klassendiagramm für GraphFramework.Edge:



Zusammengehörigkeiten von GraphFramework.Edge:



Paketfunktionen

- `Edge (INode node1, INode node2, params IAttribute[] attributes)`
Add also attributes to the edge

Propertys

- `INode Node1` [get]
The first node the edge connects
- `INode Node2` [get]
The second node the edge connects

Weitere Geerbte Elemente

6.2.1 Ausführliche Beschreibung

The edge class

6.2.2 Beschreibung der Konstruktoren und Destruktoren

6.2.2.1 GraphFramework.Edge.Edge (INode *node1*, INode *node2*, params IAttribute[] *attributes*) [package]

Add also attributes to the edge

Parameter

<i>node1</i>	first node
<i>node2</i>	second node
<i>attributes</i>	

6.2.3 Dokumentation der Propertys

6.2.3.1 INode GraphFramework.Edge.Node1 [get]

The first node the edge connects

6.2.3.2 INode GraphFramework.Edge.Node2 [get]


The second node the edge connects

Die Dokumentation für diese Klasse wurde erzeugt aufgrund der Datei:


- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/[Edge.cs](#)

6.3 GraphFramework.Graph Klassenreferenz

Klassendiagramm für GraphFramework.Graph:



Zusammengehörigkeiten von GraphFramework.Graph:



Öffentliche Methoden

- `Graph` (params `IAttribute[]` attributes)
creates a new graph with the given parameters
- void `AddNode` (`INode` node)
adds the node to the node collection of the graph
- void `RemoveNode` (params `INode[]` nodesToRemove)
removes the nodes identified by its reference from the graph
- void `AddEdge` (`INode` node1, `INode` node2, params `IAttribute[]` attributes)
adds the edge to the edge collection of the graph

- void **RemoveEdge** (params **IEdge**[] edgesToRemove)
removes the edge identified by its reference from the graph
- IEnumerable< **INode** > **GetSingleNodes** ()
returns all Nodes that are not connected by Edges
- void **AddGraph** (**IGraph** graphToAdd)
*adds one **Graph** object to this graph*
- void **AddGraph** (**IGraph** graphToAdd, **INode** thisGraphNode, **INode** graphToAddConnectionNode, params **IAttribute**[] attributes)
*adds one **Graph** object to this graph and connects it with an edge*
- IEnumerable< **IEdge** > **GetEdges** (**INode** node1, **INode** node2)
gets the edges which are connected to the nodes node1 and node2

Öffentliche, statische Methoden

- static **IGraph MergeGraphs** (**IGraph** graph1, **IGraph** graph2)
merges the two graphs to one new
- static **IGraph MergeGraphs** (**IGraph** graph1, **IGraph** graph2, **INode** graphOneConnectionNode, **INode** graphTwoConnectionNode, params **IAttribute**[] attributes)
merges the two graphs to one new and connects the two given nodes

Propertys

- IEnumerable< **INode** > **Nodes** [get]
contains all nodes
- IEnumerable< **IEdge** > **Edges** [get]
contains all edges

Weitere Geerbte Elemente

6.3.1 Beschreibung der Konstruktoren und Destruktoren


6.3.1.1 GraphFramework.Graph.Graph (params **IAttribute**[] attributes)

creates a new graph with the given parameters

Parameter

<i>attributes</i>	attributes to add to the graph
-------------------	--------------------------------

Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.3.2 Dokumentation der Elementfunktionen

6.3.2.1 void GraphFramework.Graph.AddEdge (**INode** node1, **INode** node2, params **IAttribute**[] attributes)


adds the edge to the edge collection of the graph

Parameter

<i>node1</i>	first node to which the edge is connected
<i>node2</i>	second node to which the edge is connected
<i>attributes</i>	attributes of the edge

Implementiert [GraphFramework.Interfaces.IGraph](#).

Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.3.2.2 void GraphFramework.Graph.AddGraph (IGraph graphToAdd)


adds one [Graph](#) object to this graph

Parameter

<i>graphToAdd</i>	Graph object that will be added to this
-------------------	---

Implementiert [GraphFramework.Interfaces.IGraph](#).

Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.3.2.3 void GraphFramework.Graph.AddGraph (IGraph graphToAdd, INode thisGraphConnectionNode, INode graphToAddConnectionNode, params IAttribute[] attributes)

adds one [Graph](#) object to this graph and connects it with an edge


Parameter

<i>graphToAdd</i>	Graph object that will be added to this
<i>thisGraph↔ ConnectionNode</i>	first Node for new Edge . Contained in graph 1.
<i>graphToAdd↔ ConnectionNode</i>	second Node for new Edge . Contained in graph 2.

<i>attributes</i>	Attributes of new Edge
-------------------	--

Implementiert [GraphFramework.Interfaces.IGraph](#).

Hier ist ein Graph, der zeigt, was diese Funktion aufruft:



6.3.2.4 void GraphFramework.Graph.AddNode (INode *node*)

adds the node to the node collection of the graph

Parameter

<i>node</i>	reference of the node to add
-------------	------------------------------

Implementiert [GraphFramework.Interfaces.IGraph](#).

6.3.2.5 IEnumerable<IEdge> GraphFramework.Graph.GetEdges (INode *node1*, INode *node2*)

gets the edges which are connected to the nodes *node1* and *node2*

Parameter

<i>node1</i>	first node to which the edge has to be connected
<i>node2</i>	second node to which the edge has to be connected

Rückgabe

all the edges which connect the nodes *node1* and *node2*

Implementiert [GraphFramework.Interfaces.IGraph](#).

6.3.2.6 IEnumerable<INode> GraphFramework.Graph.GetSingleNodes ()

returns all Nodes that are not connected by Edges

Rückgabe

returns all single Nodes

Implementiert [GraphFramework.Interfaces.IGraph](#).

6.3.2.7 static IGraph GraphFramework.Graph.MergeGraphs (IGraph *graph1*, IGraph *graph2*) [static]

merges the two graphs to one new


Parameter

<i>graph1</i>	first graph
<i>graph2</i>	second graph


Rückgabe

the new graph, which contains the given two

Hier ist ein Graph, der zeigt, was diese Funktion aufruft:



Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.3.2.8 static IGraph GraphFramework.Graph.MergeGraphs (IGraph *graph1*, IGraph *graph2*, INode *graphOneConnectionNode*, INode *graphTwoConnectionNode*, params IAttribute[] *attributes*) [static]

merges the two graphs to one new and connects the two given nodes


Parameter

<i>graph1</i>	first graph
<i>graph2</i>	second graph
<i>graphOneConnectionNode</i>	node in graph one to connect with node in graph two
<i>graphTwoConnectionNode</i>	node in graph two to connect with node in graph one
<i>attributes</i>	attributes to add to the edge between graphOneConnectionNode and graphTwoConnectionNode

Rückgabe

the new graph, which contains the given two and a edge between the given nodes

Hier ist ein Graph, der zeigt, was diese Funktion aufruft:



6.3.2.9 void GraphFramework.Graph.RemoveEdge (params IEdge[] edgesToRemove)

removes the edge identified by its reference from the graph

Parameter

<i>edgesToRemove</i>	reference of the edges to remove
----------------------	----------------------------------

Implementiert [GraphFramework.Interfaces.IGraph](#).

Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.3.2.10 void GraphFramework.Graph.RemoveNode (params INode[] nodesToRemove)

removes the nodes identified by its reference from the graph

Parameter

<i>nodesToRemove</i>	reference of the nodes to remove
----------------------	----------------------------------

Implementiert [GraphFramework.Interfaces.IGraph](#).

Hier ist ein Graph, der zeigt, was diese Funktion aufruft:



6.3.3 Dokumentation der Property

6.3.3.1 IEnumerable<IEdge> GraphFramework.Graph.Edges [get]

contains all edges

6.3.3.2 IEnumerable<INode> GraphFramework.Graph.Nodes [get]

contains all nodes


Die Dokumentation für diese Klasse wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/[Graph.cs](#)


6.4 GraphFramework.GraphElement Klassenreferenz

the abstract graphelement class nearly every framework class inherits from. The class generalize the relation between classes that can have attributes and the attribute class

Klassendiagramm für GraphFramework.GraphElement:



Zusammengehörigkeiten von GraphFramework.GraphElement:



Öffentliche Methoden

- void [AddAttribute](#) ([IAttribute](#) attribute)
Adds an attribute to the node. If the element already has an attribute with this name, it is not added
- void [RemoveAttribute](#) (string nameOfAttributeToRemove)
Removes an attribute with the defined name from the element. (if the element has an attribute with this name)
- void [RemoveAttribute](#) ([IAttribute](#) attributeToRemove)
Removes the defined attribute if the element holds it

Geschützte Methoden

- [GraphElement](#) (params [IAttribute](#)[] attributes)
Special constructor which adds multiple attributes to the element

Geschützte Attribute

- List< [IAttribute](#) > [mAttributes](#)
The attributes of the element, sorted by their names

Propertys

- IEnumerable< [IAttribute](#) > [Attributes](#) [get]
Gets the element's attributes as a collection

6.4.1 Ausführliche Beschreibung

the abstract graphelement class nearly every framework class inherits from. The class generalize the relation between classes that can have attributes and the attribute class

6.4.2 Beschreibung der Konstruktoren und Destruktoren

6.4.2.1 [GraphFramework.GraphElement.GraphElement](#) (params [IAttribute](#)[] *attributes*) [protected]

Special constructor which adds multiple attributes to the element

Parameter

<i>attributes</i>	the attributes you want to add
-------------------	--------------------------------

6.4.3 Dokumentation der Elementfunktionen

6.4.3.1 void [GraphFramework.GraphElement.AddAttribute](#) ([IAttribute](#) *attribute*)

Adds an attribute to the node. If the element already has an attribute with this name, it is not added

Parameter

<i>attribute</i>	the attribute you want to add
------------------	-------------------------------

Implementiert [GraphFramework.Interfaces.IGraphElement](#).

6.4.3.2 void [GraphFramework.GraphElement.RemoveAttribute](#) (string *nameOfAttributeToRemove*)

Removes an attribute with the defined name from the element. (if the element has an attribute with this name)

Parameter

<i>nameOf↵ AttributeTo↵ Remove</i>	the name of the attribute you want to remove
--	--

Implementiert [GraphFramework.Interfaces.IGraphElement](#).

6.4.3.3 void GraphFramework.GraphElement.RemoveAttribute (IAttribute attributeToRemove)

Removes the defined attribute if the element holds it

Parameter

<i>attributeTo↵ Remove</i>	
--------------------------------	--

Implementiert [GraphFramework.Interfaces.IGraphElement](#).

6.4.4 Dokumentation der Datenelemente

6.4.4.1 List<IAttribute> GraphFramework.GraphElement.mAttributes [protected]

The attributes of the element, sorted by their names

6.4.5 Dokumentation der Propertys

6.4.5.1 IEnumerable<IAttribute> GraphFramework.GraphElement.Attributes [get]

Gets the element's attributes as a collection


Die Dokumentation für diese Klasse wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↵
GraphFramework/[GraphElement.cs](#)

6.5 GraphFramework.Interfaces.IAttribute Schnittstellenreferenz

An interface for classes that contain a value that has a name. Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraphElement](#).

Klassendiagramm für GraphFramework.Interfaces.IAttribute:



Propertys

- object `Value` [get, set]
Value of the [IAttribute](#).
- Type `Type` [get]
Type of the property Value of the [IAttribute](#).
- string `Name` [get]
Name to identify the [IAttribute](#).

6.5.1 Ausführliche Beschreibung

An interface for classes that contain a value that has a name. Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraphElement](#).

6.5.2 Dokumentation der Propertys

6.5.2.1 string GraphFramework.Interfaces.IAttribute.Name [get]

Name to identify the [IAttribute](#).

6.5.2.2 Type GraphFramework.Interfaces.IAttribute.Type [get]

Type of the property Value of the [IAttribute](#).

6.5.2.3 object GraphFramework.Interfaces.IAttribute.Value [get], [set]

Value of the [IAttribute](#).


Die Dokumentation für diese Schnittstelle wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/Interfaces/[IAttribute.cs](#)


6.6 GraphFramework.Interfaces.IEdge Schnittstellenreferenz

An interface for classes that are able to connect two objects of a class that implements the interface [INode](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

Klassendiagramm für GraphFramework.Interfaces.IEdge:



Zusammengehörigkeiten von GraphFramework.Interfaces.IEdge:



Propertys

- [INode Node1](#) [get]
The first [INode](#) to which the [IEdge](#) is connected.
- [INode Node2](#) [get]
The second [INode](#) to which the [IEdge](#) is connected.

Weitere Geerbte Elemente

6.6.1 Ausführliche Beschreibung

An interface for classes that are able to connect two objects of a class that implements the interface [INode](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

6.6.2 Dokumentation der Property's

6.6.2.1 [INode](#) [GraphFramework.Interfaces.Edge.Node1](#) [get]

The first [INode](#) to which the [Edge](#) is connected.

6.6.2.2 [INode](#) [GraphFramework.Interfaces.Edge.Node2](#) [get]

The second [INode](#) to which the [Edge](#) is connected.


Die Dokumentation für diese Schnittstelle wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
[GraphFramework/Interfaces/Edge.cs](#)


6.7 [GraphFramework.Interfaces.IGraph](#) Schnittstellenreferenz

Classes that implement this interface are a representation of a set of objects that implement the interfaces [INode](#) and [Edge](#) and the relations between them. It is able to perform actions on this objects.

Klassendiagramm für [GraphFramework.Interfaces.IGraph](#):



Zusammengehörigkeiten von GraphFramework.Interfaces.IGraph:



Öffentliche Methoden

- void **AddNode** (INode node)
Adds the INode to property Nodes of the IGraph.
- void **RemoveNode** (params INode[] nodesToRemove)
Removes the INode from the property Nodes of the IGraph.
- void **AddEdge** (INode node1, INode node2, params IAttribute[] attributes)
Adds the IEdge to the property Edges of the IGraph.
- void **RemoveEdge** (params IEdge[] edgesToRemove)
Removes the IEdge from the property Edges of the IGraph.
- IEnumerable< INode > **GetSingleNodes** ()
Returns all INode objects of this IGraph that are not connected by any IEdges.
- void **AddGraph** (IGraph graphToAdd)
Adds one IGraph object to this IGraph.
- void **AddGraph** (IGraph graphToAdd, INode thisGraphConnectionNode, INode graphToAddConnectionNode, params IAttribute[] attributes)
Adds one IGraph object to this IGraph and connects it with an IEdge.
- IEnumerable< IEdge > **GetEdges** (INode node1, INode node2)
Gets the IEdge objects which are connected to the INode objects node1 and node2.

Propertys

- IEnumerable< INode > **Nodes** [get]
Contains all INode objects that are part of the IGraph.
- IEnumerable< IEdge > **Edges** [get]
Contains all IEdge objects that are part of the IGraph.

6.7.1 Ausführliche Beschreibung

Classes that implement this interface are a representation of a set of objects that implement the interfaces **INode** and **IEdge** and the relations between them. It is able to perform actions on this objects.

6.7.2 Dokumentation der Elementfunktionen

6.7.2.1 void GraphFramework.Interfaces.IGraph.AddEdge (INode *node1*, INode *node2*, params IAttribute[] *attributes*)

Adds the [IEdge](#) to the property Edges of the [IGraph](#).

Parameter

<i>node1</i>	first INode to which the IEdge is connected
<i>node2</i>	second INode to which the IEdge is connected
<i>attributes</i>	IAttribute objects of the IEdge

Implementiert in [GraphFramework.Graph](#).

Hier ist ein Graph der zeigt, wo diese Funktion aufgerufen wird:



6.7.2.2 void GraphFramework.Interfaces.IGraph.AddGraph (IGraph graphToAdd)

Adds one [IGraph](#) object to this [IGraph](#).

Parameter

<i>graphToAdd</i>	IGraph object that will be added to this
-------------------	--

Implementiert in [GraphFramework.Graph](#).

6.7.2.3 void GraphFramework.Interfaces.IGraph.AddGraph (IGraph graphToAdd, INode thisGraphConnectionNode, INode graphToAddConnectionNode, params IAttribute[] attributes)

Adds one [IGraph](#) object to this [IGraph](#) and connects it with an [IEdge](#).

Parameter

<i>graphToAdd</i>	IGraph object that will be added to this
<i>thisGraphConnectionNode</i>	first INode for new IEdge
<i>graphToAddConnectionNode</i>	second INode for new IEdge
<i>attributes</i>	IAttribute objects of new IEdge

Implementiert in [GraphFramework.Graph](#).

6.7.2.4 void GraphFramework.Interfaces.IGraph.AddNode (INode node)

Adds the [INode](#) to property Nodes of the [IGraph](#).

Parameter

<i>node</i>	reference of the INode to add
-------------	---

Implementiert in [GraphFramework.Graph](#).

6.7.2.5 IEnumerable<IEdge> GraphFramework.Interfaces.IGraph.GetEdges (INode node1, INode node2)

Gets the [IEdge](#) objects which are connected to the [INode](#) objects node1 and node2.

Parameter

<i>node1</i>	first INode to which the IEdge has to be connected
<i>node2</i>	second INode to which the IEdge has to be connected

Rückgabe

all the [IEdge](#) objects which connect the [INode](#) objects *node1* and *node2*

Implementiert in [GraphFramework.Graph](#).

6.7.2.6 IEnumerable<INode> GraphFramework.Interfaces.IGraph.GetSingleNodes ()

Returns all [INode](#) objects of this [IGraph](#) that are not connected by any [IEdges](#).

Rückgabe

returns all single [INode](#) objects

Implementiert in [GraphFramework.Graph](#).

6.7.2.7 void GraphFramework.Interfaces.IGraph.RemoveEdge (params IEdge[] edgesToRemove)

Removes the [IEdge](#) from the property *Edges* of the [IGraph](#).

Parameter

<i>edgesToRemove</i>	reference of the IEdge objects to remove
----------------------	--

Implementiert in [GraphFramework.Graph](#).

6.7.2.8 void GraphFramework.Interfaces.IGraph.RemoveNode (params INode[] nodesToRemove)

Removes the [INode](#) from the property *Nodes* of the [IGraph](#).

Parameter

<i>nodesToRemove</i>	reference of the INode objects to remove
----------------------	--

Implementiert in [GraphFramework.Graph](#).

6.7.3 Dokumentation der Propertys

6.7.3.1 IEnumerable<IEdge> GraphFramework.Interfaces.IGraph.Edges [get]

Contains all [IEdge](#) objects that are part of the [IGraph](#).

6.7.3.2 IEnumerable<INode> GraphFramework.Interfaces.IGraph.Nodes [get]

Contains all [INode](#) objects that are part of the [IGraph](#).


Die Dokumentation für diese Schnittstelle wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/Interfaces/[IGraph.cs](#)

6.8 GraphFramework.Interfaces.IGraphElement Schnittstellenreferenz

An interface for classes that are able to hold objects of classes that implement the interface [IAttribute](#). The interfaces [INode](#), [IEdge](#) and [IGraph](#) inherit from this interface.

Klassendiagramm für GraphFramework.Interfaces.IGraphElement:



Öffentliche Methoden

- void [AddAttribute](#) ([IAttribute](#) attribute)
Adds the [IAttribute](#) to the property Attributes of the [IGraphElement](#).
- void [RemoveAttribute](#) (string nameOfAttributeToRemove)
Removes the [IAttribute](#) identified by its name from the property Attributes.
- void [RemoveAttribute](#) ([IAttribute](#) attributeToRemove)
Removes the [IAttribute](#) from the property Attributes.

Propertys

- IEnumerable< [IAttribute](#) > [Attributes](#) [get]
Contains all [IAttribute](#) objects of the [IGraphElement](#).

6.8.1 Ausführliche Beschreibung

An interface for classes that are able to hold objects of classes that implement the interface [IAttribute](#). The interfaces [INode](#), [IEdge](#) and [IGraph](#) inherit from this interface.

6.8.2 Dokumentation der Elementfunktionen

6.8.2.1 void GraphFramework.Interfaces.IGraphElement.AddAttribute ([IAttribute](#) attribute)

Adds the [IAttribute](#) to the property Attributes of the [IGraphElement](#).

Parameter

<i>attribute</i>	reference of the IAttribute to add to the property Attributes
------------------	---

Implementiert in [GraphFramework.GraphElement](#).

6.8.2.2 void GraphFramework.Interfaces.IGraphElement.RemoveAttribute (string *nameOfAttributeToRemove*)

Removes the [IAttribute](#) identified by its name from the property Attributes.

Parameter

<i>nameOf↔ AttributeTo↔ Remove</i>	property Name of the IAttribute to remove
--	---

Implementiert in [GraphFramework.GraphElement](#).

6.8.2.3 void GraphFramework.Interfaces.IGraphElement.RemoveAttribute ([IAttribute](#) *attributeToRemove*)

Removes the [IAttribute](#) from the property Attributes.

Parameter

<i>attributeTo↔ Remove</i>	reference of the IAttribute to remove
--------------------------------	---

Implementiert in [GraphFramework.GraphElement](#).

6.8.3 Dokumentation der Propertys

6.8.3.1 IEnumerable<[IAttribute](#)> GraphFramework.Interfaces.IGraphElement.Attributes [get]

Contains all [IAttribute](#) objects of the [IGraphElement](#).


Die Dokumentation für diese Schnittstelle wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/Interfaces/[IGraphElement.cs](#)


6.9 GraphFramework.Interfaces.INode Schnittstellenreferenz

An interface for a class that is able to hold objects of a class that implements the interface [IAttribute](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

Klassendiagramm für GraphFramework.Interfaces.INode:



Zusammengehörigkeiten von GraphFramework.Interfaces.INode:



Weitere Geerbte Elemente

6.9.1 Ausführliche Beschreibung

An interface for a class that is able to hold objects of a class that implements the interface [IAttribute](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).


Die Dokumentation für diese Schnittstelle wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔ GraphFramework/Interfaces/[INode.cs](#)


6.10 GraphFramework.Node Klassenreferenz

[Node](#) class

Klassendiagramm für GraphFramework.Node:



Zusammengehörigkeiten von GraphFramework.Node:



Öffentliche Methoden

- [Node](#) (params [IAttribute\[\]](#) attributes)
Adds also attributes to the node

Weitere Geerbte Elemente

6.10.1 Ausführliche Beschreibung

[Node](#) class

6.10.2 Beschreibung der Konstruktoren und Destruktoren

6.10.2.1 GraphFramework.Node.Node (params [IAttribute\[\]](#) attributes)

Adds also attributes to the node

Parameter

<i>attributes</i>	the attributes you want to add
-------------------	--------------------------------

Die Dokumentation für diese Klasse wurde erzeugt aufgrund der Datei:

- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/↔
GraphFramework/[Node.cs](#)

Kapitel 7

Datei-Dokumentation

7.1 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Attribute.cs-Dateireferenz

Klassen

- class [GraphFramework.Attribute](#)
The attribute class. A attribute is a holder of a generic value which has a name

Namensbereiche

- package [GraphFramework](#)

7.2 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Edge.cs-Dateireferenz

Klassen

- class [GraphFramework.Edge](#)
The edge class

Namensbereiche

- package [GraphFramework](#)

7.3 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Graph.cs-Dateireferenz

Klassen

- class [GraphFramework.Graph](#)

Namensbereiche

- package [GraphFramework](#)

7.4 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/GraphElement.cs-Dateireferenz

Klassen

- class [GraphFramework.GraphElement](#)

the abstract graphelement class nearly every framework class inherits from. The class generalize the relation between classes that can have attributes and the attribute class

Namensbereiche

- package [GraphFramework](#)

7.5 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Interfaces/IAttribute.cs-Dateireferenz

Klassen

- interface [GraphFramework.Interfaces.IAttribute](#)

An interface for classes that contain a value that has a name. Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraphElement](#).

Namensbereiche

- package [GraphFramework.Interfaces](#)

7.6 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Interfaces/IEdge.cs-Dateireferenz

Klassen

- interface [GraphFramework.Interfaces.IEdge](#)

An interface for classes that are able to connect two objects of a class that implements the interface [INode](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

Namensbereiche

- package [GraphFramework.Interfaces](#)

7.7 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Interfaces/IGraph.cs-Dateireferenz

Klassen

- interface [GraphFramework.Interfaces.IGraph](#)

Classes that implement this interface are a representation of a set of objects that implement the interfaces [INode](#) and [IEdge](#) and the relations between them. It is able to perform actions on this objects.

Namensbereiche

- package [GraphFramework.Interfaces](#)

7.8 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Interfaces/IGraphElement.cs-Dateireferenz

Klassen

- interface [GraphFramework.Interfaces.IGraphElement](#)

An interface for classes that are able to hold objects of classes that implement the interface [IAttribute](#). The interfaces [INode](#), [IEdge](#) and [IGraph](#) inherit from this interface.

Namensbereiche

- package [GraphFramework.Interfaces](#)

7.9 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Interfaces/INode.cs-Dateireferenz

Klassen

- interface [GraphFramework.Interfaces.INode](#)

An interface for a class that is able to hold objects of a class that implements the interface [IAttribute](#). Objects of classes that implement this interface can be added to objects of classes that implement the interface [IGraph](#).

Namensbereiche

- package [GraphFramework.Interfaces](#)

7.10 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Node.cs-Dateireferenz

Klassen

- class [GraphFramework.Node](#)
[Node](#) class

Namensbereiche

- package [GraphFramework](#)

7.11 C:/Users/MathiasSchneider/Desktop/SWP_Neu/OTH_SWP_SS15/Basisverzeichnis/trunk/03_Implementierung/src/GraphFramework/Properties/AssemblyInfo.cs-Dateireferenz

Index

- AddAttribute
 - GraphFramework::GraphElement, [22](#)
 - GraphFramework::Interfaces::IGraphElement, [31](#)
- AddEdge
 - GraphFramework::Graph, [16](#)
 - GraphFramework::Interfaces::IGraph, [28](#)
- AddGraph
 - GraphFramework::Graph, [17](#)
 - GraphFramework::Interfaces::IGraph, [29](#)
- AddNode
 - GraphFramework::Graph, [18](#)
 - GraphFramework::Interfaces::IGraph, [29](#)
- Attribute
 - GraphFramework::Attribute, [12](#)
- Attributes
 - GraphFramework::GraphElement, [23](#)
 - GraphFramework::Interfaces::IGraphElement, [33](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Attribute.cs, [37](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Edge.cs, [37](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Graph.cs, [37](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
GraphElement.cs, [38](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Interfaces/IAttribute.cs, [38](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Interfaces/IEdge.cs, [38](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Interfaces/IGraph.cs, [38](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Interfaces/IGraphElement.cs, [39](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Interfaces/INode.cs, [39](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Node.cs, [39](#)
- C:/Users/MathiasSchneider/Desktop/SWP_Neu/OT↔
H_SWP_SS15/Basisverzeichnis/trunk/03↔
_Implementierung/src/GraphFramework/↔
Properties/AssemblyInfo.cs, [39](#)
- Edge
 - GraphFramework::Edge, [14](#)
- Edges
 - GraphFramework::Graph, [21](#)
 - GraphFramework::Interfaces::IGraph, [30](#)
- GetEdges
 - GraphFramework::Graph, [18](#)
 - GraphFramework::Interfaces::IGraph, [29](#)
- GetSingleNodes
 - GraphFramework::Graph, [18](#)
 - GraphFramework::Interfaces::IGraph, [30](#)
- Graph
 - GraphFramework::Graph, [16](#)
- GraphElement
 - GraphFramework::GraphElement, [22](#)
- GraphFramework, [9](#)
- GraphFramework.Attribute, [11](#)
- GraphFramework.Edge, [12](#)
- GraphFramework.Graph, [15](#)
- GraphFramework.GraphElement, [21](#)
- GraphFramework.Interfaces, [9](#)
- GraphFramework.Interfaces.IAttribute, [23](#)
- GraphFramework.Interfaces.IEdge, [25](#)
- GraphFramework.Interfaces.IGraph, [26](#)
- GraphFramework.Interfaces.IGraphElement, [31](#)
- GraphFramework.Interfaces.INode, [33](#)
- GraphFramework.Node, [34](#)
- GraphFramework::Attribute
 - Attribute, [12](#)
 - Name, [12](#)
 - Type, [12](#)
 - Value, [12](#)
- GraphFramework::Edge
 - Edge, [14](#)
 - Node1, [14](#)
 - Node2, [14](#)

- GraphFramework::Graph
 - AddEdge, [16](#)
 - AddGraph, [17](#)
 - AddNode, [18](#)
 - Edges, [21](#)
 - GetEdges, [18](#)
 - GetSingleNodes, [18](#)
 - Graph, [16](#)
 - MergeGraphs, [18](#), [19](#)
 - Nodes, [21](#)
 - RemoveEdge, [20](#)
 - RemoveNode, [20](#)
- GraphFramework::GraphElement
 - AddAttribute, [22](#)
 - Attributes, [23](#)
 - GraphElement, [22](#)
 - mAttributes, [23](#)
 - RemoveAttribute, [22](#), [23](#)
- GraphFramework::Interfaces::IAttribute
 - Name, [24](#)
 - Type, [24](#)
 - Value, [24](#)
- GraphFramework::Interfaces::IEdge
 - Node1, [26](#)
 - Node2, [26](#)
- GraphFramework::Interfaces::IGraph
 - AddEdge, [28](#)
 - AddGraph, [29](#)
 - AddNode, [29](#)
 - Edges, [30](#)
 - GetEdges, [29](#)
 - GetSingleNodes, [30](#)
 - Nodes, [30](#)
 - RemoveEdge, [30](#)
 - RemoveNode, [30](#)
- GraphFramework::Interfaces::IGraphElement
 - AddAttribute, [31](#)
 - Attributes, [33](#)
 - RemoveAttribute, [31](#), [33](#)
- GraphFramework::Node
 - Node, [35](#)
- mAttributes
 - GraphFramework::GraphElement, [23](#)
- MergeGraphs
 - GraphFramework::Graph, [18](#), [19](#)
- Name
 - GraphFramework::Attribute, [12](#)
 - GraphFramework::Interfaces::IAttribute, [24](#)
- Node
 - GraphFramework::Node, [35](#)
- Node1
 - GraphFramework::Edge, [14](#)
 - GraphFramework::Interfaces::IEdge, [26](#)
- Node2
 - GraphFramework::Edge, [14](#)
 - GraphFramework::Interfaces::IEdge, [26](#)
- Nodes
 - GraphFramework::Graph, [21](#)
 - GraphFramework::Interfaces::IGraph, [30](#)
- RemoveAttribute
 - GraphFramework::GraphElement, [22](#), [23](#)
 - GraphFramework::Interfaces::IGraphElement, [31](#), [33](#)
- RemoveEdge
 - GraphFramework::Graph, [20](#)
 - GraphFramework::Interfaces::IGraph, [30](#)
- RemoveNode
 - GraphFramework::Graph, [20](#)
 - GraphFramework::Interfaces::IGraph, [30](#)
- Type
 - GraphFramework::Attribute, [12](#)
 - GraphFramework::Interfaces::IAttribute, [24](#)
- Value
 - GraphFramework::Attribute, [12](#)
 - GraphFramework::Interfaces::IAttribute, [24](#)