Table of IOPS at Given Latency for 64K IO Size and 16 Threads/LUN

Latency	0% Read	50% Read	100% Read
0.861	1,519	NA	NA
0.951	3,398	NA	2,353
1.050	3,675	3,010	3,447
1.160	3,982	5,799	3,763
1.280	4,317	6,698	4,106
1.420	4,709	7,260	4,507
1.570	5,128	7,862	4,937
1.730	5,575	8,505	5,395
1.920	5,717	9,267	5,675
2.120	5,720	10,070	5,678
2.340 2.590	5,724 5,727	10,953 11,302	5,682 5,686
2.860	5,727 5,731	11,302	5,690
3.160	5,736	11,341	5,695
3.490	5,741	11,364	5,700
3.860	5,746	11,389	5,706
4.260	5,752	11,417	5,713
4.710	5,759	11,447	5,720
5.210	5,766	11,482	5,728
5.750	5,774	11,519	5,736
6.360	5,783	11,560	5,746
7.030	5,793	11,606	5,757
7.770	5,804	11,657	5,768
8.580	5,816	11,712	5,781
9.490	5,830	11,775	5,796
10.500	5,845	11,844	5,812
11.600	5,861	11,919	5,829
12.800	5,879	12,001	5,849
14.200	5,900	12,097	5,871
15.600	5,920	12,193	5,893
17.300	5,946	12,309	5,920
19.100	5,972	12,432	5,949
21.100	6,002	NA	5,981
23.300	6,035	NA	6,016
25.800 28.500	6,072 6,112	NA NA	6,056 6,000
26.500 31.500	6,112	NA NA	6,099 6,146
34.800	6,205	NA NA	6,199
38.500	6,260	NA	6,258
30.000	0,200	11/7	0,200

Table of IOPS at Given Latency for 128K IO Size and 16 Threads/LUN

Latency	0% Read	50% Read	100% Read
1.16	473	NA	NA
1.28	1,440	767	729
1.42	1,660	1,422	1,605
1.57	1,737	2,124	1,700
1.73	1,819	2,873	1,801
1.92	1,916	3,337	1,921
2.12 2.34	2,018	3,579	2,047
2.59	2,130 2,258	3,845 4,147	2,186 2,343
2.86	2,396	4,473	2,513
3.16	2,549	4,835	2,703
3.49	2,718	5,234	2,896
3.86	2,900	5,675	2,898
4.26	2,901	5,682	2,899
4.71	2,903	5,689	2,900
5.21	2,905	5,697	2,902
5.75	2,906	5,705	2,904
6.36	2,908	5,715	2,906
7.03	2,910	5,726	2,908
7.77	2,913	5,737	2,910
8.58	2,915	5,750	2,913
9.49	2,918	5,765	2,916
10.50	2,921	5,781	2,919
11.60 12.80	2,925 2,929	5,798 5,817	2,923 2,926
14.20	2,929	5,840	2,920
15.60	2,938	5,862	2,936
17.30	2,943	5,889	2,941
19.10	2,949	5,918	2,947
21.10	2,955	5,949	2,953
23.30	2,963	5,984	2,961
25.80	2,971	6,024	2,969
28.50	2,979	6,067	2,977
31.50	2,989	6,115	2,987
34.80	2,999	6,167	2,998
38.50	3,011	6,226	3,010
42.50	3,024	NA	3,023
47.00	3,038	NA	3,037
51.90	3,054	NA	3,053
57.40	3,072	NA	3,071
63.40	3,091	NA NA	3,090
70.10 77.50	3,113	NA NA	3,112
11.50	3,136	INA	3,136

Table of IOPS at Given Latency for 256K IO Size and 16 Threads/LUN

Latency	0% Read	50% Read	100% Read
1.73 1.92	256 524	NA 489	NA 354
2.12	792	819	618
2.34 2.59	812 835	1,183 1,596	797 823
2.86	860	1,679	851
3.16 3.49	887 917	1,760 1,848	882 916
3.86	951	1,948	954
4.26 4.71	988	2,056 2,177	996
5.21	1,029 1,075	2,177	1,042 1,094
5.75	1,124	2,457	1,150
6.36 7.03	1,180 1,241	2,621 2,801	1,213 1,282
7.77	1,309	2,891	1,359
8.58 9.49	1,383 1,466	2,894 2,897	1,443 1,502
10.50	1,506	2,900	1,502
11.60 12.80	1,506 1,507	2,904 2,908	1,503 1,503
14.20	1,507	2,912	1,504
15.60 17.30	1,508 1,509	2,917 2,923	1,505 1,506
19.10	1,510	2,929	1,506
21.10	1,511	2,935	1,507
23.30 25.80	1,512 1,513	2,943 2,951	1,508 1,510
28.50	1,514	2,960	1,511
31.50 34.80	1,515 1,517	2,970 2,981	1,512 1,514
38.50	1,518	2,994	1,516
42.50 47.00	1,520 1,522	3,007 3,022	1,518 1,520
51.90	1,524	3,038	1,522
57.40 63.40	1,527 1,530	3,057 3,077	1,525 1,527
70.10	1,533	3,099	1,531
77.50 85.60	1,536 1,540	3,124 NA	1,534 1,538
94.60	1,544	NA NA	1,542
105.00	1,549	NA NA	1,547
116.00 128.00	1,554 1,559	NA NA	1,553 1,558
141.00	1,565	NA	1,564
156.00	1,572	NA	1,572