

# Forensic Analysis Report

Neuro-Symbolic Crisis Generator • Comprehensive Evaluation

Generated: 2025-12-18 17:55:44

## Test Configuration

**Model:** GPT-4o

**Temperature:** 0.7

**Mode:** Thesis (Full Validation) vs. Legacy (Skip Validation)

**Max Iterations:** 20 per Scenario

**Execution:** Parallel (2 Scenarios simultaneously)

# Executive Summary

**Note:** Limited batch comparison data available. For detailed analysis, see Forensic Analysis section below.

2

TOTAL SCENARIOS

0

HALLUCINATIONS PREVENTED

0.00

AVG LEGACY HALLUCINATIONS


0.00

AVG THESIS HALLUCINATIONS

0.0%

AVERAGE REDUCTION

# A/B Testing Comparison



# Statistical Significance Analysis

## Hypothesis Testing

**H0:**  $\mu_{\text{legacy}} = \mu_{\text{thesis}}$  (No difference)

**H1:**  $\mu_{\text{legacy}} > \mu_{\text{thesis}}$  (Thesis reduces hallucinations)

METRIC	VALUE	INTERPRETATION
Mean Difference	0.000	Legacy - Thesis hallucinations
T-Statistic	nan	Test statistic
P-Value	NAN	Significance level
Cohen's d	0.000	Effect size: Negligible
95% CI	[0.000, 0.000]	Confidence interval
Sample Size	2	Number of scenarios

# Refinement Efficiency Analysis



**0.00**

AVG REFINES PER SCENARIO

**0**

MAX REFINES NEEDED

**100.0%**

FIRST ATTEMPT SUCCESS RATE

# Cost-Benefit Analysis

---

54

AVG LEGACY API CALLS

54

AVG THESIS API CALLS

0.0%

OVERHEAD

0

TOTAL PREVENTED

# API Call Efficiency



## Detailed Results by Scenario

Scenario ID	Legacy Hallucinations	Thesis Hallucinations	Hallucinations Prevented	Thesis Refines
SCEN-000	0	0	0	0
SCEN-001	0	0	0	0