EBU5303 Multimedia Fundamentals Digital Images

EBU5303

Agenda

- Images can be stored as bitmaps or be vectorbased
- The points at which an image is sampled are known as picture elements (pixels)
- Colour bitmap images can be true-colour or index-based

Reading



http://burg.cs.wfu.edu/TheScienceOfDigitalMedia/Chapter2/ch2scienceofdigitalmedia.pdf

2.2 Bitmap

http://burg.cs.wfu.edu/TheScienceOfDigitalMedia/Chapter3/Ch3ScienceOfDigitalMedia.pdf

- 3.2 Digital Image File Types
- 3.3 Indexed Color

EBU5303

Agenda

- Images can be stored as bitmaps or be vectorbased
- The points at which an image is sampled are known as picture elements (pixels)
- Colour bitmap images can be true-colour or index-based

Bitmapped Vs. Vector-based

- All images are displayed on a computer screen as a grid of "pixels" of various colours. The image files that contain these images store that image data in one of two fundamentally different ways:
- Bitmapped image files store image data as a map of individual pixels (e.g. GIF and JPEG).
- Vector-based image files store image data as a set of mathematical formulas that instruct the computer how to draw the image.
- Some file formats, such as PNG, contain both bitmapped and vector-based image data.

EBU5303

Bitmapped Vs. Vector-based

- Bitmap images (also called pixmaps or raster graphics) are created with a pixel-by-pixel specification of points of color. Bitmaps are commonly created by digital cameras, scanners, paint programs like Corel Paint Shop Pro, and image processing programs like Adobe Photoshop.
- Vector graphic images—created in programs such as Adobe Illustrator and Corel Draw—use object specifications and mathematical equations to describe shapes to which colours are applied.


Vector-based image

draw	circle	
	center	0.5, 0.5
	radius	0.4
	fill-color	yellow
	stroke-color	black
	stroke-width	0.05
draw	circle	
	center	0.35, 0.4
	radius	0.05
	fill-color	black
draw	circle	
	center	0.65, 0.4
	radius	0.05
	fill-color	black
draw	line	
	start	0.3, 0.6
	end	0.7, 0.6
	stroke-color	black
	stroke-width	0.1




EBU5303

Bitmapped image (raster)



Bitmapped Vs. Vector-based



EBU5303

Agenda

- Images can be stored as bitmaps or be vectorbased
- The points at which an image is sampled are known as picture elements (pixels)
- Colour bitmap images can be true-colour or index-based

Image Sampling and Quantization (gray scale images)

- A digital image is represented by a matrix of numeric values, each representing a quantized intensity value. e.g. I (r, c)
- The intensity at each pixel is represented by an integer and is determined from the continuous image by averaging over a small neighbourhood around the pixel location.
- E.g. when 8-bit integers are used to store each pixel value, the gray scale levels range from 0 (black) to 255 (white).

EBU5303

Image Sampling and Quantisation (gray scale images)





Image sampling

It is common to use a square sampling grid with pixels equally spaced along the two sides of the grid.

Both sampling and quantisation can introduce error in the sense that the image captured does not represent, with perfect fidelity, the original scene or objects that were photographed.


EBU5303




The effect of sampling reduction










Reduction by 16

EBU5303

The effects of sampling and quantisation



Digital cameras

- Digital cameras use the same digitisation process discussed already: sampling and quantisation.
- Sampling rate is a matter of how many points of color are sampled and recorded in each dimension of the image.
- A digital camera might allow you to choose from: 1600x1200, 1280x960, 1024x768, 640x480

EBU5303

Digital cameras

- Quantization is a matter of the color model used and the corresponding bit depth.
- Digital cameras generally use RGB, which saves each pixel in three bytes, one for each of the color channels: red, green, and blue. Since three bytes is 24 bits, this makes it possible for 2²⁴ = 16,777,216 colors to be represented.

Data size: image file

Example:

Sampling: 1024 pixels x 768 pixels (samples)

Bits per pixel: 24

 $1024 \times 768 = 786,432 \text{ pixels}$ $786,432 \times 24 = 18,874,368 \text{ bits}$

18,874,368 / 8 = 2,359,296 bytes File size ~ 2.36 MB

EBU5303

Pixel dimensions

- For an image file, *pixel dimensions* is defined as the number of pixels (the "logical pixels") horizontally and vertically, e.g. 1600x1200.
- Similarly, your computer screen has a fixed maximum pixel dimensions (the "physical pixels"), e.g. 1024x768 or 1400x1050.
- When you display a bitmap image on your computer, the logical pixel is mapped to a physical pixel on the computer screen.

Image resolution

- The number of pixels per inch is the image resolution.
- It is assumed that the same number of pixels are used in the horizontal and vertical directions.
- Typically, monitors have a screen resolution of 72 ppi (pixels per inch).





EBU5303

Image resolution







Image resolution & image size




EBU5303

Image quantisation

The quantisation level is called image depth.





EBU5303 24

12

The effect of quantisation reduction



















Reduction by 32



Image of girl: 256 levels





4 levels



Summary so far ...

- The points at which an image is sampled are known as picture elements (pixels)
- The number of pixels per inch is the image resolution
- The image resolution varies with its size
- The quantisation rate is the image depth

EBU5303

Agenda

- Images can be stored as bitmaps or be vectorbased
- The points at which an image is sampled are known as picture elements (pixels)
- Colour bitmap images can be true-colour or index-based


Stored Image Formats

- RGB formats, also known as true-colour, use 8 bits of data for each Red, Green, and Blue value. Together, this forms a 24-bit pixel palette which has 16.7 million colours.
- Indexed formats are mapped to a smaller colour palette (CLUT):
 256-colours or less (normally).
 The indexed image's palette contains all of the colours that are available for the image.




EBU5303

RGB format (true colour)




Indexed format



CLUT (Colour Look Up Table)

EBU5303

32 Colours (Indexed format)



Indexed formats

8bits/256 colours

EBU5303



A 200 by 300 pixel image is stored in different formats. Calculate its size in Kbytes in the following cases:

- · True colour image
- Greyscale (8 bits image)

2bits/4 colours

4 bits indexed format

Question



Give two possible strategies for reducing the colour depth of a true colour image to just a third of its original one.

EBU5303



A Colour Look-Up Table with 256 entries is used.

- Calculate the reduction in the size of the bitmap when a CLUT is used instead of true colour.
- Comment on how use of the CLUT will affect the appearance of the image on the screen.
- If the first entry in the CLUT has value 0,0,0, what colour would be stored there?



A 300 by 400 pixel image has a size of 120 Kbytes. How is it encoded?

EBU5303

Digital Image File Types

- If you take a picture with a digital camera or scan a photograph with a digital scanner, you'll have a choice of file types in which to save the image.
- Not all colour models can be accommodated by all file types, and some file types require that the image be compressed while some do not.
- The four most important things to know about a bitmap filetype are: its colour model; its bit depth; its compression type, if any; and the operating systems, browsers, and application software that support it.
- The possible bit depths for bitmap images include 1, 4, 8, 16, 24, 32, 48, and 64 bits.

Digital Image File Types

File Suffix	Our Abbreviation	File Type	Characteristics	
Bitmap Images				
.bmp	ВМР	Windows bitmap	1 to 24-bit color depth, 32-bit if alpha channel is used. Can use lossless RLE or no compression. RGB or indexed color.	
.gif	GIF	Graphics Interchange Format	Used on the web. Allows 256 RGB colors. Can be used for simple animations. Uses LZW compression. Originally proprietary to CompuServe.	
.jpeg or .jpg	JPEG	Joint Photographic Experts Group	For continuous tone pictures. Lossy compression. Level of compression can be specified.	
.png	PNG	Portable Network Graphics	Designed as an alternative to .gif files. Compressed with lossless method. 1 to 64-bit color with transparency channel.	
.psd	PSD	Adobe Photoshop	Supports a variety of color models and bit depths. Saves image layers created in photographic editing.	
.psp	PSP	Corel Paint Shop Pro	Similar to .psd.	
.raw		Photoshop	Uncompressed raw file. Could be black and white, grayscale, or RGB color.	
.tif or .tiff	TIFF	Tagged Image File Format	Often used for traditional print graphics. Can be compressed with lossy or lossless methods, including RLE, JPEG, and LZW. Comes in many varieties.	

Summary

- · Bitmap images can be true-colour or index-based
- A true colour image pixel is represented with 24 bits (8 bits for each colour channel)
- 16.7 million colours can be represented with 24 bits
- · A grayscale image has an image depth of 8
- An indexed image uses a Colour Look Up Table (CLUT)
- In an indexed image, each pixel is represented by an index, which refers to a colour in the CLUT
- The number of bits needed for each pixel depends on the size of the CLUT