Introduction to LATEX

Lecture 4: Use Graphics and Tables in LATEX

Liu Yihao

SJTU-UMJI Technology Department

February 24, 2018

Include graphs

It's very useful to include graphs in LATEX, especially in report and paper writing. Here is a common template of including a single floating graph.

Command

```
\usepackage{graphicx}
\begin{figure}[position]
  \centering
  \includegraphics[options]{file}
  \caption{caption}
  \label{label}
\end{figure}
```

- file the filename or relative path of the graph you want to insert, usually placed in the same directory as the tex file
- position we usually use htbp here, which will be introduced later in this chapter
- options the width, height and other options about the graph
- caption the caption displayed above/under the graph
- label used for references in a document (will be introduced later)

Usually you need to optimize the size and some other properties of the graph, most of them can be set in options. (Only some useful options are listed here)

- height use any LATEX measuring unit.
- width use any LATEX measuring unit.
- scale scale the graph to this proportion
- angle rotate the graph in anti-clockwise by this angle




Figure: Marshmallow

Include multiple graphs

Subfigure package can be used to include a series of graphs.

```
\begin{figure}[htbp]
       \centering
2
       \subfigure[1]{
3
           \includegraphics[width=0.4
            \label{fig-sample-1}
5
       \subfigure[2]{
           \includegraphics[height=0.4
              \linewidth] {sample-2.jpg}
           \label{fig-sample-2}
9
10
       % more subfigures
11
       \caption{Marshmallows}
12
       \label{fig-entire}
13
    \end{figure}
14
```



Draw tables

Table is another common element in LATEX, for example, there is a simple table like this:

Title 1	Title 2	Title 3
1	2	3

Command

```
\begin{tabular}{format}
...
\end{tabular}
```

format can be set as follow

- represents a vertical separate line between two columns
- I align left in this column
- c align center in this column
- r align right in this column

Example

|I|I|I|

Title 1	Title 2	Title 3
1	2	3



Title 1	Title 2	Title 3
1	2	3

How to arrange cells in tabular environment is very similar to the align environment. However, we usually need horizontal lines in tables.

Command

```
\hline = \cline{1-max_col} \cline{start-end}
```

Example

	Title 1	Title 2	Title 3
Table	1	2	3
	4	5	6

Here we draw a table with a multirow, but it only works with multirows of odd row number. A more convenient method of drawing multirows will be introduced.

Multicolumn and Multirow

Command

```
\multicolumn{ncols}{format}{text}
```

- ncols the number of columns to be merged
- format the format of the merged column, excluding the left (eg. c|)
- text the text in the merged column

```
\usepackage{multirow}
\multirow{nrows}{width}[fixup]{text}
```

- nrows the number of rows to be merged
- width the width of the merged rows (use * for auto)
- fixup the vertical position of the text (optional, default in the center)
- text the text in the merged row

```
\begin{tabular}{|c|c|c|c|}
        \hline
2
        \multirow{4}{*}{Table} & Title 1 & Title 2 & Title 3 & Title 4
3
         → \\
        \left(\frac{2-5}{2}\right)
        & \multicolumn{2}{c|}{Text 1} &
         → \multicolumn{2}{c|}{\multirow{3}{*}{Text 3}} \\
        \cline{2-3}
        & \multicolumn{2}{c|}{Text 2} & \multicolumn{2}{c|}{} \\
        \left(\frac{2-3}{2}\right)
        & Text 4 & Text 5 & \multicolumn{2}{c|}{} \\
        \hline
10
    \end{tabular}
11
```

	Title 1	Title 2	Title 3	Title 4
Table	Text 1		Text 3	
Гаріе	Text 2			
	Text 4	Text 5		

Easy ways to create a table

With multirow and multicolumn, we can almost draw tables of any style, but this coding process can never be as easy as the graphic one, like making tables in Word or Excel. Is there any ways to convert graphic tables into LATEXcodes directly?

- Use LATEXTable Generator: http://www.tablesgenerator.com/
- Excel2latex:

```
https://ctan.org/tex-archive/support/excel2latex/
```

Table environment

A table environment is used to arrange the place of a tabular, similar to the figure environment

```
Command

\begin{table(*)}[position]
    \centering
    \begin{tabular}{format}
    ...
    \end{tabular}
    \caption{caption}
    \label{label}
\end{table(*)}
```

The position, caption, label are same as those in figure environment.



About htbp

The htbp order is an official order of displaying graphs and tables.

- h insert to the current place
- t insert to the top of the page
- b insert to the bottom of the page
- p insert to a new page, which is common in dealing with big graphs and tables.

LATEX compiler will try these methods from left to right as you defined. Usually, we use htbp so that it will try to put the graph or table in the current place. If fails, then it will try the top, the bottom, and the next page until success.

We usually want to place the graphs or tables just below or above the content where we mention them, but even when we type [h] in position, you can not ensure that it will appear at the ideal position, and there are several methods to make up for this.

- Change [h] to [!h]
- Change [h] to [H]
- Use \newpage to move the following content to the next page

However, the first two methods still cannot ensure the position of the table or graph, so what is the best way to solve this?

Reference

To solve the problem mentioned in the last page, we can use reference. You may remember the \label command used in equations, graphs and tables, they are used for reference in other parts of the document.

Command

```
\ref{label}
```

Example

```
Figure \ref{fig-sample-1} \\Figure 2(a)
Figure \ref{fig-sample}
Figure 1
```

Once the position of these figures are changed, or some more figures are added between them, the number of them will change, but there label won't. So LATEX will automatically generate the correct number for them and you don't need to modify them again and again.

14 / 16

The array environment

When you use tabular in maths environment, the text format in the tabular won't be italic. However, there is a replacement of tabular, which is array environment.

```
Command
```

```
\label{eq:begin} $$\left\{ \text{format} \right\}$$ ... $$
```

```
\end{array}
```

The properties and usages of these two environment are exactly the same.

Note that there is also a package called array, which is an enhancement of both tabular and array, you may use texdoc array to learn about it.