Hazard Analysis Flick Picker

Team 7, 7eam
Talha Asif - asift
Jarrod Colwell - colwellj
Madhi Nagarajan - nagarajm
Andrew Carvalino - carvalia
Ali Tabar - sahraeia

October 19, 2022

Contents

1	Introduction	1					
2	Scope and Purpose						
3	Background	1					
4	System Boundary	1					
5	Scope of Hazard Analysis						
6	Definition of Hazard						
7	Critical Assumptions						
8	Failure Modes and Effects Analysis						
9	Safety Requirements 9.1 Access Requirements	7 7 7 7					
10	Roadman	8					

Revision History

Table 1: Revision History

Date	Developer(s)	Change		
October 17	Jarrod Colwell	Created document structure		
October 17	Talha Asif	Modifying Doc Structure		
October 17	Talha Asif	Added introduction section content		
October 17	Jarrod Colwell	Added scope and purpose section con-		
		tent		
October 19	Andrew Carvalino	Definition of Hazard and Critical As-		
		sumptions		
October 19	Talha Asif	Adding Section 8		
October 19	Ali Tabar	Adding Sections 5 and 6		
October 19	Madhi Nagarajan	Adding Sections 3 and 4		

1 Introduction

Before going any further with system design, it is crucial to conduct a hazard analysis of the system from an engineering perspective. The goal is to identify critical safety concerns the application users could face and the solutions to them. Hazards will be determined using the Failure Modes and Effects Analysis (FMEA) for Flick Picker.

2 Scope and Purpose

This document covers the various areas in which the system is most vulnerable, including but not limited to:

- External Resource Integration Points
- Server Communication
- TODO: Add more here or delete

Along with identifying the vulnerable areas of the system, this document also covers the strategies, both elimination and mitigation, and new security requirements to reduce or eliminate the impact that these hazards have.

3 Background

Flick Picker is a web application that finds the most compatible movie, TV show, or Anime for a group of users. Users will have the ability to set preferences related to their favourite genre, actors, movies etc. Based on these preferences, the system will produce personalized movie/TV show recommendations for users. The application will then determine the most liked film within the group.

4 System Boundary

The list below identifies the the various components part of the system:

1. Flick-Picker Application: This consists of 3 main components.

- (a) Authentication: Verifies and logs the user into the system.
- (b) Profile Management: Stores and manages the user's profile, including their username, preferences, groups etc. Note that this data is stored
- (c) Recommendation System: Provides movie/TV show recommendations to users and groups.
- 2. The user's Physical Device (Laptop or Phone)
- 3. External Media APIs (OMDb, MyAnimeList etc.): Our application requires these APIs to collect movie and TV show records.
- 4. Database: Storing user data on our database, through Firebase. & Application Hosting & Deployments The application will be hosted through Firebase. Builds and deployments will be managed by Jenkins/GitHub Workflow.

The system boundary includes the entire Flick-Picker Application, and application database. Note that user's device and media APIs are external elements, therefore not part of the system boundary. Firebase/Google maintains the uptime of our application and database since we utilize of their services. We also make use of Jenkins/GitHub Workflow for CI/CD of our application.

5 Scope of Hazard Analysis

This document will identify safety concerns and solutions that users may face via defining what a hazard is in this context, stating the critical assumptions that are being made by the system, providing a Failure Modes and Effects Analysis of the components of the system, outlining the safety requirements that are a byproduct of that analysis, and outlining a roadmap of when the hazard analysis may be consulted or further adjusted. In addition, proper background of the project will also be provided, along with the scope and purpose.

6 Definition of Hazard

A hazard, as defined by Nancy Leveson, is a property or condition in the system, that may cause some sort of loss when combined with an environmental condition.

7 Critical Assumptions

- 1. System will not have direct access to users' hardware (ex. specific CPU registers)
- 2. Files will not be downloaded onto the users' device without the explicit consent of the user (should that be a feature of the system)
- 3. Users' private information will not be sold or intentionally disclosed to any third parties

8 Failure Modes and Effects Analysis

Below are tables containing the full Failure Modes and Effects Analysis.

Table 2: Failure Modes and Effects 1

Component	Failure Modes	Effects of Fail-	Causes of Failure	Recommended	SR
		ure		Actions	
Database	Data is deleted	All user data is	Database Failure	Regular back-	IR2, IR3
	on accident	lost		ups exist where	
				data can be	
				rolled back on	
				demand]
	Data is unavail-	User cannot ac-	Database Failure	Refer Above	IR7
	able	cess data			
	Data is modi-	User data is not	Database Failure	System alerts if	ĪR2
	fied incorrectly	updated		data is not mod-	
				ified when re-	
				quested	
Authentication	User cannot lo-	User cannot	Invalid Credentials	Use the correct	AR1, PR1
	gin	view recom-		credentials	
		mendations or			
		friends			

Table 3: Failure Modes and Effects 2

Component	Failure Modes	Effects of Failure	Causes of Failure	Recommended	SR
				Actions	
Authentication	Impersonated	User data is	Database Security	Reset superadmin	AR2
	Superadmin ma-	changed on back-	Failure	password and roll-	
	nipulates user's	end, or deleted		back database	
	database				
Show Selection	Show selection	Group will be	Algorithmic Error	Group has to try	PR2
	misses preferences	given a recom-		a new recommen-	
		mendation which		dation or modify	
		does not match		their preferences	
		all preferences		as none would	
				match	
	Show selection	Group is given	Algorithmic Error	Server must be	$\bar{P}\bar{R}\bar{2}$
	takes too long	recommendations		able to handle in-	
		too slowly		flux of requests at	
				busy times	

Table 4: Failure Modes and Effects 3

Component	Failure Modes	Effects of Failure	Causes of Failure	Recommended	SR
				Actions	
Browser	Application	Unsaved user	General browser	Reopen browser	IR6
	Crashes	data can be lost	crash	application and	
				fill in any data	
				that was not	
				saved	
Github Au-	Pipeline Not Au-	The current build	GitHub Error	Manually start	IR4, IR5
tomation	tomatically Run	of will look like it		pipeline	
		has no issues but			
		the tests were not			
		run			

9 Safety Requirements

Below are the Requirements that have been formed by the above analysis.

9.1 Access Requirements

- AR1: Users can only access and modify their own data
- AR2: Only a superadmin can modify the database directly, which there is only one of

9.2 Integrity Requirements

- IR1: User data is not modified without their permission
- IR2: Database backups occur daily
- IR3: Database backups are kept for at minimum one month
- IR4: CI/CD Pipeline is run before every deployment to ensure a healthy application state
- IR5: CI/CD Pipeline is run on every new code change before it can be merged
- IR6: Application crashes will not cause the device to stop working
- IR7: Database will be available as long as the service is available

9.3 Privacy Requirements

- PR1: Users have to login with their credentials to access application data
- PR2: Algorithm to choose shows shall be protected

9.4 Audit Requirements

• AT1: Requirements shall be easy to read and verify across the system

10 Roadmap

The safety requirements determined within this document will be considered throughout the development of the project. After completion of key components (Frontend, Backend, Database etc.), hazard analysis will be conducted to ensure that potential risks are mitigated. If any issues or risks are discovered, action will be taken immediately to resolve them.