## Hazard Analysis Flick Picker

Team 7, 7eam
Talha Asif - asift
Jarrod Colwell - colwellj
Madhi Nagarajan - nagarajm
Andrew Carvalino - carvalia
Ali Tabar - sahraeia

October 19, 2022

## Contents

1	Introduction	1
2	Scope and Purpose	1
3	Background	1
4	System Boundary	1
5	Scope of Hazard Analysis	1
6	Definition of Hazard	1
7	Critical Assumptions	1
8	Failure Modes and Effects Analysis	2
9		5 5 5 5
<b>10</b>	Roadmap	6

## **Revision History**

Table 1: Revision History

Date	Developer(s)	Change
October 17	Jarrod Colwell	Created document structure
October 17	Talha Asif	Modifying Doc Structure
October 19	Talha Asif	Adding Section 8

#### 1 Introduction

Before going any further with system design, it is crucial to conduct a hazard analysis of the system from an engineering perspective. The goal is to identify critical safety concerns the application users could face and the solutions to them. Hazards will be determined using the Failure Modes and Effects Analysis (FMEA) for Flick Picker.

### 2 Scope and Purpose

a

3 Background

a

4 System Boundary

a

5 Scope of Hazard Analysis

a

6 Definition of Hazard

a

7 Critical Assumptions

a

## 8 Failure Modes and Effects Analysis

Below are tables containing the full Failure Modes and Effects Analysis.

Table 2: Failure Modes and Effects 1

Component	Failure Modes	Effects of Fail-	Causes of Failure	Recommended	SR
		ure		Actions	
Database	Data is deleted	All user data is	Database Failure	Regular back-	IR2, IR3
	on accident	lost		ups exist where	
				data can be	
				rolled back on	
				demand	]
	Data is unavail-	User cannot ac-	Database Failure	Refer Above	IR7
	able	cess data			
	Data is modi-	User data is not	Database Failure	System alerts if	ĪR2
	fied incorrectly	updated		data is not mod-	
				ified when re-	
				quested	
Authentication	User cannot lo-	User cannot	Invalid Credentials	Use the correct	AR1, PR1
	gin	view recom-		credentials	
		mendations or			
		friends			

Table 3: Failure Modes and Effects 2

		ole 3: Fallure Modes		D 1. 1	CD
Component	Failure Modes	Effects of Failure	Causes of Failure	Recommended	SR
				Actions	
Authentication	Impersonated	User data is	Database Security	Reset superadmin	AR2
	Superadmin ma-	changed on back-	Failure	password and roll-	
	nipulates user's	end, or deleted		back database	
	database				
Show Selection	Show selection	Group will be	Algorithmic Error	Group has to try	PR2
	misses preferences	given a recom-		a new recommen-	
		mendation which		dation or modify	
		does not match		their preferences	
		all preferences		as none would	
				match	
	Show selection	Group is given	Algorithmic Error	Server must be	$\bar{P}\bar{R}\bar{2}$
	takes too long	recommendations		able to handle in-	
		too slowly		flux of requests at	
				busy times	

Table 4: Failure Modes and Effects 3

Component	Failure Modes	Effects of Failure	Causes of Failure	Recommended SR
				Actions
Browser	Application	Unsaved user	General browser	Reopen browser IR6
	Crashes	data can be lost	crash	application and
				fill in any data
				that was not
				saved
Github Au-	Pipeline Not Au-	The current build	GitHub Error	Manually start IR4, IR5
tomation	tomatically Run	of will look like it		pipeline
		has no issues but		
		the tests were not		
		run		

### 9 Safety Requirements

Below are the Requirements that have been formed by the above analysis.

#### 9.1 Access Requirements

- AR1: Users can only access and modify their own data
- AR2: Only a superadmin can modify the database directly, which there is only one of

#### 9.2 Integrity Requirements

- IR1: User data is not modified without their permission
- IR2: Database backups occur daily
- IR3: Database backups are kept for at minimum one month
- IR4: CI/CD Pipeline is run before every deployment to ensure a healthy application state
- IR5: CI/CD Pipeline is run on every new code change before it can be merged
- IR6: Application crashes will not cause the device to stop working
- IR7: Database will be available as long as the service is available

### 9.3 Privacy Requirements

- PR1: Users have to login with their credentials to access application data
- PR2: Algorithm to choose shows shall be protected

### 9.4 Audit Requirements

• AT1: Requirements shall be easy to read and verify across the system

# 10 Roadmap

a