ConTeXt

comandi



ConTEXt comandi

it / italiano 15 luglio 2019

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
Amstex	\Amstex
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptionifeature	\adaptionfeature [] [=]
adaptpapersize	\adaptionsize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\aligned [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignere \tag{\text{c}}
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineadestia {}
allinputpaths	\allinputpaths \alphabeticnumerals {}
alphabeticnumerals alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [, [] \alwayscitation []
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [] []
ambiente	\ambiente []
ambiente:string	\ambiente
_	\ampersand
ampersand	\anchor [] [=] {}
	\anchor [] [] [] \ap {}
ap	\apagina []
apagina appendetoks	\appendetoks \to \
	\appendetoks \to \\appendgvalue \{\}
appendgvalue appendtocommalist	
	\appendtocommalist {} \ \appendtoks \to \
appendtoks	
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \}
applytowords	\applytowords \ {}
ap:instance	\HIGH {}
ap:instance:unitshigh	
arabicdecimals	\unitshigh {}
	\arabicdecimals {}
arabicexnumerals	\arabicdecimals {} \arabicexnumerals {}
arabicnumerals	\arabicdecimals {} \arabicnumerals {}
	\arabicdecimals {} \arabicexnumerals {}

assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ \{\}
assigndimension	\assigndimension \{\} \\ \{\} \{\}
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
o Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage \{\} \{\} \{\}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdashes \(\cdot\)\underdot \(\lambda\)}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\undertandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrike \{\dots\}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselinebottom	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinemiddiebox	\baselinerightbox \{\dots\}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginBLOCK [] [=] \at \to \
beginblock:example	
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg

bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
5	
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
ЪТХ	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:arternative btxalwayscitation:userdata	
btxauthorfield	\btxalwayscitation [=] [=] \btxauthorfield {}
	• • • • • • • • • • • • • • • • • • • •
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifelseuservariable	\btxdoifelseuservariable {} {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {} {} {}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
	\btxfieldtype {}
btxfieldtype	\btxfirstofrange {}
btxfirstofrange btxflush	<u> </u>
	\btxflush \{\}
btxflushauthor	\btxflushauthor [] {}

btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot buildtextcedilla	\buildtextbottomdot {}
	\buildtextcedilla {}
buildtextgrave buildtextmacron	\buildtextgrave {}
	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps CONTEXT	\Caps {} \CONTEXT
ConTeXt	\ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\came1 {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] $\{\}$
capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
<pre>capoverso:instance:ownnumber:subsubsection</pre>	\subsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] $\{\}$

capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [] {}
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
	\section [] {}
capoverso:instance:section	
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] $\{\}$
capoverso:instance:subsubsubject	\subsubsubject [] $\{\}$
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
	•
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
	5 5
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\checkvariables [] [] \chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
r	/orth [] []

clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento:instance	\comments (,) (,) [=] {]
	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	<pre>\comparedimension {} {} \comparedimensioneps {} {}</pre>
comparedimensioneps completebtxrendering	
	\completebtxrendering [] [=]
completecombinedlist:instance	\completeCOMBINEDLIST [=]
<pre>completecombinedlist:instance:content completelist</pre>	\completecontent [=] \completelist [] [=]
completelistoffloats:instance	\completelist [] [=] \completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertwalue	\convertmenth {}
convertvalue	\convertvalue \to \ \convertvboxtohbox
	•
copiacampo	\copiacampo [] []

copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=] \copyprefixtesto [] [=]
copylabeltext:instance:prefix	
<pre>copylabeltext:instance:suffix copylabeltext:instance:taglabel</pre>	\copysuffixtesto [] [=] \copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=] \copyunittesto []
	\copypages [] [=]
copypages copyparameters	\copypages [] [] [] \copyparameters [] []
copyposition	\copyposition {} {}
copysetups	\copysetups []
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment currentfeaturetest	\currentenvironment \currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\ፈና ጌ

da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
	\datadioggi []
	\datasetvariable {} {} {}
	\dayoftheweek {} {} {}
v -	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber decrementsubpagenumber	\decrementpagenumber \decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement: argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ {}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
	\definebtx [] [=]
	\definebtxdataset [] [=]
	\definebtxregister [] [=]
	\definebtxrendering [] [=]
	\definebutton [] [=]
	\definecapitals [] [] [=]
	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
	\definechemical [] {}
definechemicals	\definechemicals [] [] [=] \definechemicalsymbol [] []
	\definechemicalsymbol [] [] \definecollector [] [] [=]
definecolumnbreak	\definecollector [] [] \.
	\definecolumnsetarea [] [] [=]
	\definecolumnsetspan [] [] [=]
	\definecombination [] [] []
	\definecomment [] [] [=]
	\definecomplexorsimple \
	\definecomplexorsimpleempty \
	\definecomplexorsimpleempty {}
	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
	\defineeffect [] [] [=]
	\defineexpandable [] \ {}
	\defineexternalfigure [] [=]
	\definefacingfloat [] [] []
	\definefallbackfamily [] [] [] []
	\definefallbackfamily [] [] []
· ·	\definefieldbody [] [] [=]
	\definefieldbodyset [] []
<u> </u>	\definefieldcategory [] [=] \definefileconstant {} {}
definefilefallback	\definefileconstant \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\definefilesynonym [] []
	\definefiler [] [] \definefiller [] []
~~	/

definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] [] \definefontfeature [] [] [=]
definefontfeature definefontfile	\definefontfile [] [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [] [=]
definehspace definehypenationfeatures	\definehspace [] [] \definehypenationfeatures [] [=]
defineindentedtext	\definenypenationreatures [] [=] \defineindentedtext [] [] [=]
defineindenting	\defineindential \defineindential \left[] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [] []
defineinteraction	\defineinteraction [] [] []
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [] []
defineitems	\defineitems [] [=]
dofinalabalalass	\dofinolabolclass [] []
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayer definelayerpreset	\definelayer [] [=] \definelayerpreset [] [=]
definelayer	\definelayer [] [=] \definelayerpreset [] [=] \definelayerpreset [] []
definelayer definelayerpreset definelayerpreset:name	\definelayer [] [=] \definelayerpreset [] [=]
definelayer definelayerpreset definelayerpreset:name definelinefiller	\definelayer [] [=] \definelayerpreset [] [=] \definelayerpreset [] [] \definelinefiller [] [] [=]
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote	<pre>\definelayer [] [=] \definelayerpreset [] [=] \definelinefiller [] [] [=] \definelinenote [] [] [=]</pre>
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative	<pre>\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] []</pre>
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistextra [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenumbering [] [] [] \definelinenumbering [] [] [] \definelistalternative [] [] [] \definelistextra [] [] [] \definelow [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelowhigh [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh defineMPinstance	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] [] \definelowmidhigh [] [] [] \defineMPinstance [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh defineMPinstance definemarginblock	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] [] \defineMPinstance [] [] [] \definemarginblock [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh defineMPinstance definemarginblock definemargindata	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defineMPinstance [] [] [] \definemarginblock [] [] [] \definemargindata [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh defineMPinstance definemarginblock	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelow [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] [] \defineMPinstance [] [] [] \definemarginblock [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh defineMPinstance definemarginblock definemargindata definemarker	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistextra [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] [] \defineMPinstance [] [] [] \definemargindata [] [] [] \definemargindata [] [] [] \definemarker []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenumbering [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistextra [] [] [] \definelow [] [] [] \definelowhigh [] [] [] \definelowmidhigh [] [] [] \defineMPinstance [] [] [] \definemargindata [] [] [] \definemargindata [] [] [] \definemarker [] \definemathaccent
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistavtra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathalignment	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelines [] [] [] \definelistatternative [] [] [] \definelistextra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined finelow finelow [] [] [] \definemargindata [] [] [] \definemargindata [] [] [] \definemathaccent \definemathalignment [] [] [] \definemathcases [] [] [] \definemathcommand [] [] [] \definemathcommand [] [] [] \definemathcommand [] [] [] \definemathcommand [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistaternative definelowigh definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathalignment definemathcases	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelines [] [] [] \definelistatternative [] [] [] \definelistextra [] [] [] \definelowhigh [] [] [] \definelowhigh [] [] [] \definendprintstance [] [] [] \definemarginblock [] [] [] \definemarker [] \definemathaccent \definemathalignment [] [] [] \definemathcommand [] [] [] \definemathcommand [] [] [] \definemathdouble [] [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistaternative definelowhigh definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathacses definemathcommand definemathdouble definemathdoubleextensible	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined finelow finelow [] [] [] \definemargind finelow [] [] [] \definemargind finelow [] [] [] \definemarker [] \definemathaccent
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathacses definemathcommand definemathdouble definemathematics	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelowhigh [] [] [] \definelowhigh [] [] [] \definelowhigh [] [] [] \definemargindhigh [] [] [] \definemargindata [] [] [] \definemarker [] \definemathaccent \definemathaccent \definemathcommand [] [] [] \definemathcommand [] [] [] \definemathdouble [] [] [] \definemathdouble extensible [] [] [] \definemathcommatics [] [] []
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathacses definemathcommand definemathdouble definemathematics definemathematics definemathematics definemathemathexensible	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined finelow finelow [] [] [] [] \definemargind finelow [] [] [] [] \definemargind finelow [] [] [] [] \definemathaccent
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathaccent definemathcommand definemathdouble definemathematics definemathematics definemathemathematics definemathematherce	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined finelow finelow [] [] [] \define fine finelow finelow [] [] [] [] \define fine fine fine fine fine fine fine
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathacses definemathcommand definemathdouble definemathematics definematherece definemathfence definemathfraction	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] [] \defineMPinstance [] [] [] \definemarginblock [] [] [] \definemarker [] \definemathaccent
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathcommand definemathdouble definemathematics definematherece definematherece definemathfraction definemathfraction definemathfraction	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined prinstance [] [] [] \defined prinstance [] [] [] \definemargindata [] [] [] \definemarker [] \definemathaccent \definemathaccent \definemathaccent [] [] [] \definemathouble [] [] [] \definemathdouble [] [] [] \definemathdouble extensible [] [] [] \definemathematics [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] [] \definemathfraction [] [] [] [] [] \definemathfractio
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathcommand definemathdouble definemathematics definematheratics definemathframed definemathframed definemathframed definemathframed definemathframed	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistextra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] [] \defined finelow finelow finelow [] [] [] [] \definemargind finelow finel
definelayer definelayerpreset definelayerpreset:name definelinefiller definelinenote definelinenumbering definelines definelistalternative definelistextra definelow definelowhigh definelowmidhigh definemarginblock definemargindata definemarker definemathaccent definemathcommand definemathdouble definemathematics definematherece definematherece definemathfraction definemathfraction definemathfraction	\definelayer [] [] [] \definelayerpreset [] [] \definelayerpreset [] [] \definelinefiller [] [] [] \definelinenote [] [] [] \definelinenumbering [] [] [] \definelines [] [] [] \definelistalternative [] [] [] \definelistattra [] [] [] \definelow [] [] [] \definelow [] [] [] \definelow [] [] [] \defined prinstance [] [] [] \defined prinstance [] [] [] \definemargindata [] [] [] \definemarker [] \definemathaccent \definemathaccent \definemathaccent [] [] [] \definemathouble [] [] [] \definemathdouble [] [] [] \definemathdouble extensible [] [] [] \definemathematics [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] \definemathfraction [] [] [] [] \definemathfraction [] [] [] [] [] \definemathfractio

definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [] [=]
definepagecolumns	\definepagecolumns [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [=]
defineplacement	\defineplacement [] [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] [=]
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [=]
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}

definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineuserdata	\defineuserdata [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
lefinisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [] [] \definiscibloccosezione [] [] []
definiscibloccosezione definiscibuffer	\definiscibioccosezione [] [] [=] \definiscibuffer [] [] [=]
definiscipuller	\definiscicampo [] [] [] [] []
definiscicampo definiscicapoversi	\definiscicampo [] [] [] [] \definiscicapoversi [] []
definiscicarattere	\definiscicarattere
definiscicalattere	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [=]
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] []
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument definisciformatoriferimento	\definiscifont [] []
definisciformatoriferimento definiscigruppocolonne	\definisciformatoriferimento [] [] [] \definiscigruppocolonne [] [] []
definiscigruppocolori	\definiscigruppocolori [] [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	$\label{localization} $$ \definiscimodellotabella [] [] [] $$ [] $$$
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] [] \definiscisezione []
definiscisezione definiscisimbolo	\definiscisezione [] \definiscisimbolo [] []
definiscisimbolo	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] []
definiscisottocampo	\definiscisottocampo [] [] []
definiscisovrapposizione	\definiscisovrapposizione [] [] []
definiscistackcampi	\definiscistackcampi [] [] [=]
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
lofiniccitypo	\dofinisci+wpo [] [] [=]

definiscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
1 0	\deptholstring \(\cdot\)
depthonlybox	
depthspanningtext	\depthspanningtext {} {} {}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
	\directdummyparameter {}
directdummyparameter	. · · · · · · · · · · · · · · · · · · ·
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\ \\ldots\} \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	$ar{0PT}$ OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ [] []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleangumentwitchset \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dodoubleemptywithset	\dodoubleempty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dodoublegroupempty	\dodoubleemptywithset \ [] [] \dodoublegroupempty \ {}
doexpandedracurse	\doexnamedracurse { } { }
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}

dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallcommon	\doifallcommon \{\} \{\}
doifallommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse doifallmodes	\doifalldefinedelse \{\} \{\} \\doifallmodes \{\} \{\}
doifallmodeselse	\doifallmodes \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\.\\
doifassignmentelsecs	\doifassignmentelsecs \{\ldots\} \\ldots\\
doifblackelse	\doifblackelse {} {}
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \{\ldots\}
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse {} {}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	\doifcommandhandler \ \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent doifconversiondefinedelse	\doifcontent {} {} \ {} \doifconversiondefinedelse {} {} {}
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \{\ldot
doifcounter	\doifcounter \{\ldots\} \\ \doifcounter \{\ldots
doifcounterelse	\doifcounterelse \{\} \{\}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \{\ldots\} \{\ldots\}
doifdefined	\doifdefined \{\ldots\} \\ \ldots\}
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \{\ldots\}
doifdefinedelse	\doifdefinedelse {} {}
doifdimensionelse	\doifdimensionelse $\{\ldots\}$ $\{\ldots\}$
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument \{\ldots\}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename doifdocumentfilenameelse	\doifdocumentfilename \{\ldots\} \\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse \{\ldots\} \\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse \{\ldots\} \\doifdocumentfilenameelse \{\ldots\} \\\doifdocumentfilenameelse
doifdocumentvariable	\doifdocumentvariable \{\ldots\} \\\.\}
doifdocumentvariableelse	\doifdocumentvariableelse \{\ldots\} \\ \\ \ldots\}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon $\{\}$ $\{\}$ $\{\}$
doifelsealldefined	\doifelsealldefined {} {} {}
doifelseallmodes	\doifelseallmodes $\{\ldots\}$ $\{\ldots\}$
doifelseassignment	\doifelseassignment \{\ldots\} \\ \\.\\
doifelseassignmentcs	\doifelseassignmentcs \\\\
doifelseblack	\doifelseblack \{\} \{\}
doifelsebox doifelseboxincache	\doifelsebox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsebuffer	\doifelseboxincache \{\} \{\} \{\} \\doifelsebuffer \{\} \{\} \\doifelsebuffer \{\} \{\} \\doifelsebuffer \{\} \doifelsebuffer \{\} \\doifelsebuffer \{\} \\doifelsebu
doifelsecolor	\doifelsecolor \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\} \{\ldots\}
doifelseconversionnumber	\doifelseconversionnumber $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsecounter	\doifelsecounter {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\}$ $\{\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown \{\ldots\} \{\ldots\}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused \{\ldots\} \{\ldots\}
doifelsedefined doifelsedefinedcounter	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimension	\doifelsederinedcounter \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedimenstring	\doifelsedimension \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentargument	\doifelsedocumentargument \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \\\ \ldots\}
doifelsedocumentvariable	\doifelsedocumentvariable {} {}
doifelsedrawingblack	\doifelsedrawingblack {} {}
doifelseempty	\doifelseempty $\{\}$ $\{\}$
doifelseemptyvalue	\doifelseemptyvalue $\{\}$ $\{\}$

doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseenv \{\ldots\} \\doifelsefortertionelshock \(\ldots\)
doifelsefastoptionalcheck doifelsefastoptionalcheckcs	\doifelsefastoptionalcheck \{\ldots\}\doifelsefastoptionalcheckcs \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefieldbody	\doifelsefieldbody \{\ldots\} \\\.\\
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \\\.\}
doifelsefigure	\doifelsefigure {} {}
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined {} {}
doifelsefileexists	\doifelsefileexists $\{\}$ $\{\}$
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontchar	\doifelsefontchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontfeature doifelsefontpresent	\doifelsefontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	\doifelsefontsynonym \{\ldots\} \\\.\\
doifelseframed	\doifelseframed \ \{\}
doifelsehasspace	\doifelsehasspace {} {} {}
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname $\{\}$ $\{\}$ $\{\}$
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\ldot\ldot\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset doifelseintoks	\doifelseinsymbolset \{\doifelseintoks \{\doifel
doifelseintwopassdata	\doifelseintoks \(\(\(\)\) \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseitalic	\doifelseitalic \{\doifelseitalic \}\doifelseitalic \{\doifelseitalic \}\doifelseitalic \{\doifelseitalic \}\doifelseita
doifelselanguage	\doifelselanguage {} {}
doifelselayerdata	\doifelselayerdata {} {} {}
doifelselayoutdefined	\doifelselayoutdefined {} {}
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline $\{\ldots\}$ $\{\ldots\}$
doifelseleapyear	\doifelseleapyear {} {}
doifelselist	\doifelselist \{\} \{\}
doifelselocation	\doifelselocation \{\ldots\} \\doifelselocation \{\ldots\} \\doife
<pre>doifelselocfile doifelseMPgraphic</pre>	\doifelselocfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemainfloatbody	\doifelsemainfloatbody \{\ldots\} \\.\
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking {} {} {}
doifelsemeaning	\doifelsemeaning \ \ \{} \{}
doifelsemessage	\doifelsemessage $\{\}$ $\{\}$ $\{\}$
doifelsemode	\doifelsemode $\{\ldots\}$ $\{\ldots\}$
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\doifelsenextchar \{\doifelsenextchar \{\doifelsenextchar \}\doifelsenextchar \}
doifelsenextoptional doifelsenextoptionalcs	\doifelsenextoptional \{\ldots\} \\doifelsenextoptionalcs \\\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextparenthesis	\doifelsenextparenthesis \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \\\ \ldots\}
doifelsenoteonsamepage	\doifelsenoteonsamepage {} {} {}
doifelsenothing	\doifelsenothing {} {}
doifelsenumber	\doifelsenumber $\{\}$ $\{\}$
doifelseobjectfound	\doifelseobjectfound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoddpage	\doifelseoddpage \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext doifelseolderversion	\doifelseoldercontext \{\doifelseolderversion \{\doife
doifelseoverlapping	\doifelseorderversion \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay \{\} \{\}
doifelseparallel	\doifelseparallel {} {} {} {}
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns {} {} {}
doifelseposition	\doifelseposition \{\ldots\} \\\
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\doifelsepositionaction \{\ldots\} \\doifelsepositionactionaction \{\ldots\} \\doifelsepositionactiona
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifelsepositionsonthispage	\doifelsepositionsonthispage $\{\}$ $\{\}$
doifelsepositionsused	\doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$
doifelsereferencefound	\doifelsereferencefound $\{\}$ $\{\}$
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference $\{\ldots\}$ $\{\ldots\}$
doifelsesamestring	\doifelsesamestring $\{\}$ $\{\}$ $\{\}$
doifelsesetups	\doifelsesetups {} {}
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \{\ldots\}
doifelsesomespace	\doifelsesomespace \{\ldots\} \{\ldots\}
doifelsesomething	\doifelsesomething \{\ldots\} \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber \{\ldots\} \\\
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \{\ldots\}
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetext	\doifelsetext {} {}
doifelsetextflow	\doifelsetextflow \{\doifelsetextflow \{\doifelsetextflowellsetextflow
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetopofpage	\doifelsetopofpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetypingfile doifelseundefined	\doifelsetypingfile \{\ldots\} \{\ldots\} \\doifelseundefined \{\ldots\} \{\ldots\} \\doifelseundefined \{\ldots\} \\doifelseundefined \{\ldots\} \\dots\} \\doifelseundefined \{\ldots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\}
doifelseurldefined	\doifelseurldefined \{\ldots\} \{\ldots\} \{\ldots\}
doifelsevalue	\doifelsevalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevaluenothing	\doifelsevalue \(\tau_{\tau_{\tau}} \\ \tau_{\tau_{\tau}} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsevariable	\doifelsevariable \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse \{\} \{\}
doifemptytoks	\doifemptytoks \ \{\}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse {} {} {}
doifemptyvariable	\doifemptyvariable \{\ldots\} \\ \ldots\}
doifemptyvariableelse	\doifemptyvariableelse \{\ldots\} \\ \ldots\} \\ \ldots\}
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse {} {}
doiffieldcategoryelse	\doiffieldcategoryelse {} {} {}
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\.\}
doiffileelse	\doiffileelse {} {}
doiffileexistselse	\doiffileexistselse $\{\}$ $\{\}$
doiffirstcharelse	\doiffirstcharelse $\{\}$ $\{\}$ $\{\}$
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse $\{\}$ $\{\}$ $\{\}$
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \{\ldots\}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\} \\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhasspaceelse	\doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse doifinset	\doifinsertionelse \{\} \{\} \\doifinset \{\} \{\}
doifinsetelse	\doifinset \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	
dollinstring	\doifing+ring \ \ \ \ \
doifinstringelse	\doifinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstringelse	\doifinstringelse $\{\}$ $\{\}$ $\{\}$
doifinsymbolset	\doifinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse	\doifinstringelse \{\ldots\} \{\ldots\} \\doifinsymbolset \{\ldots\} \{\ldots\} \\doifinsymbolsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\doifinsymbolsetelse \{\ldots\} \\doifinsymbolsetelse \{\ldots\} \\doifinsymbolsetelse \{\ldots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\} \\dot
doifinsymbolset doifinsymbolsetelse doifintokselse	\doifinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse	\doifinstringelse \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse	\doifinstringelse \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse doiflanguageelse	\doifinstringelse \{\.\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse doiflanguageelse doiflayerdataelse	\doifinstringelse \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse doiflanguageelse doiflayerdataelse doiflayoutdefinedelse	\doifinstringelse \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse doiflanguageelse doiflayerdataelse	\doifinstringelse \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse $\{\}$ $\{\}$
doiflocationelse	\doiflocationelse \{\ldots\} \{\ldots\}
doiflocfileelse	\doiflocfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse \{\dots\} \\
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{\}
doifmessageelse	\doifmessageelse \{\} \{\} \{\}
doifmode	\doifmode \{\}
doifmodeelse	\doifmodeelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse doifnextcharelse	\doifnextbgroupelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextcharerse doifnextoptionalcselse	\doifnextcharerse \ \\\ \\doifnextoptionalcselse \\ \\\
doifnextoptionalelse	\doifnextoptionalelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\\
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnot	\doifnot \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallcommon	\doifnotallcommon \{\} \{\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon {} {} {}
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotdocumentvariable	\doifnotdocumentvariable {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable {} {}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse $\{\}$ $\{\}$
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \{\ldots\}
doifnotmode	\doifnotmode \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifnotnumber	\doifnotnumber \{\ldots\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups \{\ldots\} \\\.\\
doifnotvalue	\doifnotvalue \{\} \{\}
doifnotvariable	\doifnotvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse doifoddpageelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpagefloatelse	\doifoddpagefloatelse \{\ldots\} \\\.\}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\doifolderversionelse \{\doifo
doifoverlappingelse	\doifoverlappingelse \{\doifoverlappingelse \
doifoverlayelse	\doifoverlayelse \{\} \{\}
doifparallelelse	\doifparallelelse {} {} {}
doifparentfileelse	\doifparentfileelse {} {} {}
doifpathelse	\doifpathelse {} {}
doifpathexistselse	\doifpathexistselse {} {} {}
doifpatternselse	\doifpatternselse {} {} {}
doifposition	\doifposition {} {} {}
doifpositionaction	\doifpositionaction {} {} {}
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \{\ldots\}
doifpositionelse	\doifpositionelse {} {} {}
doifpositiononpageelse	\doifpositiononpageelse {} {} {}
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {} {}
doifpositionsusedelse	\doifpositionsusedelse $\{\ldots\}$ $\{\ldots\}$
doifreferencefoundelse	\doifreferencefoundelse $\{\ldots\}$ $\{\ldots\}$
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}

doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse $\{\}$ $\{\}$ $\{\}$
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackground	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	\doifsomebackgroundelse $\{\ldots\}$ $\{\ldots\}$
doifsomespaceelse	\doifsomespaceelse $\{\}$ $\{\}$
doifsomething	\doifsomething \{\ldots\} \\\
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsymbolsetelse	\doifsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftext doiftextelse	\doiftext {} {} {} \doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowcollectorerse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doiftopofpageelse {} {}
doiftopofpageelse doiftypingfileelse	\doiftypingfileelse {} {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\\
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifunknownfontfeature	\doifunknownfontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\doifurldefinedelse \}
doifvalue	\doifvalue {} {} {}
doifvalueelse	\doifvalueelse {} {} {}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\
doifvaluesomething	\doifvaluesomething \{\ldots\} \\\.\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ $\{\}$ $\{\}$ $\{\}$
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\dorestattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetleftskipadaption	\dosetattribute \{\ldosetattribute \{\ldosetattribu
dosetrightskipadaption	\dosetleftskipadaption {} \dosetrightskipadaption {}
dosetrightskipadaption dosetupcheckedinterlinespace	\dosetingntskipadaption () \dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged

do at anni a ana anna a	\doctor===================================
dostepwiserecurse	\dostepwiserecurse \{\ldots\} \{\ldots\} \{\ldots\}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \}
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
eremenco	/ETEMETICO II
O.M.	
em	\em
emphasisboldface	\em \emphasisboldface
emphasistypeface	\emphasisboldface \emphasistypeface
emphasistypeface emptylines	<pre>\emphasisboldface \emphasistypeface \emptylines []</pre>
emphasistypeface	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives []</pre>
emphasisboldface emphasistypeface emptylines emspace	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers []</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \ENUMERAZIONE [] \\par</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {}</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \epos {} \equaldigits {} \eTeX</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \equaldigits {} \eTeX \ETICHETTA [] {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \epos {} \equaldigits {} \eTeX</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \equaldigits {} \eTeX \ETICHETTA [] {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eTEX \text{ETICHETTA [] {} \executeifdefined {} {} \executeifdefined {} \end{array}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \efeX \text{ETICHETTA [] {} \executeifdefined {} {} \exitloop</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eteX \text{ETICHETTA [] {} \executeifdefined {} {} \exitloop \exitloopnow \expandcheckedcsname \ {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eta ETICHETTA [] {} \ext{executeifdefined {} {} \ext{expanded {}} \expanded {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \eta ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} \expanded {} {} \expanded {} \expanded {} \expanded {} \expanded {} {} \expanded {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandeddeifelse	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \effex \text{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expandeddoif {} {} {} \expandeddoifelse {} {} {} \expandeddoifelse {} {} \expandeddoifelse {} {} \expandeddoifelse {} {} \expandeddoifelse {} {} {} {} \expandeddoife</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoifelse expandeddoifnot	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \effex \text{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expandeddoif {} {} {} \expandeddoifot {} {} \expandeddoifot {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandfontsynonym	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \effex \text{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoifelse {} {} {} \expandeddoifnot {} {} {} \expandeddoifnot {} {} {} \expandedontsynonym \ {.</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifot expandeddoifot expandfontsynonym expdoif	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envur {} {} \equaldigits {} \effex \text{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoifelse {} {} {} \expandeddoif {} {} {} \expandedoif {</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandedfontsynonym expdoif expdoifcommonelse	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableoutputstream [] \enableregime [] \enabletrackers [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \ext{ETICHETTA [] {} \ext{executeifdefined {} {} \ext{exitloop} \ext{exitloopnow} \ext{expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedoif {} {} {} \expandedoif {} {} {} \expandoif {} {} {} \exp</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandfontsynonym expdoif expdoifcommonelse expdoifelse	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enablemode [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \ext{ETICHETTA [] {} \ext{executeifdefined {} {} \ext{exitloop} \ext{exitloopnow} \ext{expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedficommonelse {} {} {} \expdoif {} {} \expdoif {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \expdoifelse {} {} {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandeddoif expandeddoif expandeddoifelse expandeddoifnot expandfontsynonym expdoif expdoifcommonelse expdoifelse expdoifelse expdoifelsecommon	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enableoutputstream [] \enableoutputstream [] \enablerackers [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \equaldigits {} \eterx \text{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedfontsynonym \ {} \expdoifcommonelse {} {} {} \expdoifelse {} {} {} \explane \explane \explane {} {} {} \expdoifelse {} {} {} \expdoifelse {} {} {} \explane \explane \explane {} {} \explane \explane \explane {} {} \explane \explane \explane {} {} \explane {} {} \explane {} {} \ex</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandfontsynonym expdoif expdoifcommonelse expdoifelse	<pre>\em \emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enablemode [] \enablemode [] \enablemode [] \enablemode parpositions \enableregime [] \enabletrackers [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \ext{ETICHETTA [] {} \ext{executeifdefined {} {} \ext{exitloop} \ext{exitloopnow} \ext{expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedficommonelse {} {} {} \expdoif {} {} \expdoif {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \expdoifelse {} {} {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \expdoifelse {} {} {} \explain {} {} \explain {} {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {} {} \explain {} {} {} \explain {</pre>

expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement fastincrement	\fastdecrement \
	\fastincrement \
fastlocalframed fastloopfinal	\fastlocalframed [] [=] {} \fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE \{\ldots\}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking fetchonemark	\fetchmarking [] [] \fetchonemark [] []
fetchonemarking	\fetchonemark [] [] \fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments {} {} {} {}
fifthofsixarguments	$\fifthofsix arguments \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\}$
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight figurenaturalwidth	\figurenaturalheight \figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
	\filler []
filler	\£:11+a [] []
fillupto	\fillupto [] \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.
fillupto filterfromnext	\filterfromnext \{\ldots\} \{\ldo
fillupto filterfromnext filterfromvalue	\filterfromnext $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ \filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{\cdots\}$ $\{$
fillupto filterfromnext filterfromvalue filterpages	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fillupto filterfromnext filterfromvalue filterpages filterreference	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} OPT OPT OPT OPT \filterpages [] [] [=] \filtereference {}
fillupto filterfromnext filterfromvalue filterpages	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} OPT
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} OPT OPT OPT OPT \filterpages [] [] [=] \filterreference {} \findtwopassdata {} {}
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} \cdot OPT OPT OPT OPT OPT \filterpages [] [=] \filterreference {} \findtwopassdata {} {} \finishregisterentry [] [=] [=]
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter	\filterfromnext {} {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} {} OPT OPT OPT OPT OPT \filterpages [] [=] \filterreference {} \findtwopassdata {} {} \finishregisterentry [] [=] [=] \firstcharacter
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist	\filterfromnext {} {} {} {} {} {} {} {} \ \filterfromvalue {} {} {\bar{PT}} \bar{OPT}
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} {} {} {} \filterfromvalue {} {} {} (PPT OPT OPT OPT OPT OPT OPT OPT OPT OPT
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} {} {} {} \filterfromvalue {} {} {} \filterpages [] [=] \filterpages [] [=] \findtwopassdata {} {} \finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstoffivearguments {} {} {} {} {} \firstoffourarguments {} {} {} {}
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcounter firstcountervalue firstinlist firstoffivearguments firstofonearguments firstofoneargument	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} {} OPT OPT OPT OPT OPT \filterpages [] [] [=] \filterreference {} \findtwopassdata {} {} \finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstoffivearguments {} {} {} {} {} \firstoffourarguments {} {} {} {} \firstoffoneargument {} {} \firstofoneargument {}
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcounter firstcountervalue firstinlist firstoffivearguments firstofoneargument firstofoneunexpanded	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {\filterfromvalue {} {\firstcounter {} {\firstcountervalue {} {\firstoffourarguments {} {\firstoffourargument {} {
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcounter firstcountervalue firstinlist firstoffivearguments firstofoneargument firstofoneunexpanded firstofsixarguments	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {} {} {} \filterfromvalue {} {} {} \filterfromvalue {} {} \filterpages [] [=] \filterpages [] [=] \filterpages [] {} \finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcounter [] [] \firstcountervalue [] \firstoffivearguments {} {} {} {} {} \firstofoneargument {} \firstofoneargument {} \firstofoneargument {} \firstofonearguments {} {} {} {} \firstofonearguments {} {} {} \firstofonearguments {} {} {} \firstofonearguments {} {} {} \firstofonearguments {} {} \firstofonearguments {} {} {} \firstofonearguments {} \firstofonearguments {} {} {} \firstofonearguments {} \firstofon
fillupto filterfromnext filterfromvalue filterpages filterreference findtwopassdata finishregisterentry firstcharacter firstcounter firstcounter firstcountervalue firstinlist firstoffivearguments firstofoneargument firstofoneunexpanded	\filterfromnext {} {} {} {} {} {} {} {} \filterfromvalue {} {} {\filterfromvalue {} {\firstcounter {} {\firstcountervalue {} {\firstoffourarguments {} {\firstoffourargument {} {

firstoftwoarguments	\firstoftwoarguments \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \\\
firstrealpage	\firstrealpage
. •	
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
. •	
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
·	•
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
-	-
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\ \fontclassname \text{\colored}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
87-	\forgetparameters [] [=]
forgotparamotors	
forgetparameters	. •
forgetparameters forgetparskip	\forgetparskip
	. •
forgetparskip forgetragged	\forgetparskip \forgetragged
forgetparskip forgetragged formula	\forgetparskip \forgetragged \formula [] {}
forgetparskip forgetragged formula foundbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {}
forgetparskip forgetragged formula foundbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \ddfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \ddfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \sfrac {} {} \sfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \kirac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xxfrac frazione:instance:xxfrac freezedimenmacro	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \freezedimenmacro \ \
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \therefore \frac{1}{1} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \therefore \frac{1}{1} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \freezemeasure [] [] \frenchspacing \fromlinenote [] {} \frozenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \GotoPar
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \kfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \freezemeasure [] [] \frenchspacing \fromlinenote [] {} \frozenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \GotoPar
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \kirac {} {} \freezedimenmacro \ \ \freezemeasure [] [] \frozenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \gdefconvertedargument \ {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:frac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezenhbox {} \frozenhbox {} \frozenhbox {} \freeknumerals {} \gdefconvertedargument \ {} \gdefconvertedcommand \ \
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xxfrac frazione:instance:xxfrac frazione:instance:xxfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand getboxfromcache	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \\ \freezedimenmacro \\ \freezedimentone [] {} \frozenhbox {} \freezenhox {} \getocoper \GotoPar \GotoPar \Greeknumerals {} \getocoper
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:frac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \gdefconvertedargument \ {} \gdefconvertedcommand \ \

getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	$\getdayoftheweek {} {} {}$
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getnamedglyphdirect	\getnamedglyphdirect \{\ldots\} \{\ldots\}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{\}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ \{\} \{\}
getrandomfloat	\getrandomfloat \ \{\} \{\}
getrandomnumber	\getrandomnumber \ \{\} \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault \{\ldots\} \{\ldots\} \{\ldots\}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
	\globaldisablemode []
globalenablemode	•
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalproyentmode []
globalprecessessmalist	\globalprocesscommolist [] \
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox

globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
	\globalswapcounts \ \
globalswapcounts	
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	$thm:local_continuous_con$
gobblefivearguments	\gobblefivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\\}
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
•	•
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments \{\ldots\} \{
gobblespacetokens	\gobblespacetokens
gobbletenarguments	$\label{tenarguments} $$\left\{\ldots\right\} \left\{\ldots\right\} \left\{\ldots\right\}$
gobblethreearguments	\gobblethreearguments \{\ldots\} \{\ldots\}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments \{\ldots\} \\\
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
	\griglia [=]
griglia	
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
	\hash
hash	• • •
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {}
help:instance	\HELP [] {}
· · · · · · · · · · · · · · · · · · ·	

help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\} \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
httofstring	\https://doi.org/10.1011/10.10
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {} \hyphenatedfilename {}
hyphenatedfilename	*-
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {} \hyphenatedurl {}
hyphenatedurl	
hyphenatedword INRSTEX	\hyphenatedword {} \INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
<pre>impostaelencocombinato impostaelencocombinato:instance</pre>	\impostaelencocombinato [] [=] \impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
Imposoucionecomornaco. Instance. content	/Tubon off control []

impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostanggettimobili	\impostandmerotesta [] [] \impostanggettimobili [] [=]
	\impostaoggettimobili [] [] \impostaoggettomobile [] []
impostaorgettomobile impostaordinamento	\impostaorginamento [] [=]
-	\impostaorurnamento [] [] \impostaparranging []
impostaparranging	
impostapdp	\impostapdp [] [=] \impostapiustretto [] [=]
impostapiustretto	\impostapiustietto [] [] \impostaposizionamento [] []
impostaposizionamento	
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\:\ \:\ \:\ \:\ \:\ \:\ \:\ \:\ \:\ \:\
impostatestifondo	\impostatesticima [] [] [] []
impostatestiionao	\impostatestifondo [] [] [] []
impostatestiincorniciati	
-	\impostatestifondo [] [] [] []

impostatesto	\impostatesto [] [=]
impostatesto impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=]
<pre>impostatestoetichette:instance:operator</pre>	\impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance:prefix</pre>	\impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance:suffix</pre>	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype impostatyping	\impostatype [] [=] \impostatyping [] [=]
impostatyping	\impostatyping [] [=] \impostatrl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa:argument	\incrementa ()
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inizia iniziaalignment	\inizia [] \termina \iniziaalignment [] \terminaalignment
iniziaalignment iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsection
<pre>iniziacapoverso:instance:subsubsubsubject iniziacapoverso:instance:subsubsubsection</pre>	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject \iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsect
THILLIACAPOVEL BO. THE CALICE. BUDBUDBUDBUDBECCIOH	/THIZIGBUDGUDGUDGUDGUTUH [] [] /telmingungungungungen

```
iniziacapoverso:instance:subsubsubsubsubject
                                                                          \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubje
iniziacapoverso:instance:title
                                                                          \iniziatitle [..=..] [..=..] ... \terminatitle
                                                                          \iniziacatcodetable \... \terminacatcodetable
\verb"iniziacatcodetable"
iniziacenteraligned
                                                                          \verb|\line| \verb| iniziacenteraligned ... \verb| \terminacenteraligned | \\
                                                                          \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
                                                                          \iniziacharacteralign [...] ... \terminacharacteralign
iniziacharacteralign:argument
                                                                          \iniziacheckedfences ... \terminacheckedfences
iniziacheckedfences
                                                                          \iniziachemical [...] [..=..] ... \terminachemical
iniziachemical
iniziacodatabella
                                                                          \iniziacodatabella [...] ... \terminacodatabella
                                                                          \iniziacodatabulato [...] ... \terminacodatabulato
iniziacodatabulato
                                                                          \iniziacollect ... \terminacollect
iniziacollect
                                                                          \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                          \iniziacolonne [..=..] ... \terminacolonne
iniziacolonne
                                                                          \iniziacolore [...] ... \terminacolore
iniziacolore
                                                                          \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                                          \iniziacoloronly [...] ... \terminacoloronly
                                                                          \iniziacolorset [...] ... \terminacolorset
iniziacolorset
                                                                          \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnset
iniziacolumnsetspan
                                                                          \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example
                                                                          \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
                                                                          \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacolumnspan
                                                                          \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination
                                                                          \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                          \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance
                                                                          \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment
                                                                          \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet
                                                                          \verb|\iniziacomponent| [\dots] \dots \verb|\terminacomponent|
                                                                          \iniziacomponenet .....\terminacomponenet \iniziacontextcode ...\terminacontextcode
iniziacomponenet:string
iniziacontextcode
iniziacontextdefinitioncode
                                                                          \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction
                                                                          \iniziactxfunction ... \terminactxfunction
                                                                          \iniziactxfunctiondefinition ... \terminactxfunctiondefinition
iniziactxfunctiondefinition
                                                                          \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
iniziacurrentlistentrywrapper
                                                                          \iniziadelimited [...] [...] ... \terminadelimited
iniziadelimited
                                                                          \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext
                                                                          \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance
iniziadelimitedtext:instance:aside
                                                                          \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote
                                                                          \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation
                                                                          \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote
                                                                          \iniziaquote [...] [...] ... \terminaquote
                                                                          \iniziaspeech [...] [...] ... \terminaspeech
iniziadelimitedtext:instance:speech
                                                                          \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example
                                                                          \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
                                                                          \iniziadisplaymath ... \terminadisplaymath
iniziadisplaymath
iniziadmath
                                                                          \iniziadmath ... \terminadmath
iniziadocument
                                                                          \iniziadocument [..=..] ... \terminadocument
iniziaeffect
                                                                          \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example
                                                                          \iniziaEFFECT ... \terminaEFFECT
                                                                          \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                          \iniziaelemento [...] ... \terminaelemento
iniziaelemento
iniziaembeddedxtable
                                                                          \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name
                                                                          \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                          \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example
                                                                          \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                                          \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                                          \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect
                                                                          \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable
                                                                          \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
iniziaexternalfigurecollection
                                                                          \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt iniziafacingfloat}
                                                                          \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura
                                                                          \iniziafigura [...] [...] ... \terminafigura
                                                                          \iniziafisso [...] ... \terminafisso
iniziafisso
iniziafittingpage
                                                                          \iniziafittingpage [...] [..=..] ... \terminafittingpage
                                                                          \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance
                                                                          \iniziaMPpage [..=..] ... \terminaMPpage
\verb"inizia fitting page: \verb"instance: MP" page"
iniziafittingpage:instance:TEXpage
                                                                          \iniziaTEXpage [..=..] ... \terminaTEXpage
                                                                          \verb|\colored | 1.=.. | 1... | terminafloatcombination | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1.
\verb"iniziafloatcombination"
                                                                          iniziafloatcombination:matrix
                                                                          iniziafloattext:instance
iniziafloattext:instance:chemical
                                                                          \verb"iniziafloattext:instance:figure"
```

```
iniziafloattext:instance:graphic
                                                        \iniziagraphictesto [...] [...] \terminagraphictesto
iniziafloattext:instance:intermezzo
                                                        \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table
                                                        \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont
                                                        \iniziafont [...] ... \terminafont
iniziafontclass
                                                        \iniziafontclass [...] ... \terminafontclass
                                                        iniziafontsolution
                                                        \iniziaformula [...] ... \terminaformula
iniziaformula
                                                        \iniziaformula [..=..] ... \terminaformula
iniziaformula:assignment
                                                        \verb|\iniziaFORMULA formula| [...] ... \verb|\terminaFORMULA formula|
iniziaformula:instance
                                                        \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:md
iniziaformula:instance:mp
                                                        \iniziampformula [...] ... \terminampformula
                                                        \iniziasdformula [...] ... \terminasdformula \iniziaspformula [...] ... \terminaspformula
iniziaformula:instance:sd
iniziaformula:instance:sp
                                                        \iniziaformule [...] ... \terminaformule
iniziaformule
                                                        \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcell
iniziaframedcontent
                                                        \iniziaframedcontent [...] ... \terminaframedcontent
                                                        \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedrow
                                                        \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziaframedtable
                                                        \iniziagridsnapping [...] ... \terminagridsnapping \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping
iniziagridsnapping:list
\verb"iniziahboxestohbox"
                                                        \iniziahboxestohbox ... \terminahboxestohbox
                                                        \iniziahboxregister ... \terminahboxregister
iniziahboxregister
                                                        \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance
iniziahelp:instance:helptext
                                                        \iniziahelptext [...] ... \terminahelptext
{\tt iniziahighlight}
                                                        \verb|\iniziahighlight[...]... \verb|\terminahighlight||
                                                        iniziahyphenation
iniziaimath
                                                        \iniziaimath ... \terminaimath
                                                        \iniziaimpaccato [...] ... \terminaimpaccato
iniziaimpaccato
                                                        \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaincorniciato
                                                        \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext
                                                        \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziaindentedtext:example
                                                        \iniziainterazione [...] ... \terminainterazione
iniziainterazione
                                                        \iniziainterface ... \terminainterface
iniziainterface
iniziaintertext
                                                        \iniziaintertext ... \terminaintertext
iniziaitemgroup
                                                        \iniziaitemgroup [...] [..=..] ... \terminaitemgroup
                                                        \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance
                                                        \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaitemgroup:instance:itemize
iniziaJScode
                                                        \iniziaJScode ... \terminaJScode
iniziaJSpreamble
                                                        \iniziaJSpreamble ... ... \terminaJSpreamble
                                                        \iniziaknockout ... \terminaknockout
iniziaknockout
inizialayout
                                                        \verb|\inizialayout| [...] ... \verb|\terminalayout|
                                                        \inizialinealignment [...] ... \terminalinealignment
inizialinealignment
                                                        \inizialineamargine [...] ... \terminalineamargine
inizialineamargine
                                                        \inizialineamargine [..=..] ... \terminalineamargine
inizialineamargine:assignment
                                                        \inizialineatesto {...} ... \terminalineatesto
inizialineatesto
inizialinecorrection
                                                        \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller
                                                        \verb|\inizialinefiller| [...] [..=..] ... \verb|\terminalinefiller|
inizialinenumbering
                                                        \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinenumbering:argument
                                                        \inizialinetable ... \terminalinetable
inizialinetable
                                                        \inizialinetablebody ... \terminalinetablebody
inizialinetablebody
                                                        \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablecell
inizialinetablehead
                                                        \inizialinetablehead ... \terminalinetablehead
inizialingua
                                                        \inizialingua [...] ... \terminalingua
inizialocalfootnotes
                                                        \verb|\inizial ocal footnotes| ... \verb|\terminal ocal footnotes|
                                                        \inizialocalheadsetup ... \terminalocalheadsetup
inizialocalheadsetup
                                                        \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocallinecorrection
inizialocalnotes
                                                        \inizialocalnotes [...] ... \terminalocalnotes
                                                        \inizialocalsetups [...] [...] \terminalocalsetups
inizialocalsetups
inizialocalsetups:string
                                                        \inizialocalsetups ... \terminalocalsetups
                                                        \inizialua ... \terminalua
inizialua
inizialuacode
                                                        \inizialuacode ... \terminaluacode
inizialuaparameterset
                                                        \verb|\line| \verb|\line| inizialuaparameterset [...] ... \verb|\line| terminaluaparameterset|
inizialuasetups
                                                        \inizialuasetups [...] [...] ... \terminaluasetups
                                                        \inizialuasetups ... \terminaluasetups
inizialuasetups:string
                                                        \iniziaMPclip {...} ... \terminaMPclip
iniziaMPclip
iniziaMPcode
                                                        \iniziaMPcode {...} ... \terminaMPcode
\verb"iniziaMP" definitions"
                                                        \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing
                                                        \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment
                                                        \verb|\iniziaMPenvironment| [\dots] \dots \verb|\terminaMPenvironment|
                                                        \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPextensions
                                                        \min \initiaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinclusions
```

```
\verb"iniziaMP" initializations"
                                                                                                        \iniziaMPinitializations ... \terminaMPinitializations
\verb"iniziaMP" position graphic"
                                                                                                        \mbox{\colored} \iniziaMPpositiongraphic \{...\} \{...\} ... \mbox{\colored} \text{\colored}
                                                                                                        \verb|\displaysum| \displaysum| \d
\verb"inizia MP" position method"
                                                                                                        \iniziaMPrun {...} ... \terminaMPrun
iniziaMPrun
iniziamakeup
                                                                                                        \iniziamakeup [...] [..=..] ... \terminamakeup
                                                                                                        \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance
iniziamakeup:instance:middle
                                                                                                         \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:page
iniziamakeup:instance:standard
                                                                                                         \iniziastandardmakeup [..=..] ... \terminastandardmakeup
                                                                                                         \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamakeup:instance:text
iniziamarginblock
                                                                                                        \iniziamarginblock [...] ... \terminamarginblock
                                                                                                        \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkedcontent
                                                                                                        \iniziamarkpages [...] ... \terminamarkpages
iniziamarkpages
                                                                                                         \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
\verb"iniziamathalignment:" \verb"instance"
                                                                                                         \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:align
iniziamathalignment:instance:mathalignment
                                                                                                         \iniziamathalignment [..=..] ... \terminamathalignment
                                                                                                         \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance
iniziamathcases:instance:cases
                                                                                                         \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases
                                                                                                         \iniziamathcases [..=..] ... \terminamathcases
                                                                                                         \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance
                                                                                                         \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:mathmatrix
                                                                                                        \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance:matrix
                                                                                                        \iniziamathmode ... \terminamathmode
iniziamathmode
iniziamathstyle
                                                                                                        \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices
                                                                                                        \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned
                                                                                                        \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo
                                                                                                        \iniziamenuinterattivo [...] ... \terminamenuinterattivo
                                                                                                        \iniziamettiformula [..=..] ... \terminamettiformula
{\tt iniziamettiformula}
                                                                                                        \iniziamettiformula [...] ... \terminamettiformula
iniziamettiformula:argument
                                                                                                        \iniziamiddlealigned ... \terminamiddlealigned
iniziamiddlealigned
iniziamixedcolumns
                                                                                                        \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
                                                                                                         \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance
iniziamixedcolumns:instance:boxedcolumns
                                                                                                         \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns
                                                                                                         \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
                                                                                                        \iniziamode [...] ... \terminamode
iniziamode
                                                                                                        \iniziamodeset [...] {...} ... \terminamodeset
iniziamodeset.
                                                                                                        \iniziamodule [...] ... \terminamodule
iniziamodule
iniziamoduletestsection
                                                                                                        \iniziamoduletestsection ... \terminamoduletestsection
                                                                                                        \iniziamodule ... \terminamodule
iniziamodule:string
                                                                                                        \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsection
                                                                                                        \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
inizianamedsubformulas
inizianarrower
                                                                                                        \inizianarrower [...] ... \terminanarrower
                                                                                                        \iniziaNARROWER [...] ... \terminaNARROWER
inizianarrower:example
                                                                                                        \inizianegativo ... \terminanegativo
inizianegativo
                                                                                                        \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianicelyfilledbox
inizianointerference
                                                                                                        \inizianointerference ... \terminanointerference
                                                                                                        \inizianotallmodes [...] ... \terminanotallmodes
inizianotallmodes
inizianota:instance
                                                                                                         \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment
                                                                                                         \iniziaNOTE [..=..] ... \terminaNOTE
                                                                                                         \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:endnote
                                                                                                         \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:assignment:footnote
inizianota:instance:endnote
                                                                                                         \iniziaendnote [...] ... \terminaendnote
inizianota:instance:footnote
                                                                                                         \iniziafootnote [...] ... \terminafootnote
inizianotext
                                                                                                        \inizianotext ... \terminanotext
inizianotmode
                                                                                                        \inizianotmode [...] ... \terminanotmode
iniziaopposto
                                                                                                        \iniziaopposto ... \terminaopposto
                                                                                                        \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputstream
iniziaoverprint
                                                                                                        \iniziaoverprint ... \terminaoverprint
iniziapagecolumns
                                                                                                        \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance
                                                                                                         \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
                                                                                                        \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagecolumns:name
                                                                                                        \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagefigure
                                                                                                        \mbox{\colored} \mbox{\color
iniziapagelayout
                                                                                                        \iniziapar [...] [..=..] ... \terminapar \iniziaparagraphs [...] ... \terminaparagraphs
iniziapar
iniziaparagraphs
                                                                                                        \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphscell
iniziaparagraphs:example
                                                                                                         \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
                                                                                                        \iniziaPARALLEL ... \terminaPARALLEL
iniziaparallel:example
iniziaparbuilder
                                                                                                        \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat
                                                                                                        iniziaplacefloat:instance
                                                                                                         \verb|\line| iniziamettiFLOAT [..=..] [..=..] ... \verb|\line| terminamettiFLOAT|
                                                                                                        \mbox{\colored} \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:chemical
```

iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
•	
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {} { \terminareusableMPgraphic
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines
iniziaruby	\iniziaruby [] \terminaruby
iniziascript	\iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionbrock.instance.irontmatter	\iniziasectionlevel [] [=] [\terminasectionlevel
iniziasetups	\iniziasetups [] [] \terminasetups
iniziasetups:string	\iniziasetups\terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo
iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasimplecolumns	\iniziasimplecolumns [=] \terminasimplecolumns
iniziasospeso	\iniziasospeso [=] {} \terminasospeso
iniziasospeso:argument	\iniziasospeso [] {} \terminasospeso
iniziasovrapponi	\iniziasovrapponi \terminasovrapponi
iniziaspecialitem:item	\iniziaspecialitem [] [] \terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [] \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [] {} \terminaspecialitem
iniziasplitformula	\iniziasplitformula \terminasplitformula
iniziasplittext	\iniziasplittext \terminasplittext
iniziaspread	\iniziaspread \terminaspread
iniziastartstop:example	\iniziaSTARTSTOP \terminaSTARTSTOP
iniziastaticMPfigure	\iniziastaticMPfigure {} \terminastaticMPfigure
iniziastaticMPgraphic	\iniziastaticMPgraphic {} {} \terminastaticMPgraphic
iniziastretto	\iniziastretto [] [=] \terminastretto
iniziastretto:assignment	\iniziastretto [=] [] \terminastretto
iniziastretto:name	\iniziastretto [] [] \terminastretto
iniziastrictinspectnextcharacter	\iniziastrictinspectnextcharacter \terminastrictinspectnextcharacte
-	
iniziastyle	\iniziastyle [=] \terminastyle
iniziastyle:argument	\iniziastyle [] \terminastyle
iniziastyle:instance	\iniziaSTYLE \terminaSTYLE
iniziasubformulas	\iniziasubformulas [] \terminasubformulas
iniziasubjectlevel	\iniziasubjectlevel [] [=] \terminasubjectlevel
iniziasubsentence	\iniziasubsentence \terminasubsentence
iniziasubstack	\iniziasubstack \terminasubstack
iniziasymbolset	\iniziasymbolset [] [=] \terminasymbolset
iniziaTABLE	\iniziaTABLE [=] \terminaTABLE

```
iniziaTABLEbody
                                                                                                     \iniziaTABLEbody [..=..] ... \terminaTABLEbody
\verb"iniziaTABLE foot"
                                                                                                     \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead
                                                                                                     \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                     \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella
                                                                                                     \iniziatabella [|...|] [..=..] ... \terminatabella
                                                                                                     \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
                                                                                                     \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
                                                                                                     \iniziatabelle [...] ... \terminatabelle
iniziatabelle:name
iniziatabulation:example
                                                                                                     \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
                                                                                                     \verb|\iniziatabulato| [|...|] [..=..] ... \verb|\terminatabulato|
iniziatabulato
iniziatabulato:instance
                                                                                                     \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                                                     \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                                                     \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                                                                     \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
iniziatestatabulato
                                                                                                     \iniziatestatabulato [...] ... \terminatestatabulato
                                                                                                     \iniziatesto ... \terminatesto
iniziatesto
                                                                                                     \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoaiuto
                                                                                                     \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                     \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
                                                                                                     \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
                                                                                                     \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
iniziatestoetichetta:instance:operator
                                                                                                     \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
                                                                                                     \iniziaprefixtesto [...] [...] \terminaprefixtesto
\verb|iniz| iates to etichetta: \verb|instance|: prefix|
iniziatestoetichetta:instance:suffix
                                                                                                     \mbox{\colored} \mbox{\color
iniziatestoetichetta:instance:taglabel
                                                                                                     \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
                                                                                                     \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                                                                     \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
                                                                                                     \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
iniziatexcode
                                                                                                     \iniziatexcode ... \terminatexcode
                                                                                                     \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
{\tt iniziatextbackground}
                                                                                                     \verb|\colored| iniziatextbackground| [...] [..=..] ... \verb|\colored| terminatextbackground|
iniziatextbackgroundmanual
                                                                                                     \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
                                                                                                     \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                     \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
iniziatextflow
                                                                                                     \iniziatextflow [...] ... \terminatextflow
iniziatokenlist
                                                                                                     \iniziatokenlist [...] ... \terminatokenlist
iniziatokens
                                                                                                     \iniziatokens [...] ... \terminatokens
                                                                                                     \iniziatransparent [...] ... \terminatransparent
iniziatransparent
iniziatypescript
                                                                                                     \iniziatypescript [...] [...] ... \terminatypescript
                                                                                                     \iniziatypescriptcollection [...] ... \terminatypescriptcollection
{\tt iniziatypescript} collection
                                                                                                     \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance
                                                                                                     \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument
iniziatyping:instance:argument:LUA
                                                                                                     \iniziaLUA [...] ... \terminaLUA
                                                                                                     \iniziaMP [...] ... \terminaMP
\verb"iniziatyping:instance:argument:MP"
iniziatyping:instance:argument:PARSEDXML
                                                                                                     \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX
                                                                                                     \iniziaTEX [...] ... \terminaTEX
                                                                                                     \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                                                                     \iniziaXML [...] ... \terminaXML
\verb"iniziatyping:instance:argument:XML"
iniziatyping:instance:LUA
                                                                                                     \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP
                                                                                                     \iniziaMP [..=..] ... \terminaMP
\verb"iniziatyping:instance:PARSEDXML"
                                                                                                     \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX
                                                                                                     \iniziaTEX [..=..] ... \terminaTEX
                                                                                                     \iniziatyping [..=..] ... \terminatyping \iniziaXML [..=..] ... \terminaXML
iniziatyping:instance:typing
iniziatyping:instance:XML
\verb"iniziauniqueMPgraphic"
                                                                                                     \verb|\iniziauniqueMPgraphic {...} {...} ... \verb|\terminauniqueMPgraphic||
\verb"inizia unique MP" page graphic
                                                                                                     iniziaunpacked
                                                                                                     \iniziaunpacked ... \terminaunpacked
                                                                                                     \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic||
iniziausableMPgraphic
iniziauseMPgraphic
                                                                                                     \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
                                                                                                    \iniziausemathstyleparameter \.....\terminausemathstyleparameter \iniziauserdata [...] [..=..] ...\terminauserdata \iniziausingbtxspecification [...] ...\terminausingbtxspecification
iniziausemathstyleparameter
iniziauserdata
{\tt iniziausingbtxspecification}
                                                                                                     \iniziavaia [...] ... \terminavaia
iniziavaia
iniziavboxregister
                                                                                                     \iniziavboxregister ... \terminavboxregister
\verb"inizia v boxtoh box"
                                                                                                     \iniziavboxtohbox ... \terminavboxtohbox
\verb"inizia v box to h box separator"
                                                                                                     \verb|\line| \verb|\line| inizia v box to h box separator ... \verb|\line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box separator | line| termi
iniziaviewerlayer
                                                                                                     \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example
                                                                                                     \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister
                                                                                                     \iniziavtopregister ... \terminavtopregister
```

iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
-	\iniziaxmlsetups \terminaxmlsetups
iniziaxmlsetups:string	\iniziaxrow [] [=] \terminaxrow
iniziaxrow	
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=.] \terminaxtablenext
	\iniziaxtablenext [] \terminaxtablenext
iniziaxtablenext:name	
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
<u> </u>	
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
-	_ -
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
9	
installalingua:name	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \\
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	\installbasicautosetuphandler \ {} \
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \ \ \
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
-	
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	$\verb \label{limit} \verb \label{limit} \end{tikzpicture} \end{tikzpicture}$
installframedcommandhandler	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
-	-
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	$\mbox{\colored}$

installparametersethandler	\installparametersethandler \ {}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \\
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \{\} \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective {} {} {}
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreannumeralsp koreanparentnumerals	\koreanparentnumerals {}
koreannumeralsp koreanparentnumerals LAMSTEX	\koreanparentnumerals {} \LAMSTEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX	\koreanparentnumerals {} \LAMSTEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LateX	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LaTeX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LaTEX Lettera	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LaTeX \Latex \Lettera {}
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LaTEX Lettera Lettere	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LaTeX \Latex \Lettera {} \Lettere {}
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX LaTeX Lettera Lettere LUAJITTEX	\koreanparentnumerals {} \LAMSTEX \LAMSTEX \LamSTeX \LaTeX \Lettera {} \Lettere {} \LUAJITTEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LETEX LETEX LETER LETTER LETTER LETTER LUAJITTEX LUAMETATEX	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LaTeX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX LateX Lettera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUATEX	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LaTeX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX	\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \LateX \Lettera {} \Lettera {} \Ludylittex \Ludylittex \Ludylittex \Ludylittex \Ludylittex \Ludylittex \Ludylittex
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTeX \LaTEX \Latex \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \LUATEX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX LaTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTeX \LaTEX \LateX \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX LaTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaTeX	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LaTEX \LaTeX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX LaTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaTeX luaTeX labellanguage:instance	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LaTEX \LateX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LaTEX \LaTeX \Lettera {} \Lettere {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeS \LuaTeS \LuaDeslingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaDellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \LateX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \Labellingua \btxlabellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaDellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \LateX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \Labellingua \beadlingua \labellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX luaMetaTeX luaDellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \LateX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \Labellingua \btxlabellingua \headlingua \headlingua \mathlabellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaDellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \LateX \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \Labellingua \beadlingua \labellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaDellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator	\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaBetlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \mathlabellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:prefix	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \LateX \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \Labellingua \btxlabellingua \headlingua \headlingua \mathlabellingua \mathlabellingua \mathlabellingua \mathlabellingua \mathlabellingua \mathlabellingua \mathlabellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX Lua LuajitTeX LuadetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:prefix	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \Latex \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \LuaHetaIingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \mathlabellingua \prefixlingua \prefixlingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaHetaTeX LuaHetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LamSTeX \Latex \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaHetaTeX \LuaTeX \LuaTeX \LuaHetaIingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \prefixlingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaBetlanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit	\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LamSTeX \Latera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUalitTeX \LualitTeX \Lualetalingua \Lualetalingua \btxlabellingua \headlingua \labellingua \mathlabellingua \perfixlingua \perfixlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX LUA Lua luajitTeX LuaMetaTeX LuaMetaTeX luaBellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance	\koreanparentnumerals {} \LAMSTEX \LATEX \LAMSTEX \LATEX \LATEX \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAHEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaHebellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \perfixlingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \labellingua
koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX LUA LuajitTeX Lua luajitTeX LuaMetaTeX LuaHetaTeX LuaTeX labellanguage:instance labellanguage:instance:bexlabel labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance	<pre>\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \Latera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUa \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \LuaTeX \LuaTeX \Lambdallingua \btxlabellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \</pre>
koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUATEX LUATEX LUATEX Lua LuajitTeX LuaMetaTeX LuaPetaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:label	<pre>\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LamSTeX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUATEX \LUa \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaTeX \LuaTeX \LuaTeX \LuaTeX \Labellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \Labellingua \Lab</pre>
koreanparentnumerals LAMSTEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:label labeltexts:instance:label labeltexts:instance:head labeltexts:instance:head labeltexts:instance:head labeltexts:instance:label labeltexts:instance:label	\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LLATEX \LATEX \LLETER {} \LETER {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUATEX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {}
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX Lua LuajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance labeltexts:instance:label labeltexts:instance:head labeltexts:instance:label labeltexts:instance:label labeltexts:instance:label labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters	\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LLATEX \LATEX \LLETER \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUAGETATEX \LUAGETATEX \LUATEX \LUATEX \LUATEX \LUATEX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \mathlabeltexts {} {}
koreanparentnumerals LAMSTEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX Lua LuajitTeX Lua LuajitTeX LuaBellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:taglabel labellexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:head labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languagecharacters	\koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUAMETATEX \LUATEX \LUATEX \LUADELLingua \btxlabellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \prefixlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languageCharacters {} \languageCharacters {}
koreanparentnumerals LAMSTEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUATEX Lua LuajitTeX Lua LuajitTeX LuaHetaTeX LuaEx labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharacters languagecharwidth	<pre>\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \Latex \Lettera {} \Lettera {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaHetaIex \LuaHebellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languagecharact</pre>
koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUATEX LUALUAJITTEX LUAMETATEX LUATEX LUATEX Lua LuajitTeX LuagitTeX Lualetalex LuajitTeX lualetalex labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharacters languagecharwidth lastcounter	<pre>\koreanparentnumerals {} \LAMSTEX \LATEX \LamSTeX \Latex \Lettera {} \Lettere {} \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaHetaIingua \btxlabellingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \lan</pre>

lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
	<u> </u>
lefttorighthbox	\lefttorighthbox {} \lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
	\Teltcorightvcop \lambda\f
• •	
letbeundefined	\letbeundefined {}
letbeundefined letcatcodecommand	<pre>\letbeundefined {} \letcatcodecommand \ \</pre>
letcatcodecommand letcscsname	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcscsname \ \csname \endcsname</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs	<pre>\lettendefined {} \letcatcodecommand \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letgvalurelax {}</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\letbeundefined {} \letcatcodecommand \\ \letcssname \ \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs\csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letterat {} \letterat</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash	<pre>\letbeundefined {} \letcatcodecommand \\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup	<pre>\letbeundefined {} \letcatcodecommand \\\ \letcssname \\csname\endcsname \letcsnamecs \csname\endcsname \\ \letcsnamecsname \csname\endcsname \\endcsname \letdummyparameter {}\\ \letempty \\ \letgvalue {}\\ \letgvalueempty {}\ \letgvalurelax {}\ \lettera {}\ \lettera {}\ \letterampersand \letterat \letterbarckslash \letterbarcup</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace	<pre>\letbeundefined {} \letcatcodecommand \\\ \letcssname \\csname\endcsname \letcsnamecs \csname\endcsname \\ \letcsnamecsname \csname\endcsname \\endcsname\endcsname \letdummyparameter {}\\ \letempty \\ \letgvalue {}\\ \letgvalueempty {}\ \letteral \\ \letterbackslash\ \letterbar \letterbgroup \letterclosebrace</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon	<pre>\letbeundefined {} \letcatcodecommand \\\ \letcssname \\csname\endcsname \letcsnamecs \csname\endcsname \\ \letcsnamecsname \csname\endcsname \\endcsname \letdummyparameter {}\\ \letempty \\ \letgvalue {}\\ \letgvalueempty {} \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letteral {} \letterbackslash \letterbackslash \letterbackslash \letterclosebrace \lettercolon \lette</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace letterdollar letterdoublequote	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \ \endcsname \letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarcoup \letterclosebrace \lettercolon \letterdollar \letterdoublequote</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace lettercolon letterdoublequote lettere	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \ \endcsname \letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarcolon \letterclosebrace \lettercolon \letterdoublequote \lettere {} </pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecssame letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace lettercolon letterdoublequote lettere letteregroup	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecssame letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalueempty {} \letteravalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup \letteregroup \letteregroup \letterescape</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterescape	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterescape \letterescape \letterescapa \lett</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterescape letterexclamationmark letterhash	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalueempty {} \letteravalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterbarcolon \lettercolon \lettercolon \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecssame letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhash letterhat	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhash \letterhat</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecssame letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterexclamationmark letterhat letterhat letterhat	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterat {} \letterat {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbrace	<pre>\letbeundefined {} \letcatcodecommand \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterborup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \endcsname \letcsnamecsname \csname \endcsname \ \endcsn</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace letterdollar letterdoublequote lettere letterescape letterexclamationmark letterhat letterleftbrace letterleftprarenthesis letterless letterless letterless	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \ \endcsname \ \endcsname \endcsname \ \en</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftprarenthesis letterless letterless lettermore letterone	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \e</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letteregroup letterescape letterexclamationmark letterhat letterbat letterbat letterescape letteretchesbletere letterescape letteretchat letterbat letterleftbrace letterleftbrace letterleftbracet letterless letternore letteropenbrace	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcscname \ \csname \ \endcsname \letcscnamecs \csname \ \endcsname \ \letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \ \lettempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterbar \letterbound \letterclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterlattletterhat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbrace \lettermore \letterpenbrace \letterpenbrace \letterpenbrace \letterpercent</pre>
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterborup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterleftbrace letterleftbrace letterleftparenthesis letterless lettermore letteropenbrace letterpercent letterpercent letterquestionmark	letteundefined {} letcatcodecommand \\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \ letcsnamecsname \sname\endcsname \\ letcsnamecsname \csname\endcsname \\endcsname\endcsname \\endcsname \\endcsn
letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letteregroup letterescape letterexclamationmark letterhat letterbat letterbat letterescape letteretchesbletere letterescape letteretchat letterbat letterleftbrace letterleftbrace letterleftbracet letterless letternore letteropenbrace	<pre>\letbeundefined {} \letcatcodecommand \ \ \ \letcscname \ \csname \ \endcsname \letcscnamecs \csname \ \endcsname \ \letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \ \lettempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterbar \letterbound \letterclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterlattletterhat \letterletterletbrace \letterletterletbrace \letterletterletbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbracket \letterleftbrace \letterleftb</pre>

	No. 11.
letterrightparenthesis	$\$ \lefterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
	• * * * * * * * * * * * * * * * * * * *
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
	•
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
- v	\letvaluerelax {}
letvaluerelax	
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	
limitatelirstline	\limitatefirstline \{\ldots\} \{\ldots\}
limitatelines	\limitatelines $\{\}$ $\{\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
linebox	\linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] $\{\}$
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote: instance	
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \{\ldots\}
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
-	•
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
-	-
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
${\tt localframedwithsettings}$	\localframedwithsettings [] [=] $\{\}$
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
-	
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
	\locatefilepath {}
locatefilepath	<u>-</u>
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
5	
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
<u>.</u>	<u> </u>
${\tt lowerrightsingleninequote}$	$\label{lowerrightsingleninequote} \$
lowhigh:instance	\LOWHIGH [] {} {}
•	
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox {} {} {} {}
ltop	\ltop {}
p	/+oob ()

luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset \{\ldots\} \{\ldots\}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
	_
METAFONT	METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
	_
MKIV	MKIV
MKIX	MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
-	
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape \{\ldots\}\ \{\ldots\}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	
111014010110	\MPinclusions [] {} {}
MPleftskin	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MPleftskip {} \MPl1 {}
MP11 MP1r	\MPleftskip {} \MPl1 {} \MPlr {}
MP1r MP1s	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {}
MP11 MP1r	\MPleftskip {} \MPl1 {} \MPlr {}
MP1r MP1s	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {}
MP11 MP1r MP1s MPmenubuttons	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {} \MPoptions {}</pre>
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {}</pre>
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {}</pre>
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {}
MP11 MP1r MP1s MPmenubuttons MPmenubuttons MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPplus {} {} \MPplus {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {}
MP11 MP1r MP1s MPmenubuttons MPmenubuttons MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPplus {} {} \MPplus {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpositiongraphic	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpos {} \MPpositiongraphic {} {=}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPposet MPposset MPr	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPpostions {} \MPposset {} \MPposset {} \MPr {}</pre>
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPposet MPposset MPr MPrawvar	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPpilus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawvar {}
MP11 MP1r MP1s MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpos MPposet MPr MPrawvar MPregion	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawar {} \MPregion {}</pre>
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPposet MPposet MPr MPrawvar MPregion MPrest	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawar {} \MPregion {}
MP11 MP1r MP1s MPmenubuttons MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawar {} \MPregion {} \MPregion {}
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPposet MPposet MPr MPrawvar MPregion MPrest	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawvar {} \MPrawvar {} \MPregion {} \MPrest {} \MPrightskip {}
MP11 MP1r MP1s MPmenubuttons MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawar {} \MPregion {} \MPregion {}
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpos MPpostiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPpostions {} \MPpositiongraphic {} {} \MPposset {} \MPrawar {} \MPrawar {} \MPregion {} \MPrest {} \MPrightskip {}
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpostiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpardata {} \MPpostiongraphic {} \MPposset {} \MPrawar {} \MPrawar {} \MPregion {} \MPrest {} \MPrest {} \MPrest {} \MPrest {} \MPrest {} \MPrest {}
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpostiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext	<pre>\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPnenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpage {} \MPpositiongraphic {} {} \MPposset {} \MPrawvar {} \MPregion {} \MPrest {} \MPtext {</pre>
MP11 MP1r MP1s MPnenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpos MPpostiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency	\MPleftskip {} \MPl1 {} \MPlr {} \MPls {} \MPpls {} \MPmenubuttons {} \MPoptions {} \MPoverlayanchor {} \MPpage {} \MPpage {} \MPplus {} {} {} \MPpositiongraphic {} {} \MPposset {} \MPrawvar {} \MPregion {} \MPrest {}

MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv MPw	\MPvv {} {} \MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
МРу	\MPy {}
m makasharastarastiva	\m [] {}
makecharacteractive makerawcommalist	\makecharacteractive \makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin margindata:instance:atrightmargin	\atleftmargin [=] [=] {} \atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [] \ininner []
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
<pre>margindata:instance:inmargin margindata:instance:inother</pre>	\inmargin [=] [=] {} \inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
<pre>margindata:instance:inrightmargin margindata:instance:margintext</pre>	\inrightmargin [=] [=] {} \margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematica math	\matematica [] {} \math [] {}
mathbf	\math [] \mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault mathdouble	\mathdefault
mathdoubleextensible:instance	\mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar \{\} \\\
mathdoubleextensible:instance:doublebrace	\doublebrace {} {}
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent {} {}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket	\overbraceunderbrace \{\daggerightarrow\} \\overbracketunderbracket \{\daggerightarrow\} \{\daggerightarrow\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \{\ldots\}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill	\eleftharpoondownfill {} {} \eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill \{\ldots\} \\
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\ldots\} \\\
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}

mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	$\ensuremath{\mbox{\climbde}}$
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto \{\ldots\}
	\mRightarrow {} {}
mathextensible:instance:mRightarrow	
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
${\tt mathextensible:instance:mrightleftharpoons}$	$\mbox{\em mrightleftharpoons } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightoverleftarrow	$\mbox{\em mrightoverleftarrow } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mtriplerel	$Imtriplerel\ \{\ldots\}\ \{\ldots\}$
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow \{\ldots\\}
mathextensible:instance:tleftrightharpoons	
	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	$\trightowerleftarrow {} {}$
mathextensible:instance:ttriplerel	$\texttt{\triplerel}\ \{\ldots\}\ \{\ldots\}$
mathextensible:instance:ttwoheadleftarrow	\t ttwoheadleftarrow $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwo headleftarrow $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:xtwoheadrightarrow	\xtwo headrightarrow $\{\ldots\}$ $\{\ldots\}$
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}

mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \\\
mathradical:example	\MATHRADICAL [] {}
mathra mathra	\mathrm
mathscript	\mathscript
mathsl	\maths1
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextit mathtextit	\mathtextbs {}
	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtextf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \\\
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula [] {}
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=]
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettisottoformula [] \mettiunosullaltro \{\} \{\}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
5	
middlebox	\middlebox {}

midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ {} {} {}
	\NormalizeFontWidth \ {} {} {}
NormalizeTextHeight	\NormalizeTextHeight {} {}
	\NormalizeTextWidth {} {}
	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalybox	\naturalvbox {}
	\naturalvcenter {}
	\naturalvpack {}
	\naturalvtop {}
naturalwd	\naturalwd
	\negatecolorbox
-	\negated {}
-	\negemspace
	\negenspace
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	
newevery	
noufronchanacing	\newevery \ \
newfrenchspacing	\newevery \ \ \newfrenchspacing
newmode	<pre>\newerery \ \ \newfrenchspacing \newmode {}</pre>
newmode newsignal	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \</pre>
newmode newsignal newsystemmode	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {}</pre>
newmode newsignal newsystemmode nextbox	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox</pre>
newmode newsignal newsystemmode nextbox nextboxdp	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxht	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxht nextboxhtdp	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht \nextboxhtdp</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxht nextboxhtdp nextboxwd	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxht nextboxhtdp nextboxwd nextcounter	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] []</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxdt \nextboxht \nextboxhtdp \nextboxdd \nextcounter [] [] \nextcountervalue []</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxhtd nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxdt \nextboxht \nextboxhtdp \nextboxdd \nextcounter [] [] \nextcountervalue [] \nextdepth</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxhtdp nextboxwd nextcounter nextcounter nextcountervalue nextdepth nextparagraphs	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxdt \nextboxhtdp \nextboxhtdp \nextboxdd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxhtt nextboxhtdp nextboxwd nextcounter nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxhtdp \nextcounter [] [] \nextcountervalue [] \nextcountervalue [] \nextdepth \nextparagraphs \successivoPARAGRAPHS</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxhtt nextboxhtdp nextboxwd nextcounter nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxdt \nextboxhtdp \nextboxhtdp \nextboxud \nextcounter [] [] \nextcountervalue [] \nextcountervalue [] \nextdepth \nextparagraphs \successivoPARAGRAPHS \nextrealpage</pre>
newmode newsignal newsystemmode nextbox nextboxdp nextboxhtt nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage nextrealpagenumber	<pre>\newevery \ \ \newfrenchspacing \newmode {} \newsignal \ \newsystemmode {} \nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxhtdp \nextcounter [] [] \nextcountervalue [] \nextcountervalue [] \nextdepth \nextparagraphs \successivoPARAGRAPHS</pre>

nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign nocitation	\nocharacteralign \nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics normalboldface	\nonmathematics {} \normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	$\verb \normalizefontheight \ {} {} {} {}$
normalizefontline	\normalizefontline \ $\{\}$ $\{\}$
normalizefontwidth	\normalizefontwidth \ $\{\}$ $\{\}$
normalizetextdepth	\normalizetextdepth \{\ldots\} \{\ldots\}
normalizetextheight	\normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextwidth normalslantedface	<pre>\normalizetextwidth {} {} {} \normalslantedface</pre>
normarstantedrace	\noimaisiantediace
normaltypeface	\normaltypeface
normaltypeface	\normaltypeface
nota	\nota [] []
nota nota:instance	7 -
nota	\nota [] [] \NOTE [] {}
nota nota:instance nota:instance:assignment	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [=]
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote	\nota [] [] \NOTE [] {} \NOTE [] \endnote []
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] []
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:gged	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints	\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriromani {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriomani {} \numeroformula []</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriomani {} \numeroformula [] \numeropagina</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriomani {} \numeropagina \numeropaginacompleto</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriomani {} \numeroformula [] \numeropagina</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numerioremani {} \numeropagina \numeropaginacompleto \numerotesta [] []</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotestacorrente	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriormula [] \numeropagina \numeropaginacompleto \numerotestacorrente</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotestacorrente obeydepth	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numerioremini {} \numeropagina \numeropagina \numerotesta [] [] \numerotestacorrente \obeydepth</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectmargin	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numberofpoints {} \numeri {} \numeriomani {} \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectmargin objectwidth	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerifonami {} \numerifonami {} \numeriomani {} \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectmargin objectwidth obox	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerif {} \numerif {} \numeriomani {} \numeropagina \numeropagina \numeropagina \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectmargin objectwidth obox offset	<pre>\nota [] [] \NOTE [] {} \NOTE [=] \endnote [=] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerifonani {} \numeriromani {} \numeriromani {] \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [=] {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta	<pre>\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \endnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerif {} \numerif {} \numerif {} \numerif {] \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \offset [] {} \offset [] {} \offset [] {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectdeight objectmargin objectwidth obox offset offsetbox onedigitrounding	<pre>\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \endnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerifonani {} \numeriromani {} \numeriromani {] \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \offset [] {} \offsetbox [] {} \onedigitrounding {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta	<pre>\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \endnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerif {} \numerif {} \numerif {} \numerif {] \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \offset [] {} \offset [] {} \offset [] {}</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropagina numerotesta numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectdepth objectmargin objectwidth obox offset offsetbox onedigitrounding ordinaldaynumber	\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \endnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numerifonits {} \numerifonami {} \numeriomani {} \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \offset [] {} \offsetbox [] \ {} \onedigitrounding {} \ordinaldaynumber {} \ordinalstr {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotestacorrente obeydepth objectdepth objectdepth objectmargin objectwidth obox offset offsetbox onedigitrounding ordinaldaynumber ordinalstr	<pre>\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \footnote [] {} \footnote [] [] \notesymbol [] [] \notragged \ntimes {} {} \numeriof [] \numeriof [] \numeriof [] \numeriof [] \numeropagina \numeropagina [] \numerotesta [] [] \notine []</pre>
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notasymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotestacorrente obeydepth objectdepth objectdepth objectmargin objectwidth obox offset offsetbox onedigitrounding ordinaldaynumber ordinalstr ornamenttext:collector	\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numeriofopints {} \numeriromani {} \numeriromani {} \numeropagina \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectheight \objectmargin \objectwidth \obox {} \offset [] {} \ondigitrounding {} \ordinaldaynumber {} \ordinalstr {} \ornamenttext [] [] {} {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectdepth objectmargin objectwidth obox offset offsetbox onedigitrounding ordinaldaynumber ordinalstr ornamenttext:collector ornamenttext:direct	\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numeriofopints {} \numeriromani {} \numerioformula [] \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \offsetbox [] \ {} \ondigitrounding {} \ordinaldaynumber {} \ordinalstr {} \ornamenttext [] [] {} {}
nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani numeroformula numeropagina numeropaginacompleto numerotesta numerotesta numerotestacorrente obeydepth objectdepth objectdepth objectmargin objectwidth obox offset offsetbox onedigitrounding ordinaldaynumber ordinalstr ornamenttext:collector ornamenttext:direct ornamenttext:layer	\nota [] [] \NOTE [] {} \NOTE [] \endnote [] \footnote [] \footnote [] {} \footnote [] {} \notesymbol [] [] \notragged \ntimes {} {} \numeriofopints {} \numerioformula [] \numerioformula [] \numeropagina \numeropaginacompleto \numerotesta [] [] \numerotestacorrente \obeydepth \objectdepth \objectdepth \objectmargin \objectwidth \obox {} \offset [] {} \ondigitrounding {} \ordinaldaynumber {} \ornamenttext [] [] {} \ornamenttext [] [] {} \ornamenttext [] [] {}

outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	PDFTEX
PICTEX	PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\}
pdfbackendsetpageresource	\pdfbackendsetpageresource \{\dots\} \{\dots\}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute \{\ldots\}\{\ldots\}
pdfbackendsetpattern	\pdfbackendsetpattern \{\dots\} \\
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
-	\pdfTeX
pdfTeX ped	\pdf {}
ped pedan	-
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen {} {}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups

persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {} {}
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayer placelayeredtext	\placelayer [] \placelayeredtext [] [=] [=] {} {}
- •	\placelistofFLOATS [=]
placelistoffloats:instance placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
-	
placelistoffloats:instance:graphics	\placelistofgraphics [=] \placelistofintermezzi [=]
placelistoffloats:instance:intermezzi placelistoffloats:instance:tables	\placelistofiables [=]
_	•
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	$\mbox{mettiPAIREDBOX} [=] {} {}$
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont []
predefinesymbol	\predefinesymbol []

prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist \\\
prettyprintbuffer	\prettyprintbuffer \{\ldots\} \{\ldots\}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\procent \processaction [] [,=>,]
processallactionsinset	\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,]
processallactionsinset processassignlist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \</pre>
processaction processallactionsinset processassignlist processassignmentcommand	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] \ \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] \ \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] \ \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcile {} \processfile {} \processfilemany {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfileonce	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {}</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfirstactioninset	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,.]</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfirstactioninset processisolatedchars	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfile processfilenone processfileonce processisolatedchars processisolatedwords	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processisolatedchars {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedwords {} \ \processisolated \processisolated</pre>
processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processisolated processisolated processlinetable	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfileonce {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer []</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processiolated processiolated processiolated processlinetable processlinetable processlinetable processlinetable processlinetable processlinetable	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {}</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedble processlinetable	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \pro</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedbefile processlinetablefile processlist processMPbuffer	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer []</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedchars processiolatedbefile processlinetablefile processlist processMPbuffer processMPfigurefile	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processMPfigurefile {} \</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedchars processiolatedbefile processlinetablefile processMPbuffer processMPfigurefile processmonth	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcile {} \processfile {} \processfile eno {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processiolatedbuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \end{array} \] </pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfirstactioninset processiolatedchars processlinetablebuffer processlinetablefile processMPbuffer processmonth processmonth	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processiolatedbefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processmonth {} {} {} \processranges [] \</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedchars processiolatedwords processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processseparatedlist	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedbuffer [] \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processseparatedlist [] [] {} \processseparatedlist [] [] {} \end{array} \] </pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfirstactioninset processiolatedchars processlinetablebuffer processlinetablefile processMPbuffer processmonth processmonth	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcile {} \processfile {} \processfile enote {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processiolatedbuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processTEXbuffer [] \processTEXbuffer []</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processseparatedlist processtexbuffer	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedbuffer [] \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processseparatedlist [] [] {} \processseparatedlist [] [] {} \end{array} \] </pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommacommand processcommalist processcommalist processcontent processfile processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges processseparatedlist processtexbuffer processtokens	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processisolatedchars {} \ \processisolatedbuffer [] \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} {} {} \processranges [] \ \processseparatedlist [] [] {} \processTEXbuffer [] \processTEXbuffer [] \processTEXbuffer [] \processtokens {} {} {} {} {} {} \}</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processiolatedchars processiolatedchars processiolatedbeffle processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processfile {} \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedbeuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processtexsuffer [] \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processuntil \ \processuntil \ \processuntil \ \end{array} </pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcommalist processfile processionated processionated processionated processionated processionated processionated processline processline processIne processIne processIne processMPbuffer processMPfigure processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtable processxtable processxtable	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processfile {} \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processisolatedchars {} \ \processisolatedbefile {} \processlinetablefile {} \processlinetablefile {} \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processtexsuffer [] \processtexsuffer [] \processtokens {} {} {} {} {} \processuntil \ \processxtablebuffer []</pre>
processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcommalistwithparameters processfile processfile processfile processfilenone processfileonce processfileonce processisolatedchars processiolatedchars processiolatedbefile processlinetablebuffer processlinetablefile processlinetablefile processlinetablefile processmonth processmonth processranges processeparatedlist processtexbuffer processtokens processyear	<pre>\procent \processaction [] [,=>,] \processallactionsinset [] [,=>,] \processassignist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \processisolatedchars {} \ \processisolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} {} {} \processranges [] \ \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processtablebuffer [] \p</pre>

profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix \{\dots\} \dots \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
and the same and a same a same a same a same and a same a sam	
putboxincache	\putboxincache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
putnextboxincache	\putnextboxincache {} \ \ \
putnextboxincache qquad	<pre>\putnextboxincache {} {} \ {} \qquad</pre>
putnextboxincache qquad quad	\putnextboxincache {} {} \ {} \qquad
putnextboxincache qquad quad quads	\putnextboxincache {} {} \ {} []
putnextboxincache qquad quad quads qualcheriga	\putnextboxincache {} {} \ {} s [] cheriga []
putnextboxincache qquad quad quads qualcheriga quarterstrut	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {}</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {}</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter	<pre>\putnextboxincache {} {} \</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {}</pre>
putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {} \randomizetext {}</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] []</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] \rawcountervalue []</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate	<pre>\putnextboxincache {} {} \ \ \ \ \ \.</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedvidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset	<pre>\putnextboxincache {} {} \ \ \ \ \ \.</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset	<pre>\putnextboxincache {} {} \ \ \ \ \ \.</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocessaction	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawdorawdorawdrameters [] [] \rawdorawdrameters [] []</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocessaction rawprocesscommacommand	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdorawdoifinsetelse {} {} {} \rawprocesscommacommand [] \</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoreawdoifinsetelse {} {} {} \rawprocesscommalist [] \</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdorocesscommacommand [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawstructurelistuservariable {}</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable rawsubcountervalue	<pre>\putnextboxincache {} {} \ \ \ \ \ \.</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rawsubcountervalue rawsubcountervalue rawsubcountervalue	<pre>\putnextboxincache {} {} \ \ \ \ \ \.</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] \rawsubcountervalue [] [] \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] [] \rawsubcountervalue [] []</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommacommand rawstructurelistuservariable rawstrictile	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomnumber {} {} \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] \rawsubcountervalue [] [] \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] {} \rawsubcountervalue [] {} \rawfixedfile {} {} {} \readfile {}</pre>
putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile	<pre>\putnextboxincache {} {} \ {} \qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] \rawsubcountervalue [] [] \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] [] \rawsubcountervalue [] []</pre>

readsetfile	\readsetfile {} {} {}
	\readsysfile {} {}
-	\readtexfile {} {}
	\readxmlfile {} {} {}
	\realpagenumber
	\realSmallCapped {}
**	
	\realSmallcapped {}
* *	\realsmallcapped {}
-	\recursedepth
	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
	\referring (,) (,) []
	\registerattachment [] [=]
	\registerctxluafile {} {}
	\registerexternalfigure [] [] [=]
	\registerfontclass {}
	\registerhyphenationexception [] []
	\registerhyphenationpattern [] []
•	\registermenubuttons [] []
	\registersort []
	\registersynonym [] []
registerunit	\registerunit [] [=]
	\REGISTER [] {++}
registro:instance:index	\index [] {++}
9	\REGISTER [] {++}
9	\index [] {} {++}
9	
9	\regolare
•	\reimpostamarcatura []
	\relatemarking []
	\relateparameterhandlers $\{\}$ $\{\}$ $\{\}$
relaxvalueifundefined	\relaxvalueifundefined {}
	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {} \
	\removelastskip
•	\removelastspace
<u>.</u>	\removemarkedcontent []
removement kedcontent	
	\removepunctuation
	\removesubstring \from \to \
	\removetoks \from \
•	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
	\replaceword [] []
-	\rescan {}
	\rescanwithsetup \{\ldots\}
<u> </u>	\resetallattributes
	\resetandaddfeature []
	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
	\resetcharacterkerning
3	\resetcharacterspacing
	\resetcharacterstripping
	\resetcollector []
	\resetcounter [] []
9 1	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
	\resetfontfallback [] []
	\resetfontsolution
	•

resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
, ,	
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect \{\ldots\} \{\ldots\}
resolvedglyphstyled	\resolvedglyphstyled \{\dots\} \\\
restartcounter	\restartcounter [] []
	\restorebox {} {}
restorebox	
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\r
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento	\riferimento [] {}
riferimentopagina	
	\riferimentopagina []
riferimentotesto	\riferimentotesto [] {}
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\right\tabeltesto \{\dots\}
rightline	\rightline {}
rightorleftpageaction	\rightarrine \(\cdots\) \rightarring \(\cdots\) \rightarring \(\cdots\) \(\cdots\)
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}

righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
	-
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset $\{\}$ $\{\}$ $\{\}$
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustpretocommalist	\robustpretocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtop	\rtop {}
ruby	\ruby [] {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
-	
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
-	
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
	• • • • • • • • • • • • • • • • • • • •
savebox	\savebox {} {}
savebtxdataset	\savebtxdataset [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
-	·
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
•	
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
secondoffourarguments	\secondoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
secondofsixarguments	\secondofsixarguments \{\ldots\}
secondofthreearguments	\secondofthreearguments $\{\ldots\}$ $\{\ldots\}$
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
-	
secondoftwoarguments	\secondoftwoarguments \{\ldots\} \{\ldots\}
secondoftwounexpanded	$\scondoftwounexpanded {} {}$
seeregister:instance	\vediREGISTER [] {++} {}
seeregister:instance:index	\vediindex [] {++} {}
5	
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	$\ensuremath{\mathtt{NSElezionablocch}}^{\mathtt{DT}} [\dots]^{\mathtt{T}} [\dots]^{\mathtt{T}} [\dots]^{\mathtt{DT}} [\dots]^{\mathtt{DT}}$
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif

serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
- ·	\setbigbodyfont
setboxllx	\setboxllx {}
·	\setboxlly {}
	\setbreakpoints []
	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
	\setcharacteraligndetail {} {} {} \setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
•	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename $\{\ldots\}$ $\{\ldots\}$
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
	\setevariable \{\} \{\}
	\setevariables [] [=]
setfirstline	\setfirstline []
	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature setfontsolution	\setfontfeature {} \setfontsolution []
setfontstrut	\setfontstrut
	\setglobalscript []
	\setglobalscript [] \setgmeasure {} {}
	\setgvalue {} {}
	\setgvariable {} {} {}
	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
	\sethyphenatedurlafter {}
	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand $\{\ldots\}$ $\{\ldots\}$
setinterfaceconstant	\setinterfaceconstant {} {}
	\setinterfaceelement {} {}
	\setinterfacemessage \{\ldots\} \{\ldots\} \\\
setinterfacevariable	\setinterfacevariable \{\ldots\}
	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
	\setJSpreamble {} {}
	\setlayer [] [=] {}
	\setlayerframed [] [=] [] \.\setlayerframed [] [=] {}
	\setlayerframed [] [=] {} \setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller [] [] [] \setlinefiller
setlocalhsize	\setlineriller [] \setlocalhsize []
	/

setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	\setMPpositiongraphicrange {} {} {} {=}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure \{\ldots\}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
	•
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
-	
setoldstyle	\setoldstyle
setpagereference	\setpagereference \{\ldots\}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ {} {}
setpercentdimen	\setpercentdimen {} {}
-	-
setperiodkerning	\setperiodkerning []
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {}
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setregisterentry	\setregisterentry [] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {} {}
setscript	\setscript []
-	-
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
	·
settaggedmetadata	\settaggedmetadata [=]
settext	\settext [] [] [] []
settightobject	\settightobject {} {} \ {}
settightreferencedobject	\settightreferencedobject {} \ \ \
settightstrut	\settightstrut
<u> </u>	<u> </u>
settightunreferencedobject	\settightunreferencedobject {} \ {}
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} \ \ \
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	
populpara	\setupbars [] [=]

setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]

)
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers setuplinenote	\setuplinefillers [] [=] \setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed setupmarginrule	\setupmarginframed [] [=] \setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation setupnotations	\setupnotation [] [=] \setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative setuppageshift	\setuppageinjectionalternative [] [=] \setuppageshift [] []
setuppagestate	\setuppagestate [] [] \setuppagestate []
setuppairedbox	\setuppagestate [] [=] \setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation setuprealpagenumber	\setupquotation [=] \setuprealpagenumber [=]
setuprearpagenumber setupreferenceformat	\setuprearpagenumoer [] \setupreferenceformat [] [=]
setupreferenceroria	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]

setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts

showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition {} {} {}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
showwarning	\showwarning {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox {} {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox \{\dots\} \{\dots\} \{\dots\}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox \{\dots\} \\ \dots\}
simplereversealignedboxplus	\simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]

sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga spezzaoggettomobile	\spessoreriga \spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \ \
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] {++} \STARTSTOP {}
startstop:example	
startstructurepageregister stirato	\startstructurepageregister [] [] [] \stirato [] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
stopregister	\stopregister []
stopstructurepageregister	\stopstructurepageregister [] []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {} \subpagenumber
subpagenumber subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
	• • • • • • • • • • • • • • • • • • • •

swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {} {}
systemlog gyatomlogfingt	\systemlog \{\cdot\) \{\cdot\}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	
Testoeticnetta:instance:nead	\btxlabeltesto {}
testoetichetta:instance:head	\btxlabeltesto {} \headtesto {}
testoetichetta:instance:label	\btxlabeltesto {} \headtesto {} \labeltesto {}
testoetichetta:instance:label testoetichetta:instance:mathlabel	\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {}
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \FRAMEDTEXT [=] {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \taglabeltesto {} \unittesto {} \framedtext [=] {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \taglabeltesto {} \intitesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \taglabeltesto {} \intittesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \taglabeltesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} \testpage [] []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} {} \testpage [] [] \testpageonly [] []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} {} \testpage [] [] \testpagesync [] []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} {} \testpage [] [] \testpagesync [] [] \testtokens []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens [] \text{c} \texdefinition {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex texdefinition texsetup	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens [] \text{textofinition {}} \texsetup {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex texdefinition	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens [] \text{c} \texdefinition {}</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex texdefinition texsetup	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens [] \textextickens [] \textextickens [] \textextickens [] \textextickens [] \textin \textifunction {} \textifunction [] []</pre>
testoetichetta:instance:label testoetichetta:instance:mathlabel testoetichetta:instance:operator testoetichetta:instance:prefix testoetichetta:instance:suffix testoetichetta:instance:taglabel testoetichetta:instance:unit testoincorniciato:instance testoincorniciato:instance testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex texdefinition texsetup textbackground:example	<pre>\btxlabeltesto {} \headtesto {} \labeltesto {} \mathlabeltesto {} \operatortesto {} \prefixtesto {} \suffixtesto {} \taglabeltesto {} \unittesto {} \framedtext [] {} \framedtext [] {} \testonotapdp [] {} \testonotapdp [] {} \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testtokens [] \textextokens [] \textextextokens [] \texsetup {} \texsetup {} \texsetup {}</pre>

textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar textormathchars	\textormathchar {}
textplus	\textormathchars {} \textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments \{\\} \{\\} \{\\} \{\\}
thirdoffourarguments	\thirdoffourarguments {} {} {}
thirdofsixarguments	\thirdofsixarguments \\ \\} \\ \\ \\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
thirdofthreearguments thirdofthreeunexpanded	\thirdofthreearguments {} {} {} \thirdofthreeunexpanded {} {} {}
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip topbox	\tooltip [=] {} \topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename truefontname	\truefilename {} \truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone typescriptprefix	\typescriptone \typescriptprefix {}
typescriptthree	\typescriptprerix \;\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>

uconvertnumber	\uconvertnumber {} {}		
uedcatcodecommand	\uedcatcodecommand \ \ \{}		
ultimasottopagina	\ultimasottopagina		
undefinevalue	\undefinevalue {}		
undepthed	\undepthed {}		
underset	\underset {} {}		
undoassign	\undoassign [] [=]		
unexpandeddocumentvariable	\unexpandeddocumentvariable {}		
unhhbox	\unhhbox \with {}		
unihex	\unihex {}		
uniqueMPgraphic	\uniqueMPgraphic {} {=}		
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}		
unita:instance			
	\UNIT {}		
unita:instance:unit	\unit {}		
unprotect	\unprotect \protect		
unprotected	\unprotected \par		
-			
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []		
unspaceafter	\unspaceafter \ {}		
unspaceargument	\unspaceargument \to \		
unspaced	\unspaced {}		
unspacestring	\unspacestring \to \		
untexargument	\untexargument {} \to \		
untexcommand	\untexcommand {} \to \		
uppercased	\uppercased {}		
uppercasestring	\uppercasestring \to \		
upperleftdoubleninequote	\upperleftdoubleninequote		
upperleftdoublesixquote	\upperleftdoublesixquote		
upperleftsingleninequote	\upperleftsingleninequote		
upperleftsinglesixquote	\upperleftsinglesixquote		
upperrightdoubleninequote	\upperrightdoubleninequote		
upperrightdoublesixquote	\upperrightdoublesixquote		
upperrightsingleninequote	\upperrightsingleninequote		
11 0 0 1			
upperrightsinglesixquote	\upperrightsinglesixquote		
url	\url []		
usablocco	\usablocco [] [] [=]		
usacartella	\usacartella []		
usacolonnasonoraostorna	\ugacolonnagonoraogtorna [] []		
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []		
usacolonnasonoraesterna usadocumentoesterno	\usadocumentoesterno [] []		
usadocumentoesterno usafiguraesterna	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usamodulo [] [] \usamodulo [] []		
usadocumentoesterno usafiguraesterna usaJSscripts	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] \usasimboli []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usamodulo [] [] \usamodulo [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] \usasimboli []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usaalignparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usaalignparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \usebodyfont [] \usebodyfontparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usecomponent [] \usedummycolorparameter {}		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummycolorparameter {} \usedummystyleandcolor {} {}		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation {} \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {}		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummystyleandcolor usedummystyleparameter useenvironment	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usasimboli [] \usaurl [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation {} \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter {} \usedummystylearameter {} \usedummystylearameter {}		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtydataset [] [] [] \usebtydefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \ \usedummystyleandcolor \{\} \usedummystyleandcolor \{\} \usedummystyleandering [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummystyleandcolor usedummystyleparameter useenvironment	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usasimboli [] \usaurl [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \useenvironment [] \useexternalrendering [] [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usasimboli [] \usaurl [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \useenvironment [] \useexternalrendering [] [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleandering [] [] [] \usefigurebase [] \usefile [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \} \usedummystyleandcolor \{\} \\usedummystyleandcolor \{\} \usedummystyleandcolor \{\} \usedumsetrnalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usefile [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \} \usedummystyleandcolor \{\} \\usedummystyleandcolor \{\} \usedummystyleandcolor \{\} \usedumsetrnalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usefile [] [] \usefile [] \usef		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \} \usedummystyleandcolor \{\} \\usedummystyleandcolor \{\} \usedummystyleandcolor \{\} \usedumsetrnalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usefile [] [] []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \ \usedummystyleandcolor \{\} \\usedummystyleandcolor \{\} \usedummystyleandcolor \{\} \usedusenvironment [] \useexternalrendering [] [] [] \usefigurebase [] \usefide [] [] [] \usefide [] [] \usedumdlesselidentingparameter \ \useindentingparameter \ \useindentnextparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useinterlinespaceparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandering [] [] [] \usefigurebase [] \usefigurebase [] \usefide [] [] [] \usefide [] [] [] \useindentingparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \ \usedummystyleandcolor \{\} \{\} \usedummystyleandcolor \{\} \usedummystyleandering [] [] [] \usefigurebase [] \usefigurebase [] \usefide [] [] [] \usefide [] [] [] \useindentingparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \ \uselanguageparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \} \usedummystyleandcolor \{\} \\ \usedummystyleandcolor \{\} \\ \usedummystyleandering [] [] [] \usefigurebase [] \usefile [] [] [] \usefile [] [] [] \usefile [] [] [] \useindentingparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \uselanguageparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \ \usedummystyleandcolor \{\} \{\} \usedummystyleandcolor \{\} \usedummystyleandering [] [] [] \usefigurebase [] \usefigurebase [] \usefide [] [] [] \usefide [] [] [] \useindentingparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \ \uselanguageparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummystyleandcolor usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useindentnextparameter uselanguageparameter uselanguageparameter useluamodule useMPenvironmentbuffer	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \useexternalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usefindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter []		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering usefigurebase usefile usegridparameter useindentnextparameter useindentnextparameter uselanguageparameter uselanguageparameter useMPenvironmentbuffer useMPgraphic	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \usefigurebase [] \usefigurebase [] \usefile [] [] [] [] \useindentingparameter \ \useindentnextparameter \ \uselanguageparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurI usealignparameter useblankparameter useblankparameter usebodyfont usebodyfont usebodyfonts usecitation usecitation usecitation usecitation usecitation usecitation: usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useexernalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useindentnextparameter uselanguageparameter uselanguageparameter useMPenvironmentbuffer useMPgraphic useMPlibrary	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usauRL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \usefigurebase [] \usefile [] [] [] [] [] \usefile [] [] [] \useindentingparameter \ \useindentnextparameter \		
usadocumentoesterno usafiguraesterna usaJSscripts usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering usefigurebase usefile usegridparameter useindentnextparameter useindentnextparameter uselanguageparameter uselanguageparameter useMPenvironmentbuffer useMPgraphic	\usadocumentoesterno [] [] [] \usafiguraesterna [] [] [] [] \usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \usefigurebase [] \usefigurebase [] \usefile [] [] [] [] \useindentingparameter \ \useindentnextparameter \ \uselanguageparameter \		

usemathstyleparameter	\usemathstyleparameter \			
seproduct	\useproduct []			
ıseprofileparameter	\useprofileparameter \			
ıseproject	\useproject []			
nsereferenceparameter	\usereferenceparameter \			
userpagenumber	\userpagenumber			
ısesetupsparameter	\usesetupsparameter \			
ısestaticMPfigure	\usestaticMPfigure [=] []			
ısesubpath	\usesubpath []			
usetexmodule	\usetexmodule [] [] [=]			
setypescript	\usetypescript [] []			
setypescriptfile	\usetypescriptfile []			
sezipfile	\usezipfile [] []			
ıtfchar	\utfchar {}			
ıtflower	\utflower {}			
ıtfupper	\utfupper {}			
utilityregisterlength	\utilityregisterlength			
VerboseNumber	\VerboseNumber {}			
vaia	\vaia {} []			
vaiabox	\vaiabox {} []			
vaiapagina	\vaiapagina {} []			
vaigiu	\vaigiu []			
valorecolore	\valorecolore {}			
boxreference	\vboxreference [] {}			
vec	\vec {}			
verbatim	\verbatim {}			
verbatimstring	\verbatimstring {}			
verbosenumber	\verbosenumber {}			
versione	\versione []			
verticalgrowingbar	\verticalgrowingbar [=]			
Vertical position bar	\verticalpositionbar [=]			
veryraggedcenter	\veryraggedcenter			
veryraggedleft	\veryraggedleft			
veryraggedright	\veryraggedright			
/glue	\vglue			
viewerlayer	\viewerlayer [] {}			
71	\v1 []			
$v_{ extsf{phantom}}$	\vphantom {}			
pos	\vpos {} {}			
vsmash	\vsmash {}			
vsmashbox	\vsmashbox			
vsmashed	\vsmashed {}			
/space	\vspace [] []			
spacing	\vspacing []			
VidthSpanningText	\WidthSpanningText {} {} {}			
wdofstring	\wdofstring {}			
vidthofstring	\widthofstring {}			
vidthspanningtext	\widthspanningtext {} {} {}			
vithoutpt	\withoutpt {}			
vords	\words {}			
vordtonumber	\wordtonumber {} {}			
vritedatatolist	\writedatatolist [] [=] [=]			
vritestatus	\writestatus {} {}			
KETEX	\XETEX			
KeTeX	\XeTeX			
defconvertedargument	\xdefconvertedargument \ {}			
mladdindex	\xmladdindex {}			
mlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}			
mlaftersetup	\xmlaftersetup {} {}			
mlall	\xmlall {} {}			
mlappenddocumentsetup	\xmlappenddocumentsetup {} {}			
mlappendsetup	\xmlappendsetup {}			
mlapplyselectors	\xmlapplyselectors {}			
mlatt	\xmlatt {} {}			
xmlattdef	\xmlattdef {} {} {}			
mlattribute	\xmlattribute {} {} {}			
xmlattributedef	\xmlattributedef \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
mlbadinclusions	\xmlbadinclusions {}			
mlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}			
mlbeforesetup	\xmlbeforesetup {} {}			
mlchainatt	\xmlchainatt {} {}			
rml chaina++dof	\wmlchaina++dof \ \ \ \ \			

	\		
xmlchecknamespace xmlcommand	\xmlchecknamespace {} {} \xmlcommand {} {} {}		
xmlconcat	\xmlconcat \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlconcatrange	\xmlconcatrange {} {} {} {} {}		
xmlcontext	\xmlcontext {} {}		
xmlcount	\xmlcount {}		
xmldefaulttotext	\xmldefaulttotext {}		
xmldirectives	\xmldirectives {}		
xmldirectivesafter	\xmldirectivesafter {}		
xmldirectivesbefore	\xmldirectivesbefore {}		
xmldisplayverbatim	\xmldisplayverbatim {}		
xmldoif xmldoifatt	\xmldoif {} {} {}		
xmldoifelse	\xmldoifatt {} {} \xmldoifelse {} {} {}		
xmldoifelseatt	\xmldoifelseatt {} {} {}		
xmldoifelseempty	\xmldoifelseempty {} {} {} {}		
xmldoifelseselfempty	\xmldoifelseselfempty {} {}		
xmldoifelsetext	\xmldoifelsetext {} {} {} {}		
xmldoifelsevalue	\xmldoifelsevalue $\{\}$ $\{\}$ $\{\}$		
xmldoifnot	\xmldoifnot {} {}		
xmldoifnotatt	\xmldoifnotatt {} {}		
xmldoifnotselfempty	\xmldoifnotselfempty {} {}		
xmldoifnottext	\xmldoifnottext {} {} {}		
xmldoifselfempty	\xmldoifselfempty {} {}		
xmldoiftext	\xmldoiftext {} {}		
xmlelement xmlfilter	\xmlelement {} {} \xmlfilter {} {}		
xmllliter	\xmlfirst {} {}		
xmlflush	\xmlflush {}		
xmlflushcontext	\xmlflushcontext {}		
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}		
xmlflushlinewise	\xmlflushlinewise {}		
xmlflushpure	\xmlflushpure {}		
xmlflushspacewise	\xmlflushspacewise {}		
xmlflushtext	\xmlflushtext {}		
xmlinclude	\xmlinclude {} {} {}		
xmlinclusion	\xmlinclusion {}		
xmlinclusions xmlinfo	\xmlinclusions {}		
xmlinjector	<pre>\xmlinfo {} \xmlinjector {}</pre>		
xmlinlineprettyprint	\xmlinljector \(\tau\)\		
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}		
xmlinlineverbatim	\xmlinlineverbatim {}		
xmlinstalldirective	\xmlinstalldirective {} {}		
xmllast	\xmllast {} {}		
xmllastatt	\xmllastatt		
xmllastmatch	\xmllastmatch		
xmllastpar	\xmllastpar		
xmlloadbuffer	\xmlloadbuffer {} {}		
xmlloaddata	\xmlloaddata {} {} {}		
xmlloaddirectives xmlloadfile	<pre>\xmlloaddirectives {} \xmlloadfile {} {}</pre>		
xmlloadonly	\xmlloadorly {} {}		
xmlmain	\xmlmain {}		
xmlmapvalue	\xmlmapvalue {} {}		
xmlname	\xmlname {}		
xmlnamespace	\xmlnamespace {}		
xmlnonspace	\xmlnonspace {} {}		
xmlpar	\xmlpar {} {}		
xmlparam	\xmlparam {} {}		
xmlpath	\xmlpath {}		
xmlpos	\xmlpos {}		
xmlposition xmlproporddocumentsetup	\xmlproperddecumentsetup { }		
xmlprependdocumentsetup	<pre>\xmlprependdocumentsetup {} {} \xmlprependsetup {}</pre>		
<pre>xmlprependsetup xmlprettyprint</pre>	\xmlprettyprint \{\ldots\}		
xmlprettyprinttext	\xmlprettyprint \(\cdots\) \\xmlprettyprinttext \(\cdots\) \\\.		
xmlprocessbuffer	\xmlprocessbuffer \{\dots\} \\\\		
xmlprocessdata			
	\xmlprocessdata {} {} {}		
xmlprocessfile	\xmlprocessdata {} {} {} \xmlprocessfile {} {}		
•			

xmlrefatt	\xmlrefatt {} {}		
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}		
xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	\xmlremapname {} {} {}		
xmlremapnamespace	\xmlremapnamespace {} {} {}		
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}		
xmlremovesetup	\xmlremovesetup {}		
xmlresetdocumentsetups	\xmlresetdocumentsetups {}		
xmlresetinjectors	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
xmlsave	\xmlsave {} {}		
xmlsetatt	\xmlsetatt {} {} {}		
xmlsetattribute	\xmlsetattribute {} {} {} {}		
xmlsetentity	\xmlsetentity {} {}		
xmlsetfunction	\xmlsetfunction $\{\}$ $\{\}$		
xmlsetinjectors	\xmlsetinjectors []		
xmlsetpar	\xmlsetpar {} {} {}		
xmlsetparam	\xmlsetparam {} {} {} {}		
xmlsetsetup	\xmlsetsetup {} {}		
xmlsetup	\xmlsetup {} {}		
xmlshow	\xmlshow {}		
xmlsnippet	\xmlsnippet {} {}		
xmlstrip	\xmlstrip {} {}		
xmlstripnolines	$\xim x = \{\} \{\}$		
xmlstripped	\xmlstripped {} {}		
xmlstrippednolines	\xmlstrippednolines {} {}		
xmltag	\xmltag {}		
xmltexentity	\xmltexentity {} {}		
xmltext	\xmltext {} {}		
xmltobuffer	\xmltobuffer {} {} {}		
xmltobufferverbose	\xmltobufferverbose {} {} {}		
xmltofile	\xmltofile {} {}		
xmlvalue	\xmlvalue {} {}		
xmlverbatim	\xmlverbatim {}		
xsplitstring	\xsplitstring \ {}		
xypos	\xypos {}		

PRAGMA ADE Ridderstraat 27 8061GH Hasselt NL www.pragma-ade.com