ConIFXt comandi

ConTEXt comandi

it / italiano 28 marzo 2018

AfterPar	\AfterPar {}
	\Alphabeticnumerals {}
Alphabeticnumerals AMSTEX	\AMSTEX
Amstex	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
-	-
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=.] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=] \ambiente []
ambiente ambiente:string	\ambiente []
5	\ampersand
ampersand	\anchor [] [=] {}
	\anchor [] [] [] \an {}
ap apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appenderons \to \\appenderons e} \}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}

assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ \{\}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox autodirybox	\autodirhbox {} \autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage $\{\}$ $\{\}$ $\{\}$
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar bar:instance:overbar	\nobar {} \overbar {}
bar:instance:overbar bar:instance:overbars	\overbar \(\ldots\)
bar:instance:overbars bar:instance:overstrike	\overstrike \{\ldots\}
bar:instance:overstrikes	\overstrike \(\(\cdot\)
bar:instance:underbar	\underbar \{\}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginplock [] \andPlock
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhox \endhox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox beginvtop	\beginvbox \endvbox \beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
55	. 55

biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	bTRs [] \eTRs
bTX	\bTX [=.] \eTX
bTY	\bTY [=.] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation: alternative	\btxalwayscitation [] []
btxalwayscitation: userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif \{\dots\} \\\
btxdoifcombiinlistelse	\btxdoif(\cdots) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse \{\\} \\\.\}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\} \{\} \{\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious \\ \dagger \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
btxdoifelsesameaspreviouschecked btxdoifelseuservariable	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \\ \btxdoifelseuservariable \{\ldots\} \{\ldots\} \\\
btxdoifnot	
	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}

btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \{\ldots\}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	CONTEXT
ConTeXt	ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
-	\subsubject [=]
capoverso:instance:assignment:subsubject	-
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] { } { }

capoverso:instance:ownnumber:subsubsubsubject	$\subsubsubsubsubject [] {} {}$
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsection	\subsubsubject [] {}
-	
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
	\check {}
check	
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
	\checkpage [] [=]
checkpage	
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
	\cldprocessfile {}
clip	-
clip	\clip [=] {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}

colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\} \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
component	\component []
component:string	\component
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult confrontagruppocolori	\compresult \confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimen \
constantemptyargument	\constantumenargument \
constantnumber	\constantnumber \
constantnumber	\constantnumber \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continuedfinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\} \\\
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
convlabeltext:instance:mathlabel	\copymathlabeltesto [] [=]

7.7.7.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	\
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
-	
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
	• • • • • • • • • • • • • • • • • • • •
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
-	
ctxsprint	\ctxsprint {}
currentassignmentlistkey	$\verb \currentassignmentlistkey $
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	$\currentETICHETTA [] {}$
currentlanguage	\currentlanguage
	\currentlistentrydestinationattribute
currentlistentrydestinationattribute	
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	· · · · · · · · · · · · · · · · · · ·
•	\currentlistsymbol
currentmainlanguage	$\c \c \$
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
-	-
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
•	<u> </u>
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	$\daqualcheparte {} {} []$
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable $\{\ldots\}$ $\{\ldots\}$
dayoftheweek	\dayoftheweek $\{\ldots\}$ $\{\ldots\}$
•	\dayspermonth {} {}
dayspermonth	/παλολετποπιοπ ζλ ζλ

dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference defcatcodecommand	\defaultobjectreference \defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [] []
definecharacterkerning	\definecharacterkerning [] [] []
definecharacterspacing definechemical	\definecharacterspacing []
definechemicals	\definechemical [] {} \definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] []
definecolumnbreak	\definecolumnbreak [] []
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [] []
definedfont defineeffect	<pre>\definedfont [] \defineeffect [] [] [=]</pre>
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexpandable [] \ [] \defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] []
define fort for illumnes t	\definefontfamily [] [] [] \definefontfamily []
definefontfamilypreset	\definefontfamilypreset [] [=]
<pre>definefontfamilypreset:name definefontfamily:preset</pre>	\definefontfamilypreset [] [] \definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [] \definefontfeature [] [] []
definefontfile	\definefontfile [] [] []
	and the second of the second o

definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []

1-6:	\4.6:
	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
<u>.</u>	\definepage [] []
	\definepagebreak [] []
	\definepagechecker [] [=]
definepagegrid	\definepagegrid [] [] [=]
definepagegridarea	\definepagegridarea [] [] [=]
definepagegridspan	\definepagegridspan [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [=]
1 0 0	
	\definepageshift [] []
	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] []
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
	\definespotcolor [] [] [=]
	\definestyleinstance [] [] []
•	\definesubformula [] [] [=]
definesynonym	\definesynonym [] [] {} {}
	\definesystemattribute [] []
·	\definesystemattlibute [] \land \definesystemconstant \{\}
,	\definesystemconstant \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•	\defineTABLEsetup [] [=]
defineTABLEsetup	
	\definetabulation [] []
	\definetextbackground [] [] [=]
	\definetextflow [] [=]
	\definetooltip [] [=]
	\definetransparency []
	\definetransparency [] [=]
· ·	\definetransparency [] []
•	\definetwopasslist {}
	\definetypeface [] [] [] [] []
	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing [] []
	\definevspacingamount [] []
	\definextable [] [=]
definisci	\definisci [] \ {}

definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] []
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibuffer [] [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [] [=]
definiscietichetta	\definiscietichetta [] [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] []
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [] [=]
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\ldots\} \\depthspanningtext \\depthspanningt
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par

	Maria
destra	\destra \determinacaratteristicheregistro [] [=]
determinacaratteristicheregistro determinacarattersticheelenco	\determinacaratteristicheelenco [] [=]
determinanumerotesta	\determination \deter
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter \{\ldots\}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight directlocalframed	\directhighlight {} {} \directlocalframed [] {}
directluacode	\directluscode \{\ldots\}
directselect	\directiacode \(\(\cdot\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\} \{\}
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip doaddfeature	\doadaptrightskip {} \doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext \{\} \\.\.\}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid dogetcommacommandelement	\dogetattributeid {} \dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse	\doifalldefinedelse {} {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse $\{\}$ $\{\}$
doifblackelse	\doifblackelse $\{\}$ $\{\}$
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$

doifboxelse	\doifboxelse \{\} \{\}
doifbufferelse	\doifbufferelse \{\} \{\}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \\\
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\} \{\}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse doifcounter	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounterelse	\doifcounter \(\lambda \\) \\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\.\}
doifdefined	\doifdefined \{\ldots\} \\\
doifdefinedcounter	\doifdefinedcounter \{\ldots\} \\\.\}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument \{\ldots\} \\.\
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse \{\ldots\}
doifelse	\doifelse \{\} \\\\} \\\}
doifelseallcommon	\doifelseallcommon {} {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack \{\} \{\}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {}
doifelsebuffer	\doifelsebuffer {} {} {}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelsecommon doifelseconversiondefined	
	\doifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseconversiondefined	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused	\doifelsecommon \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined	\doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter	\doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension	\doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecounter fonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvariable {} {} {} \</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsyntingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseenv \{\} \{\} \doifelseenv \{\} \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsyntingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymused \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseenv \{\} \{\} \doifelsefastoptionalcheck \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedfinedcounter \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefastoptionalchecks \\\ \\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedfinedcounter \{\} \{\} \doifelsedinension \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefastoptionalchecks \\\ \\ \doifelsefieldbody \{\} \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedinension {} {} {} \doifelsedinenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcate</pre>
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldcategory doifelsefigure	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvariable {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefieldsefieldcategory {} {} {} \doifelsefieldsefigure {} {} {} \doifelsefigure {} {} {} \do</pre>
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefigure doifelsefile	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefisefieddody \{\} \{\} \doifelsefieldsefigure \{\} \{\} \doifelsefieldsefigure \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \{\}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefigure doifelsefile doifelsefile doifelsefile doifelsefiledefined	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \{\} \doifelseconversionnumber \{\} \{\} \{\} \doifelsecounter \{\} \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefieldbody \{\} \{\} \doifelsefieldcategory \{\} \{\} \doifelsefieldefined \{\} \{\} \doifelsefieldefined \{\} \{\} \doifelsefieldefined \{\} \{\} \doifelsefieldefined \{\} \{\}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefileexists	\doifelsecommon \{\} \{\} \{\} \\doifelseconversiondefined \{\} \{\} \\doifelseconversionnumber \{\} \{\} \\doifelseconversionnumber \{\} \{\} \\doifelsecounter \{\} \{\} \\doifelsecurrentfonthasfeature \{\} \{\} \\doifelsecurrentsortingused \{\} \{\} \\doifelsecurrentsynonymshown \{\} \\doifelsecurrentsynonymshown \{\} \\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedifelsedimension \{\} \{\} \\doifelsedifelsedocumentargument \{\} \{\} \\doifelsedifelsedocumentfilename \{\} \{\} \\doifelsedifelsempty \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsefisedotelsefieldcategory \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefiledefined \{\} \{\} \\doifelsefiledefiledefiledefiledefiledefiledefiledefiledefiledef
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesexists doifelsefirstchar	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\\\\} \\\\\\\\\\\\} \\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesexists doifelsefirstchar doifelseflagged	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\\\\\} \\\\\\\} \\\\\\\} \\\\} \\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedrawingblack doifelsempty doifelsemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefiledcategory doifelsefile doifelsefile doifelsefileseintsts doifelsefileseintsts doifelsefileseintsts doifelsefileseintsts doifelsefileseintsts doifelsefilesefilegged doifelsefontchar	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\\} * \\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefigure doifelsefile doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefilesefile doifelsefilesefileseinet doifelsefilesefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefileseinet doifelsefilesefontchar doifelsefontpresent	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\} \\\\} * \\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilestits doifelsefilescitsts doifelseflagged doifelsefontpresent doifelsefontsynonym	\doifelsecommon \{\} \\\} * \\\
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedfined doifelsedfined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisedfieldody doifelsefieldcategory doifelsefigure doifelsefile doifelsefile doifelsefile doifelsefilesentsts doifelsefilesentchar doifelsefontpresent doifelsefontsynonym doifelsefontsynonym doifelsefasspace	\doifelsecommon \{\} \\\\} \\\.\\\\\\\\\\\\\\\\\\
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefined doifelsedimension doifelsedocumentargument doifelsedocumentilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefiledefined doifelsefileexists doifelsefileexists doifelsefilesexists doifelseflagged doifelsefontpresent doifelsefontsynonym doifelsehasspace doifelsehaspace	\doifelsecommon \{\} \\\\} \\\.\\\.\\\\.\\\\\\\\\\
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedfined doifelsedfined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisedfieldody doifelsefieldcategory doifelsefigure doifelsefile doifelsefile doifelsefile doifelsefilesentsts doifelsefilesentchar doifelsefontpresent doifelsefontsynonym doifelsefontsynonym doifelsefasspace	\doifelsecommon \{\} \\\\} \\\.\\\\\\\\\\\\\\\\\\

	No. 10 7 10 10 10 10 10 10 10 10 10 10 10 10 10
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring	\doifelseinstring {} {} {}
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks \{\} \{\} \{\}
doifelseintwopassdata	\doifelseintwopassdata {} {} {}
doifelseitalic	\doifelseitalic \{\} \{\}
doifelselanguage	\doifelselanguage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseleapyear	\doifelseleapyear {} {} {}
doifelselist	\doifelselist {} {} {}
doifelselocation	\doifelselocation \{\ldots\} \\\
doifelselocfile	\doifelselocfile {} {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\doifelseMPgraphic \{\doifelseMPgraphic \{\doifelseMPgraphic \}\}
doifelsemainfloatbody	\doifelsemainfloatbody \{\doingle \} \\.\
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking \{\} \{\}
doifelsemeaning	\doifelsemeaning \ \ \{\} \{\}
doifelsemessage	\doifelsemessage \{\} \{\} \{\}
doifelsemode	\doifelsemode \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional \{\ldots\} \\\.\\
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \{\ldots\} \\\
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing doifelsenumber	\doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelsenumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectfound doifelseobjectreferencefound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \\dots\} \\dots\\
doifelseoddpage	\doifelseoddpage \{\ldots\} \\\
doifelseoddpagefloat	\doifelseoddpagefloat \{\ldots\} \\\
doifelseoldercontext	\doifelseoldercontext \{\doifelseoldercontext \{\doife
doifelseolderversion	\doifelseolderversion \{\} \{\} \{\}
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay {} {}
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\ \{\ldots\}
doifelsepath	\doifelsepath \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns {} {} {}
doifelseposition	\doifelseposition $\{\}$ $\{\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage $\{\}$ $\{\}$ $\{\}$
	(dollelsepositiononpage () () ()
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonsamepage doifelsepositionsonthispage	
	$\verb \doifelsepositionsonsamepage {} {} {}$
doifelsepositionsonthispage	\doifelsepositionsonsamepage $\{\}$ $\{\}$ $\{\}$ \doifelsepositionsonthispage $\{\}$ $\{\}$
doifelsepositionsonthispage doifelsepositionsused	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox	\doifelsepositionsonsamepage \{\doifelsepositionsonthispage \{\doifelsepositionsused \{\doifelsepositionsused \{\doifelsepositionsused \{\doifelsereferencefound \{\doifelserightpagefloat \{\doifelserighttoleftinbox \doifelserightfoleftinbox \doifelseri
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference	\doifelsepositionsonsamepage \{\doifelsepositionsonthispage \{\doifelsepositionsused \{\doifelsepositionsused \{\doifelsereferencefound \{\doifelserightpagefloat \{\doifelserighttoleftinbox \doifelserightfloat \{\doifelserightfloat \{\doifels
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} {} \doifelsesetups {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {} \doifelsesometoks \ {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} \doifelsesomething {} {} {} \doifelsesomething {} {} {} \doifelsestringinstring {} {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {}</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} \doifelsesomething {} {} {} \doifelsestringinstring {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomething doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymbolset	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} \doifelsesomebackground {} {} \doifelsesomething {} {} \doifelsesomething {} {} \doifelsestringinstring {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} {} \doifelsesymbolset {} {} {} \doifelse</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomething doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomething {} {} {} \doifelsesomething {} {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymbolset {} {} {} \doifelsestext {} {} {} \doifelsetext {} {</pre>
doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow	<pre>\doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomething {} {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {</pre>

doifelsetypingfile	\doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseundefined	\doifelseundefined $\{\ldots\}$ $\{\ldots\}$
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue \{\} \{\} \{\}
doifelsevaluenothing	\doifelsevaluenothing $\{\}$ $\{\}$
doifelsevariable	\doifelsevariable \{\} \{\} \{\}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptytoks	\doifemptytoks \ \{\}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \{\ldots\}
doifemptyvariable	\doifemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse \{\ldots\} \\ \\.\\
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \{\ldots\}
doiffigureelse	\doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse {} {}
doiffontcharelse	\doiffontcharelse \{\} \{\} \{\}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\} \\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {} {}
doifinsetelse	\doifinsetelse \{\} \{\} \{\}
doifinstring	\doifinstring \{\} \{\}
doifinstringelse	\doifinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$
doifintokselse	\doifintokselse \{\} \{\} \{\}
doifintwopassdataelse	$$$ \doifint wo pass data else {} {} {} {}$
doifitalicelse	\doifitalicelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doiflanguageelse	\doiflanguageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayerdataelse	\doiflayerdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse	\doifleapyearelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflistelse	\doiflistelse \{\} \{\}
doiflocationelse	\doiflocationelse \{\ldots\} \\ \\.\\
doiflocfileelse	\doiflocfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifMPgraphicelse	\doifMPgraphicelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmainfloatbodyelse	$\doint Mainfloat Modelse {} {}$
doifmarkingelse	\doifmarkingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmeaningelse \ \ \{\} \{\}
doifmessageelse	\doifmessageelse \{\} \{\} \{\}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse \{\ldots\}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnot	\doifnot {} {} {}
doifnotallcommon	\doifnotallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\doifnotemptyvariable \\doifnotemp
doifnotenv	\doifnotenv \{\ldots\} \\doifnotenvengengengengengengengengengengengengenge
doifnoteonsamepageelse doifnotescollected	\doifnoteonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotfile	\doifnotescollected \(\(\) \\doifnotfile \(\{\}\)
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse {} {}
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \{\ldots\}
doifnotmode	\doifnotmode \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifnotnumber	\doifnotnumber \{\ldots\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups \{\ldots\} \\doifnotsetups \{\ldots\} \\doifnotsetup\ \doifnotsetup\ \doifnotsetu
doifnotvalue doifnotvariable	\doifnotvalue \{\} \\.\.\\\\doifnotvariable \{\} \\\.\.\\\\\\\\\\\\\\\\\\\\\\\\\
doifnumber	\doifnumber \{\} \\\}
doifnumberelse	\doifnumberelse \{\doifnumberelse \{\doifnumbere
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse {} {} {} {}
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlayelse	\doifoverlayelse \{\ldots\} \\doifoverlayelse
doifparallelelse doifparentfileelse	\doifparallelelse \{\} \{\} \{\} \doifparentfileelse \{\} \{\}
doifpathelse	\doifpathelse \{\} \\.\.\}
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse {} {}
doifposition	\doifposition $\{\ldots\}$ $\{\ldots\}$
doifpositionaction	\doifpositionaction \{\ldots\} \{\ldots\} \\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse	\doifpositionelse \{\ldots\} \\doifpositionelse \{\ldots\} \\doifp
doifpositiononpageelse doifpositionsonsamepageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\doifpositionsonthispageelse \}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse {} {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring \{\} \{\}
doifsamestringelse doifsetups	\doifsamestringelse \{\} \{\} \{\} \\doifsetups \{\} \{\}
doifsetupselse	\doifsetupselse \{\} \\\\}
doifsomebackground	\doifsomebackground {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse doifstructurelisthasnumberelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthaspageelse	\doifstructurelisthaspageelse \{\doifstructurelisthaspageelse \}\doifstructurelisthaspageelse
doifsymboldefinedelse	\doifsymboldefinedelse {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\.\\
doiftopofpageelse doiftypingfileelse	\doiftopofpageelse {} {} \doiftypingfileelse {} {} {}
doifundefined	\doifundefined \{\ldots\} \\\

doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\
doifvaluesomething	\doifvaluesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse \{\} \\ \\\} \\\\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloop \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\donothing
donothing dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction \{\dots\}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
<u> </u>	\dosetrightskipadaption {}
dosetributskipadabtion	
dosetrightskipadaption dosetrightskipadaption	
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] []</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ []</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ []</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] []
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleempty \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {}
dosetupcheckedinterlinespace: argument dosetupcheckedinterlinespace: name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dosubtractfeature {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleampty dosingleargument dosingleempty dosinglegroupempty dosintupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotfskip {}</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ \ [] [] [] [] [] [] \doseventupleempty \ \ \ \</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument	\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} {} {} \dotfskip {} \dotfskip {} \dottipleargument \ [] [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotoks \ \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleargumentwithset \ [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleampty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotoks \ \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset dotripleargumentwithset	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleargumentwithset \ [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument dosingleargument dosingleargument dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset dotripleargumentyvithset	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostatupleempty \ [] [] [] [] [] \dostatupleempty \ \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotoks \ \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleempty \ [] [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument dosingleargument dosingleargument dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotsburactfeature {} \dotfskip {} \dotoks \ \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleempty \ [] [] \dotripleemptywithset \ [] [] \dotriplegroupempty \ {} {} {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument dosingleargument dosingleargument dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond	\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotriplegroupempty doublebond dowith	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleempty \ [] [] [] \dotripleemptywithset \ [] [] [] \dotriplegroupempty \ {} {} {} \doublebond \dowith {} {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotripleempty dotriplegroupempty doublebond dowith dowithnextbox	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dosixtupleempty dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotripleempty dothipleempty dothipleempty dothipleond dowith dowithnextbox dowithnextboxcontent	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} {} {} {} \dostarttagged {} {} {} {} \dotfskip {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleempty \ [] [] [] \dotriplegroupempty \ {} {} \dowithnextbox {} \} \dowithnextbox {} \ {} \dowithnextbox {} \ {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotripleempty dotripleempty dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcontentcs	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] \dostarttagged {} {} {} {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dostipleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleargumentwithset \ [] [] \dotriplegroupempty \ {} {} \dowithnextboxcontent {} {} \dowithnextboxcontent {} {} \dowithnextboxcontent {} {} \ {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotripleempty dotripleempty dotripleempty dothipleond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotripleempty dotripleempty dothipleempty dothipleond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithpargument	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosingleargupempty \ {} \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \ \dostoptagged \dostapwiserecurse {} {} {} \dotstapwiserecurse {} {} {} \dotstapwiserecurse {} {} {} \dotskip {} \dotskip {} \dotskip {} \dotskip {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleampty \ [] [] [] \dotriplegroupempty \ {} {} \dowithpergroupempty \ {} {} \dowithnextbox {} \ {} \dowithnextbox content {} {} \} \dowithnextbox content {} {} \} \dowithnextbox content {} {} \dowithpargument \ \dowithrange {} \ \ \
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotripleempty dotriplegroupempty dowith dowith dowith dowithnextbox dowithnextboxcontent dowithpargument dowithrange	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature doffskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotripleempty dothiplebond dowith dowithnextbox dowithnextboxcontent dowithargument dowithrange dowithwargument dpofstring dummydigit	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature doffskip dotoks dotripleargumentwithset dotripleargumenty dotripleempty dotripleempty dotripleempty dothebond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithpargument dowithrange dowithwargument dopofstring dummydigit dummyparameter ETEX	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dostuptractfeature doffskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dothebond dowith dowithnextbox dowithnextbox dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine	\dosetupcheckedinterlinespace { \ \dosetupcheckedinterlinespace { \ \dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature doffskip dotoks dotripleargumentwithset dotripleargumenty dotripleempty dotripleempty dotripleempty dothebond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithpargument dowithrange dowithwargument dopofstring dummydigit dummyparameter ETEX	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace {

efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [] [=]
elapsedseconds	\elapsedseconds
_	
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] \{\}\par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expanded	\expanded {}
expandfontsynonym	\expandfontsynonym \ {}
	\expdoif {} {}
expdoif	-
expdoifcommonelse	\expdoifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifelse	\expdoifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifelsecommon	\expdoifelsecommon {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {} {}
feature	\feature [] []
feature:direct	\feature \{\} \{\}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark []

fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
•	
fifthofsixarguments	\fifthofsixarguments \{\\} \{\\} \{\\} \{\\}
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfromnext \{\ldots\} \}
filterfromvalue	\filterfromvalue {} {} {\begin{subarray}{c} OPT & OPT
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstoffivearguments	\firstoffivearguments \{\ldots\}
firstoffourarguments	\firstoffourarguments \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•	
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded \{\ldots\}
firstofsixarguments	\firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreearguments	\firstofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \{\ldots\}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox \{\ldots\} \\\
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar \{\}
fontcharbyindex	\fontchar \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fontclass	\fontclass
1011061435	/100001022

fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
Forcecharacterstripping	\forcecharacterstripping
Forcelocalfloats Forgeteverypar	\forcelocalfloats
Torgeteverypar Forgetparameters	\forgeteverypar \forgetparameters [] [=]
Forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments {} {} {} {} {}
fourthoffourarguments	\fourthoffourarguments {} {} {}
fourthofsixarguments	\fourthofsixarguments {} {} {} {} {} {}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac \{\}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {} \xfrac {} {}
Frazione:instance:xfrac Frazione:instance:xxfrac	\xxfrac \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly \getbufferdata []
getbufferdata getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect getglyphstyled	\getglyphdirect {} {} \getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getgparameters getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
rotnamodtuonaggdataligt	\gotpamodtuopagdataligt \

	\13:
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions \{\ldots\} \\ \\.\\
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ {} {}
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ \{\}
getrandomseed	\getrandomseed \
<u> </u>	· ·
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
	\getvalue {}
getvalue	9
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {} {}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
	\globalpushbox
globalpushbox	• •
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments \{\\} \{\\} \{\\}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblethreearguments	\gobblethreearguments {} {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	
	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
	\grassettocorsivo
grassettocorsivo	

grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia grossofontdeltesto	\griglia [=] \grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example hdofstring	\hboxBOX \{\daggerightarrow\hdofstring \{\daggerightarrow\hdofstring \{\daggerightarrow\hdofs\daggerightarrow\hdofs\daggerightarrow\hdofs\daggerightarrow\hdoxBOX \{\daggerightarrow\hdofs\daggerightarrow\hdoxBOX \{\daggerightarrow\hdoxBOX \}\}
headhbox	\headhbox \{\}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue hiddencitation	\hglue \hiddencitation []
hiddencite	\hiddencitation []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\} \\ \ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring htofstring	\htdpofstring {} \htdfstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi

ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
implies	\impliedby \implies
implies imposta	\imposta []
impostaallineamento	\imposta []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [=] \impostacapoversi [] [=]
impostacapoversi:assignment impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi impostaelencazioni	\impostaelementi [] [=] \impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostaincorniciato	\impostaincorniciato [] [=] \impostainiziatermina [] [=]
impostainiziatermina impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento impostalineesottili	\impostalineeriempimento [=] \impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina impostanumerosottopagina	\impostanumeropagina [=] \impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]

impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
<pre>impostaregistro impostaregistro:argument</pre>	\impostaregistro [] [=] \impostaregistro [] [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
<pre>impostaschermointerazione impostasegnosillabazione</pre>	\impostaschermointerazione [=] \impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	<pre>\impostaspezzamentooggettomobile [=] \impostatabelle [=]</pre>
<pre>impostatabelle impostatabulato</pre>	\impostatabelle [] [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp impostatesto	\impostatestipdp [] [] [] [] \impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
<pre>impostatestoetichette:instance:label</pre>	\impostalabeltesto [] [=]
<pre>impostatestoetichette:instance:mathlabel</pre>	\impostamathlabeltesto [] [=]
impostatestoetichette:instance:operator	\impostaoperatortesto [] [=]
impostatestoetichette:instance:prefix	\impostaprefixtesto [] [=] \impostasuffixtesto [] [=]
<pre>impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel</pre>	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostatagiabeltesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
impostatyping	\impostatyping [] [=]
impostaurl	\impostaurl [=]
<pre>imposta:direct in</pre>	\imposta {} \in {} {}
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=.] {}
incorniciato:instance	\FRAMED [=] {}
<pre>incorniciato:instance:fitfieldframed incorniciato:instance:unframed</pre>	\fitfieldframed [=] {} \unframed [=] {}
incrementa	\incrementa \
incrementa:argument	\incrementa cd:parentheses-s
incrementcounter	\incrementcounter []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation infofont	\indentation \infofont
III OI OII 0	/1111-01-0110

infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
iniziaalignment iniziaallineacentro	\iniziaalignment [] \terminaalignment \iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineadestra \terminaallineadestra \iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaarimodes \iniziaambiente
iniziaambientebloccosezione	\iniziaambiente [] \terminaambiente \iniziaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
iniziacapoverso:instance:subsubsubsubject	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection	\iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsect
iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubject [=] [=] \terminasubsubsubsubsubj
iniziacapoverso:instance:title	\iniziatitle [=] [=] \terminatitle
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [] \terminacharacteralign
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolonne	\iniziacolonne [=] \terminacolonne
iniziacolore	\iniziacolore [] \terminacolore
iniziacolorintent	\iniziacolorintent [] \terminacolorintent
iniziacoloronly iniziacolorset	\iniziacoloronly [] \terminacoloronly \iniziacolorset [] \terminacolorset
iniziacolumnspan iniziacombination	\iniziacolumnspan [=] \terminacolumnspan \iniziacombination [] [=] \terminacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination \iniziacombination
iniziacommentopagina	\iniziacommontopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=.] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
iniziacomponenet	\iniziacomponenet [] \terminacomponenet
iniziacomponenet:string	\iniziacomponenet\terminacomponenet
iniziacontextcode	\iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextdefinitioncode \terminacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	\iniziactxfunctiondefinition \terminactxfunctiondefinition
iniziacurrentcolor	\iniziacurrentcolor \terminacurrentcolor
iniziacurrentlistentrywrapper	\iniziacurrentlistentrywrapper \terminacurrentlistentrywrapper
iniziadelimited	\iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimitedtext [] [] \terminadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] [] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside	\iniziaaside [] [] \terminaaside
iniziadelimitedtext:instance:blockquote	\iniziablockquote [] [] \terminablockquote
<pre>iniziadelimitedtext:instance:quotation</pre>	$\mbox{\cite{linear} linear} \mbox{\cite{linear} linear} $
iniziadelimitedtext:instance:quote	\iniziaquote [] [] \terminaquote

iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
iniziadescrizione:example	\iniziaDESCRIZIONE [] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
iniziadmath	\iniziadmath \terminadmath
iniziadocument	\iniziadocument [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
iniziaelement	\iniziaelement \{\ldots\} [\ldots = \ldots] \ldots \terminaelement
iniziaelemento	\iniziaelement \(\lambda \cdots \rangle \lambda \cdots \cd
iniziaembeddedxtable	\iniziaembeddedxtable [=] \terminaembeddedxtable \iniziaembeddedxtable [] \terminaembeddedxtable
iniziaembeddedxtable:name	
iniziaenumerazione:example	\iniziaENUMERAZIONE [=] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions
iniziaexpanded	\iniziaexpanded \terminaexpanded
iniziaexpandedcollect	\iniziaexpandedcollect \terminaexpandedcollect
iniziaextendedcatcodetable	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollect
iniziafigura	\iniziafigura [] [=] \terminafigura
iniziafisso	\iniziafisso [] \terminafisso
iniziafittingpage	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] {} \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] {} \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
	\iniziaformula [] \terminaformula
iniziaformula:assignment iniziaformula:instance	\iniziafORMULAformula [] \terminafORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
iniziaintertext	\iniziainterrace \terminainterrace \iniziaintertext \terminaintertext
	\iniziaitemgroup [] [] [=] \terminaitemgroup
iniziaitemgroup	\iniziaItemgroup [] [=] \terminaItemgroup \iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance	\iniziaitemize [] [=] \terminaitemize
iniziaitemgroup:instance:itemize	
iniziaJScode	\iniziaJScode \terminaJScode
iniziaJSpreamble	
inigialmostrout	\iniziaJSpreamble\terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
<pre>iniziaknockout inizialayout inizialinealignment</pre>	

inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	\inizialineamargine [=] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
inizialinetablebody	\inizialinetablebody \terminalinetablebody
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	\inizialocalsetups \terminalocalsetups
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
inizialuasetups	\inizialuasetups [] [] \terminaluasetups
inizialuasetups:string	\inizialuasetups \terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
-	\iniziaMPcode \{\dagger_{\dagger} \\dagger_{\dagger} \\dagger_{\dagger
iniziaMPcode	
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	\iniziaMPpositiongraphic {} {} \terminaMPpositiongraphic
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	
	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
0	
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
iniziamathmatrix:instance	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
	\iniziamathstyle [] \terminamathstyle
iniziamathstyle	
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniziamode	\iniziamode [] \terminamode
iniziamodeset	\iniziamodeset [] {} \terminamodeset
iniziamodule	\iniziamodule [] \terminamodule
iniziamoduletestsection	\iniziamoduletestsection \terminamoduletestsection
iniziamodule:string	\iniziamodule \terminamodule
inizianamedsection	\inizianamedsection [] [=] [=] \terminanamedsection
inizianamedsubformulas	$\mbox{\colored} \mbox{\colored} \color$
inizianarrower	\inizianarrower [] \terminanarrower
inizianarrower:example	\iniziaNARROWER [] \terminaNARROWER
inizianegativo	\inizianegativo \terminanegativo
	/THILLIANGEGOTAO /ACTININGHERGOTAO

inizianicelyfilledbox	\inizianicelyfilledbox [=] \terminanicelyfilledbox
inizianointerference	\inizianointerference \terminanointerference
inizianotallmodes	\inizianotallmodes [] \terminanotallmodes
inizianota:instance	\iniziaNOTE [] \terminaNOTE
inizianota:instance:assignment	\iniziaNOTE [=] \terminaNOTE
inizianota:instance:assignment:endnote	\iniziaendnote [=] \terminaendnote
inizianota:instance:assignment:footnote	\iniziafootnote [=] \terminafootnote
inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote	\iniziafootnote [] \terminafootnote
inizianotext	\inizianotext \terminanotext
inizianotmode	\inizianotmode [] \terminanotmode \iniziaopposto \terminaopposto
iniziaopposto	\iniziaopposto \terminaopposto \iniziaoutputstream [] \terminaoutputstream
iniziaoutputstream iniziaoverprint	\iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint
iniziapagefigure	\iniziapagefigure [] [=] \terminapagefigure
iniziapagegrid	\iniziapagegrid [] [=] \terminapagegrid
iniziapagegridspan	\iniziapagegridspan [] [=] \terminapagegridspan
iniziapagegrid:example	\iniziaPAGEGRID [=] \terminaPAGEGRID
iniziapagelayout	\iniziapagelayout [] \terminapagelayout
iniziapar	\iniziapar [] [=] \terminapar
iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
<pre>iniziaplacefloat:instance:figure</pre>	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay \\ terminapositionoverlay
iniziapositivo iniziaposporre	\iniziapositivo \terminapositivo \iniziaposporre [] \terminaposporre
iniziaprocessassignmentcommand	\iniziaposporre [] \terminaposporre \iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentcommand [] \terminaprocessassignmentlist
IIIIII api ooobbabbi 5imoii oi ib o	
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommacommand iniziaprocesscommalist	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto [] \terminaprodotto \iniziaprogetto [] \terminaprogetto
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors</pre>	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto:string iniziaprogettoctedcolors iniziapubblicazione iniziarandomized iniziarawsetups	\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprogetto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime</pre>
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminareusableMPgraphic</pre>
iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziariariaga []</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziaprotectedcolors [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarandomized \terminarawsetups \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziariaziariga [] \iniziaLINES [=] \terminaLINES</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprogetto:string iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziariziariga [] \iniziaLINES [=.] \terminaLINES \inizialines [=.] \terminalines</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziarizialINES [=.] \terminaLINES \inizialines [=.] \terminalines \iniziascript [] \terminalines \iniziascript [] \terminalines \iniziascript [] \terminascript</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \inizialINES [=] \terminaLINES \inizialines [=] \terminalines \iniziascript [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto [] \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziarawsetups \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziarizalINES [=.] \terminaLINES \inizialines [=.] \terminalines \iniziascript [] \terminascript \iniziascript [] \terminascript \iniziasccrionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto [] \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziarawsetups \terminareadingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \inizialINES [] \terminaLINES \inizialines [] \terminalines \iniziascript [] \terminalines \iniziascript [] \terminascript \iniziascript [] \terminascript</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto [] \terminaprotectedcolors \iniziapubblicazione [] [] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminareadingfile \iniziaregime [] \terminaregime \iniziaregime [] \terminalINES \inizialINES [] \terminalINES \inizialines [] \terminalines \iniziascript [] \terminalines \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaspendices [] \terminappendices \iniziabackmatter [] \terminappendices \iniziabackmatter [] \terminabackmatter</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziaramdomized \terminaramdomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareddingfile \terminareddingfile \iniziaregime [] \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziarizialINES [=.] \terminaLINES \inizialines [=.] \terminalines \iniziascript [] \terminalines \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziasectionsectionblock [] [=] \terminasectionblock \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:backmatter iniziasectionblock:instance:frontmatter</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [=] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminarawsetups \iniziareadingfile \terminaregime \iniziaregime [] \terminaregime \iniziarizialINES [] \terminalINES \inizialInes [] \terminalInes \iniziascript [] \terminalines \iniziascript [] \terminascript \iniziascript [] \terminascript \iniziascrionblock [] [=] \terminasectionblock \iniziasppendices [=] \terminasectIONBLOCK \iniziaappendices [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprocesscommalist [] \terminarprocesscommalist \iniziaprocesscommalist [] \terminarprocesscommalist \iniziaprocesscommalist [] \terminarprocesscommalist \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprocesscommalist [] \terminascommalist [] \t</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:backmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasectionlevel iniziasectionlevel iniziasectionlevel</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprocesscommalist [] \terminarprocesscommalist \iniziaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist []</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprodotto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprogetto \iniziaprotectedcolors \terminaprotectedcolors \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups [] \terminareadingfile \iniziareadingfile \terminareadingfile \iniziareadingfile [] \terminareadingfile \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminalines \inizialines [] \terminalines \iniziasectionblock [] [] \terminasectionblock \iniziasectionblock [] \terminasectionblock \iniziadackmatter [] \terminabckmatter \iniziabcdymatter [] \terminabcdymatter \iniziabcdymatter [] \terminabcdymatter \iniziasectionlevel [] [\terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups \</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:backmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasectionlevel iniziasectionlevel iniziasectionlevel</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprocesscommalist [] \terminarprocesscommalist \iniziaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist [] \terminaprocesscommalist []</pre>
<pre>iniziaprocesscommacommand iniziaprocesscommalist iniziaprodotto iniziaprodotto:string iniziaprogetto iniziaprogetto:string iniziaprotectedcolors iniziapubblicazione iniziarandomized iniziarawsetups iniziarawsetups:string iniziareadingfile iniziaregime iniziareusableMPgraphic iniziariga iniziarighe:instance iniziarighe:instance:lines iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetondo</pre>	<pre>\iniziaprocesscommacommand [] \terminaprocesscommacommand \iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto \iniziaprodotto \terminaprogetto \iniziaprogetto [] \terminaprogetto \iniziaprogetto \terminaprotectedcolors \iniziaprotectedcolors \terminaprotectedcolors \iniziapubblicazione [] [] \terminapubblicazione \iniziarandomized \terminarandomized \iniziarawsetups [] [] \terminarawsetups \iniziarawsetups \terminareadingfile \iniziareadingfile \terminareadingfile \iniziareadingfile \terminaregime \iniziareusableMPgraphic {} {} \terminareusableMPgraphic \iniziatINES [] \terminaLINES \inizialines [] \terminalines \inizialines [] \terminalines \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziasectionblock [] [] \terminasectionblock \iniziappendices [] \terminappendices \iniziabackmatter [] \terminabckmatter \iniziapondodymatter [] \terminabckmatter \iniziafrontmatter [] \terminafrontmatter \iniziafrontmatter [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] \terminasetups \iniziasetups [] \terminasetups \iniziasefondo [] \terminasetups \iniziasefondo [] \terminasetups \iniziasefondo [] \terminasetups \iniziasefondo [] \terminasefondo</pre>

```
iniziasimplecolumns
                                                        \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso
                                                        \iniziasospeso [..=..] {...} ... \terminasospeso
                                                        \iniziasospeso [...] {...} ... \terminasospeso
iniziasospeso:argument
                                                        \iniziasovrapponi ... \terminasovrapponi
iniziasovrapponi
iniziaspecialitem:item
                                                        \verb|\iniziaspecialitem| [\dots] [\dots] \dots \verb|\terminaspecialitem|
iniziaspecialitem:none
                                                        \iniziaspecialitem [...] ... \terminaspecialitem
                                                        \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziaspecialitem:symbol
iniziasplitformula
                                                        \iniziasplitformula ... \terminasplitformula
iniziaspread
                                                        \iniziaspread ... \terminaspread
                                                        \inizia [...] ... \termina
iniziastartstop
iniziastartstop:example
                                                        \iniziaSTARTSTOP ... \terminaSTARTSTOP
                                                        \iniziastaticMPfigure {...} ... \terminastaticMPfigure \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastaticMPfigure
iniziastaticMPgraphic
                                                        \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto
iniziastretto:assignment
                                                        \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name
                                                        \iniziastretto [...] [...] ... \terminastretto
                                                        \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastrictinspectnextcharacter
                                                        \iniziastyle [..=..] ... \terminastyle
iniziastyle
iniziastyle:argument
                                                        \iniziastyle [...] ... \terminastyle
                                                        \iniziaSTYLE ... \terminaSTYLE
iniziastyle:instance
                                                        \iniziasubformulas [...] ... \terminasubformulas
iniziasubformulas
                                                        \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
                                                        \iniziasubsentence ... \terminasubsentence
iniziasubsentence
iniziasubstack
                                                        \iniziasubstack ... \terminasubstack
iniziasymbolset
                                                        \iniziasymbolset [...] ... \terminasymbolset
                                                        \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLE
                                                        \iniziaTABLEbody [..=..] ... \terminaTABLEbody
\iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEbody
iniziaTABLEfoot
                                                        \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEhead
                                                        \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziaTABLEnext
                                                        \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
                                                        \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
                                                        \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
                                                        \iniziatabelle [...] ... \terminatabelle \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabelle:name
iniziatabulation:example
                                                        \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato
                                                        \iniziaTABULATE [...] ... \terminaTABULATE
iniziatabulato:instance
iniziatabulato:instance:fact
                                                        \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend
                                                        \inizialegend [...] [..=..] ... \terminalegend
                                                        \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                        \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
                                                        \iniziatestatabulato [...] ... \terminatestatabulato
iniziatestatabulato
                                                        \iniziatesto ... \terminatesto
iniziatesto
                                                        \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoaiuto
                                                        \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                        \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
iniziatestoetichetta:instance:label
                                                        \inizialabeltesto [...] [...] ... \terminalabeltesto
                                                        \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                        \verb|\ | inizia operator testo [...] [...] ... \ | termina operator testo |
iniziatestoetichetta:instance:operator
                                                        \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:prefix
                                                        \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:suffix
iniziatestoetichetta:instance:taglabel
                                                        \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit
                                                        \iniziaunittesto [...] [...] ... \terminaunittesto
                                                        \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
                                                        \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
                                                        \iniziatexcode ... \terminatexcode
iniziatexcode
{\tt iniziatex} definition
                                                        \iniziatexdefinition ... ... ... ... \terminatexdefiniti
                                                        \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackground
iniziatextbackgroundmanual
                                                        \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
                                                        iniziatextbackground:example
iniziatextcolor
                                                        \iniziatextcolor [...] ... \terminatextcolor
                                                        \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
                                                        \iniziatextflow [...] ... \terminatextflow
iniziatextflow
                                                        \iniziatokens [...] ... \terminatokens
iniziatokens
                                                        \iniziatransparent [...] ... \terminatransparent
iniziatransparent
iniziatypescript
                                                        \iniziatypescript [...] [...] ... \terminatypescript
{\tt iniziatypescript} collection
                                                        \verb|\iniziatypescriptcollection| [\dots] \dots \verb|\terminatypescriptcollection|
                                                        \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance
iniziatyping:instance:argument
                                                        \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                        \iniziaLUA [...] ... \terminaLUA
                                                        \iniziaMP [...] ... \terminaMP
\verb"iniziatyping:instance:argument:MP"
```

```
iniziatyping:instance:argument:PARSEDXML
                                                        \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX
                                                        \iniziaTEX [...] ... \terminaTEX
                                                        \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                        \iniziaXML [...] ... \terminaXML
iniziatyping:instance:argument:XML
iniziatyping:instance:LUA
                                                        \iniziaLUA [..=..] ... \terminaLUA
                                                        \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                        \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                        \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
iniziatyping:instance:typing
                                                        \iniziatyping [..=..] ... \terminatyping
                                                        \iniziaXML [..=..] ... \terminaXML
iniziatyping:instance:XML
iniziauniqueMPgraphic
                                                       \verb|\iniziauniqueMPgraphic {...} {...} \terminauniqueMPgraphic
iniziauniqueMPpagegraphic
                                                       \verb|\iniziauniqueMPpagegraphic {...} {...} ... \verb|\terminauniqueMPpagegraphic | } |
iniziaunpacked
                                                       \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic
                                                       \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
                                                       iniziauseMPgraphic
iniziausemathstyleparameter
                                                       \iniziausemathstyleparameter \... \terminausemathstyleparameter
iniziausingbtxspecification
                                                       \verb|\iniziausingbtxspecification| [...] ... \verb|\terminausingbtxspecification| |
                                                       \iniziavaia [...] ... \terminavaia
iniziavaia
iniziavboxregister
                                                       \iniziavboxregister ... \terminavboxregister
                                                       \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohbox
                                                       \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
{\tt iniziavboxtohboxseparator}
                                                       \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer
iniziaviewerlayer:example
                                                       \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister
                                                       \iniziavtopregister ... \terminavtopregister
                                                       \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcell
iniziaxcellgroup
                                                       \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxgroup
                                                       \iniziaxgroup [...] [..=..] ... \terminaxgroup
                                                       \verb|\iniziaxmldisplayverbatim| [...] ... \verb|\terminaxmldisplayverbatim|
iniziaxmldisplayverbatim
                                                       \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlinlineverbatim
iniziaxmlraw
                                                       \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups
                                                       \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
                                                       \iniziaxmlsetups ... \terminaxmlsetups
iniziaxmlsetups:string
                                                       \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrow
                                                       \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxrowgroup
iniziaxtable
                                                       \iniziaxtable [..=..] ... \terminaxtable
                                                       \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody
iniziaxtablebody:name
                                                       \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot
                                                       \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name
                                                       \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead
                                                       \iniziaxtablehead [..=..] ... \terminaxtablehead
                                                       \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablehead:name
                                                       \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext
                                                       \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtablenext:name
                                                       \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:example
                                                       \iniziaxtable [...] ... \terminaxtable
iniziaxtable:name
inlinebuffer
                                                       \inlinebuffer [...]
                                                       \inlinedbox {...}
inlinedbox
inlinemath
                                                       \inlinemath {...}
inlinemathematics
                                                       \inlinemathematics {...}
                                                       \inlinemessage {...}
inlinemessage
{\tt inlineordisplaymath}
                                                       \verb|\inlineordisplaymath {...} {...}|
inlineprettyprintbuffer
                                                       \inlineprettyprintbuffer {...} {...}
inlinerange
                                                       \inlinerange [...]
innerflushshapebox
                                                       \innerflushshapebox
                                                       \input {...}
input
                                                       \inputfilebarename
inputfilebarename
inputfilename
                                                       \inputfilename
inputfilerealsuffix
                                                       \inputfilerealsuffix
inputfilesuffix
                                                       \inputfilesuffix
                                                       \inputgivenfile {...}
inputgivenfile
input:string
                                                       \input ...
                                                       \inriga {...} [...]
inriga
                                                       \insertpages [...] [...] [..=..]
insertpages
installactionhandler
                                                       \installactionhandler {...}
installactivecharacter
                                                       \installactivecharacter ...
                                                       \installalingua [...] [..=..]
installalingua
installalingua:name
                                                       \installalingua [...] [...]
{\tt install} {\tt and} {\tt define} {\tt active} {\tt character}
                                                       \installanddefineactivecharacter ... {...}
installattributestack
                                                       \installattributestack \...
                                                       installautocommandhandler
installautosetuphandler
                                                       \installautosetuphandler \... {...}
```

\installbasicautosetuphandler \... \{...} \...

in stall basic autos et up handler

installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \ \
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \{\} \ \{\}
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ {}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installframedautocommandhandler	\installframedautocommandhandler \ \{} \
installframedcommandhandler	\installframedcommandhandler \ {} \
installleftframerenderer	\installleftframerenderer {} {}
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod installsimplecommandhandler	\installshipoutmethod {} {}
	\installsimplecommandhandler \ \\
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \ \
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \\
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\ldots\}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\ldots\} \{\ldots\}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
	• • • • • • • • • • • • • • • • • • • •

labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head labeltexts:instance:label	\headtexts {} {} \labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts \{\ldots\} \\\\
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits lastuserpage	\lasttwodigits {} \lastuserpage
lastuserpage	\lastuserpage \lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
<pre>leftlabeltext:instance leftlabeltext:instance:head</pre>	\leftLABELtesto {} \leftheadtesto {}
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label</pre>	\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {}
<pre>leftlabeltext:instance leftlabeltext:instance:head</pre>	<pre>\leftLABELtesto {} \leftheadtesto {} \leftLabeltesto {} \leftmathlabeltesto {}</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline</pre>	<pre>\leftLABELtesto {} \leftheadtesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftLine {}</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel</pre>	<pre>\leftLABELtesto {} \leftheadtesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftLine {} \leftorrighthbox {}</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox</pre>	<pre>\leftLABELtesto {} \leftheadtesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftLine {}</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox</pre>	<pre>\leftLABELtesto {} \leftheadtesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftLine {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot</pre>	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftLine {} \leftorrighthbox {} \leftorrightybox {} \leftorrightytop {} \leftskipadaption \leftsubguillemot</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox</pre>	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {}</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright</pre>	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright</pre>
<pre>leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright lefttorighthbox</pre>	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorighthbox {}</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright lefttorightbox lefttorightbox	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttorpicht \lefttoright \lefttoright \lefttorighthbox {} \lefttorighthbox {}</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttoright lefttorightbox lefttoright lefttorightbox	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {}</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpox lefttoright lefttorightbox lefttorightbox lefttoright	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvtop .</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttoright lefttorightbox lefttoright lefttorightbox	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright \lefttoright\lefttoright \lefttorightybox {} \lefttorightybox {} \lefttorightytop {} \lefttorightytop</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpox lefttoright lefttorightbox lefttorightbox lefttoright lefttoright lefttoright lefttoright lefttoright lefttoright lefttorightbox lefttorightbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvtop .</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorighthbox {} \lefttorightvtop {} \leftcatcodecommand \lefttorightvtop \leftcorightvtop \l</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs	<pre>\leftLABELtesto {} \leftlabeltesto {</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvtop lettsubdefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright \lefttorightvbox {} \lefttorightvbox {} \lefttorightvbox {} \lefttorightvtop {} \lefttorightvop {} \lefttorightvon {} \lefttorightvon {} \lefttorightvon \leftto</pre>
leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright \lefttorightbox {} \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvon {} \lefttorightvon \lefttorightvon \leftscaname \lefts</pre>
leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttorpox {} \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvodefined {} \leftscandefined {} \leftscandersname \csname \endcsname \leftscandersname \csname \endcsname \csname \endcsname \csname \csn</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightpox lefttorightpox lefttorightvop lettstorightvtop lettorightvtop lettbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\leftLABELtesto {} \leftheadtesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvondefined {} \lettcatcodecommand \ \ \letcscname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettcspalue {} \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letgvalueempty {} \letgvalueempty {} \letgvaluelempty {} \l</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightpox lefttorightpox lefttorightvop lettstorightvtop lettscodecommand letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\leftLABELtesto {} \leftheadtesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \leftseundefined {} \lettcatcodecommand \ \ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettenpty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightpox lefttorightpox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorightbox {} \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lettcatcodecommand \ \ \lettcsname \ \csname \endcsname \lettcsnamecs \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettenpty \ \letterappalue {} \ \lettyvalue {} \ \lettyvalue empty {} \lettyvaluelax {} \lettera {} \letterampersand</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightpox lefttorightpox lefttorightvtop lettorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorightbox {} \lefttorightvbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lettcatcodecommand \ \ \lettcsname \ \csname \endcsname \lettcsnamecs \csname \endcsname \ \lettcsnamecsname \csname \endcsname \ \lettenpty \ \lettempty \ \letterapprox \leftleft \leftleftleftleftleftleftleftleftleftleft</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterbackslash	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftshipadaption \lefttoright \lefttoright \lefttoright \lefttorightbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lettorightvonderined {} \lettorigh</pre>
leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttoright lefttorightbox lefttoright leftstorightbox lefttorightpox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterbackslash letterbar	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftline {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtorightvtop {} \lefttorightvorightvtop {} \lefttorightvorightvtop {} \leftscatcodecommand \ldots \ldots \ldots \leftcssname \ldots \ldots \ldots \ldots \ldots \leftcssname \ldots \ldots \ldots \ldots \leftcssname \ldots \ldots \ldots \ldots \ldots \leftcsname \ldots \ld</pre>
leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterbackslash	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftshipadaption \lefttoright \lefttoright \lefttoright \lefttorightbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lettorightvonderined {} \lettorigh</pre>
leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightpox lefttorightvbox lefttorightvbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecs letcyalueempty letgvalue letgvalueempty letgvalurelax lettera letterat letterbar letterbar	<pre>\leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftorrighthbox {} \leftorrightvop {} \leftorrightvop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright\loop {} \lefttorightvop {} \lefttorightvtop {} \lefttorightvop {} \lefttorightvop {} \lettcatcodecommand \ \ \letcscname \ \csname \lendcsname \letcsnamecs \csname \lendcsname \ \lettersnamecsname \csname \lendcsname \ \lettersnamecsname \ \lettersname \ \letterpty \ \letterpty \ \letterpty \ \letteralletterat \letterbackslash \letterbar \letterbar \letterbgroup</pre>

letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing lettertilde	<pre>\letterspacing [] {} \lettertilde</pre>
letterunderscore	\lettertride \letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {} {}
limitatelines	\limitatelines {} {} {}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote \{\}
linespanningtext	\linespanningtext \{\ldots\} \{\ldots\}
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite listcite:alternative	\listcite [=] [] \listcite [] []
listcite:userdata	\listcite [] [] \listcite [=] [=]
listnamespaces	\listcate [] \listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	$\label{local framedwith settings} \ensuremath{ [\dots] } [$
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox

localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH {} {} {}
lrtbbox	\lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded \{\dots\}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
	\MKII
MKII	
MKIV	MKIV
MKIX	MKIX
MKVI	\MKVI
MKXI	MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape \{\dots\} \\\
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
	_
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] \{\}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
. •	

MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
•	\MPxywhd {}
MPxywhd	•
MPy	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
-	
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
<pre>margindata:instance:inrightmargin margindata:instance:margintext</pre>	\inrightmargin [=] [=] {} \margintext [=] [=] {}
markcontent	\markcontent [] {}
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematica	\matematica [] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
	• • • • • • • • • • • • • • • • • • • •
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\ \\.\\
mathdoubleextensible:instance:doublebracket	\doublebracket $\{\ldots\}$
mathdoubleextensible:instance:doubleparent	\doubleparent {} {}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar {} {}
$\verb mathdouble extensible: \verb instance : overbrace underbrace $	\overbraceunderbrace {} {}

mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
	\overparentunderparent \{\ldots\} \\
mathdoubleextensible:instance:overparentunderparent	
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
<u> </u>	
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill \{\ldots\}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow \{\ldots\} \\\.\}
8	
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\} \{\}
mathextensible:instance:mrightharpoondown	\mrightharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons \{\ldots\} \{\ldots\}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
-	\thookleftarrow {} {}
mathextensible:instance:thookleftarrow	
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
	- -
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
-	
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:xequal	\xequal \{\} \{\}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
magney companies . The cance . VIET char boomah	(Areronarpoonap () ()

mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
<u> </u>	8
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\maths1
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
· · · · · · · · · · · · · · · · · · ·	
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \\\
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
	\maxaligned {}
maxaligned	•
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
metaTeX	\metaTeX
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\metticOMBINEDLIST [=]
	\metticordineblisi [] \metticontent [=]
mettielencocombinato:instance:content	
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula []
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}

	\
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [=]
mettisottoformula	\mettisottoformula []
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
	\mixedcaps {}
mixedcaps mlywibuffor	\mkvibuffer []
mkvibuffer	
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\moralizeFontHeight \ \{\} \{\}
•	
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {} {}
NormalizeTextWidth	\NormalizeTextWidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable \{\ldots\} \{\ldots\}
namedstructurevariable	\namedstructurevariable \{\ldots\} \{\ldots\}
namedtaggedlabeltexts	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
nascondiblocchi	\nascondiblocchi []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negateu ()
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \\
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}

nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
	\nodetostring \ \{\}
nodetostring	
noffigurepages noflines	\noffigurepages \noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\ldots\} \{\ldots\}
normalizetextheight	\normalizetextheight \{\ldots\} \{\ldots\}
normalizetextline	\normalizetextline \{\ldots\} \{\ldots\}
normalizetextwidth	\normalizetextwidth \{\ldots\} \{\ldots\}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\n
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestascorrente	(Hamo1000004 []
numerotestacorrente	\numerotestacorrente
obeydepth	
	\numerotestacorrente
obeydepth	\numerotestacorrente \obeydepth
obeydepth objectdepth	\numerotestacorrente \obeydepth \objectdepth
obeydepth objectdepth objectheight	\numerotestacorrente \obeydepth \objectdepth \objectheight

obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\} \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX

pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {} {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen perlungo	<pre>\percentdimen {} {} \perlungo {}</pre>
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo piccolocorsivograssetto	\piccolo \piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype pickupgroupedcommand	\piccolotype
pickupgroupedcommand placeattachments	<pre>\pickupgroupedcommand {} {} {} \placeattachments</pre>
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwinstone	\placefloatwithsetups [] [] {} {}
<pre>placefloat:instance placefloat:instance:chemical</pre>	\mettiFLOAT [] [] {} \mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placelever []
placelayer placelayeredtext	\placelayer [] \placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications placelistofsorts	\placelistofpublications [] [=]
placelistofsorts:instance	<pre>\placelistofsorts [] [=] \placelistofSORTS [=]</pre>
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat placenamedformula	\placenamedfloat [] [] \placenamedformula [] {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow popattribute	\placerenderingwindow [] [] \popattribute \
nonmacro	\nonmacro \

popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
•	\presettxlabeltesto [] [=]
presetlabeltext:instance:btxlabel	-
presetlabeltext:instance:head	\presetheadtesto [] [=]
presetlabeltext:instance:label	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
presetlabeltext:instance:operator	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
	\processassignmentlist [=] \
processassignmentlist	=
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars $\{\ldots\}$ \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth { } { } } { }

processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens {} {} {} {}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
	\profiledbox [] [=] {}
	\profilegivenbox {}
	\progetto []
	\progetto
	\programma []
. •	\pseudoMixedCapped {}
	\pseudoSmallCapped {}
•	\pseudoSmallcapped {}
•	\pseudosmallcapped {}
•	-
	\pulsante [=] {} []
	\pulsantemenu [=] {}
	\pulsantemenu [] [=] {} {}
-	\BUTTON [=] {} []
•	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
	\pushbutton [] []
	\pushcatcodetable \popcatcodetable
	\pushcolore [] \popcolore
	\pushendofline \popendofline
	\pushindentation \popindentation
	\pushMPdrawing \popMPdrawing
-	\pushmacro \
•	\pushmathstyle \popmathstyle
•	\pushmode []
•	\pushoutputstream []
•	\pushpath [] \poppath
	\pushpunctuation \poppunctuation
	\pushrandomseed \poprandomseed
	\pushreferenceprefix {} \popreferenceprefix
	\pushsfondo [] \popsfondo
· · ·	\pushsystemmode {}
	\putboxincache {} {}
	\putnextboxincache {} \ \ \
	\qquad
•	
•	s []
	\qualcheriga []
•	\quarterstrut
•	\quitcommalist
• •	\quitprevcommalist
	$\quitty pescripts canning$
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
	\randomizetext {}
	\randomnumber {} {}
	\rawcounter [] []
	\rawcountervalue []
	\rawdate []
	\rawdoifelseinset {} {} {} {}
	\rawdoifinset {} {}
	\rawdoifinsetelse {} {} {} {}
	\rawgetnarameters [] [=]

rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile $\{\}$ $\{\}$
readlocfile	\readlocfile \{\} \{\}
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile {} {} {}
readtexfile	\readtexfile \{\} \{\}
readxmlfile	\readxmlfile \{\} \{\}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] [++]
registro:instance:index	\index [] [++]
registro:instance:ownnumber	\REGISTER [] {} [++]
registro:instance:ownnumber:index	\index [] {} [++]
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
relaxvalueifundefined	\relaxvalueifundefined \{\dots\}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\dots\}\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup \{\ldots\}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping

resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation resetdirection	\resetdigitsmanipulation \resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\r esetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\r esetpath
resetpenalties	\resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting \resetusedsortings []
resetusedsortings	\resetusedsortings [] \resetusedsynonyms []
resetusedsynonyms resetuserpagenumber	\resetuseusynonyms []
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento	\riferimento [] {}
riferimentopagina	\riferimentopagina []
riferimentotesto	\riferimentotesto [] {}
riflessione	\riflessione {}
	\riga {}
riga	
riga rigariempimento	\rigariempimento [=]
5	<pre>\rigariempimento [=] \rightbottombox {}</pre>
rigariempimento	
rigariempimento rightbottombox	\rightbottombox {}
rigariempimento rightbottombox rightbox	<pre>\rightbottombox {} \rightbox {}</pre>
rigariempimento rightbottombox rightbox righthbox rightlabeltext:instance rightlabeltext:instance:head	<pre>\rightbottombox {} \rightbox {} \righthbox {}</pre>
rigariempimento rightbottombox rightbox righthbox rightlabeltext:instance	<pre>\rightbottombox {} \rightbox {} \righthbox {} \rightLABELtesto {}</pre>

	N
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
-	
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
	\rtop {}
rtop	
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
9	\ruota [=] {}
ruota	
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
-	
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondoffourarguments	\secondoffourarguments $\{\}$ $\{\}$ $\{\}$
secondofsixarguments	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
secondofthreearguments	\secondofthreearguments $\{\ldots\}$ $\{\ldots\}$
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	$\scalebox{ second of two arguments } \{\ldots\}$
secondoftwounexpanded	\secondoftwounexpanded {} {}
seeregister:instance	\vediREGISTER [] [++] {}
seeregister:instance:index	\vedindex [] [++] {}
○	

segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocchi [or [or] [or] [or] [or]
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
- ·	g v
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
•	
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
	\setdummyparameter {} {}
setdummyparameter	
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setemeasure	\setemeasure {} {}
setemeasure setevalue	\setemeasure \{\ldots\} \{\ldots\} \\ \setevalue \{\ldots\} \{\ldots\} \\ \setevariable \{\ldots\} \{\ldots\} \\ \end{align*}
setemeasure setevalue setevariable setevariables	\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=]
setemeasure setevalue setevariable setevariables setfirstline	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline []</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme []</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue	\setemeasure \{\} \\\} \setevalue \{\} \\\} \setevariable \{\} \\\} \setevariables \[\] \[\] \setfirstline \[\] \setflag \{\} \setfont \[\] \setfontcolorsheme \[\] \setfontfeature \{\} \setfontsolution \[\] \setfontstrut \setgmeasure \{\} \{\} \setgvariable \{\} \{\} \setgvariables \[\] \[\]
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister	\setemeasure \{\} \\\} \setevalue \{\} \{\} \setevariable \{\} \{\} \setevariables \[\] \[\] \setfirstline \[\] \setflag \{\} \setfont \[\] \setfontcolorsheme \[\] \setfontfeature \{\} \setfontsolution \[\] \setfontstrut \setgmeasure \{\} \{\} \setgvalue \{\} \{\} \setgvariables \[\] \{\} \setgvariables \[\] \[\] \sethboxregister \[\]
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter	\setemeasure \{\} \\\} \setevalue \{\} \{\} \setevariable \{\} \{\} \setevariables \[\] \[\] \setfirstline \[\] \setflag \{\} \setfont \[\] \setfontcolorsheme \[\] \setfontfeature \{\} \setfontsolution \[\] \setfontstrut \setgmeasure \{\} \{\} \setgvalue \{\} \{\} \setgvariable \{\} \{\} \setgvariables \[\] \[\] \sethboxregister \[\] \sethyphenatedurlafter \{\}
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlbefore	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlbefore {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlnormal sethyphenationfeatures	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures []</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \sethyphenationfeatures [] \setinitial [] [=]</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlnormal sethyphenationfeatures	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures []</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlnormal sethyphenationfeatures setinitial	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \sethyphenationfeatures [] \setinitial [] [=]</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinjector [] []</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinteraction [] \setinterfacecommand {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenatedurlnormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceconstant	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfacecomstant {} {</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfacecelement	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinte</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlbefore sethyphenatedurlnormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceclement setinterfaceelement setinterfacecemessage	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecomstant {} {} \setinterfaceclement {} {} \setin</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfacecelement	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinte</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlbefore sethyphenatedurlnormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceclement setinterfaceelement setinterfacecemessage	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecomstant {} {} \setinterfaceclement {} {} \setin</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceelement setinterfacewariable	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecomstant {} {} \setinterfacecelement {} {} \setinterfacecelement {} {} \setinterfacevariable {} {}</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontseature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection	<pre>\setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setfirstline [] \setfont \setfont \setfontcolorsheme [] \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclement {} {} \setinterfacevariable {} {} \se</pre>
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection setJSpreamble	\setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setfirstline [] \setfont \setfont \setfontcolorsheme [] \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclement {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinterfacecorection [] \setistaliccorrection [] \setJSpreamble {} {}
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontseature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection setJSpreamble setlayer	\setevalue {} {} \setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlbefore {} \sethyphenationfeatures [] \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfacecelement {} {} \setinterfacecelement {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinterlaceorrection [] \setispreamble {} {} \setispreamble {} {} \setintager [] [] [] {}
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecomsant setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection setJSpreamble setlayer setlayerframed	\setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecomsand {} {} \setinterfacecelement {} {} \setinterfacecelement {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinterfacerection [] \setintager [] [] [] {} \setlayer [] [] [] {} \setlayer [] [] [] {}
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontseature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection setJSpreamble setlayer	\setevalue {} {} \setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenatedurlormal {} \setinitial [] [=] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecomstant {} {} \setinterfacecomstant {} {} \setinterfacevariable {} {} \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinterfaceretion [] \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinternalrendering [] [] {} \setinterfacevariande [] [] {} \setlayerframed [] [] [] {} \setlayerframed [] [] [] {}
setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecomsant setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection setJSpreamble setlayer setlayerframed	\setevalue {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \setinitial [] [=] \setinterfacecommand {} {} \setinterfacecomsand {} {} \setinterfacecelement {} {} \setinterfacecelement {} {} \setinterfacevariable {} {} \setinterfacevariable {} {} \setinternalrendering [] [] {} \setinternalrendering [] [] {} \setinterfacerection [] \setintager [] [] [] {} \setlayer [] [] [] {} \setlayer [] [] [] {}

setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
setMPpositiongraphicrange	\setMPpositiongraphicrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
setoldstyle	\setoldstyle
·	\setpagegrid [=] {}
setpagegrid	
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ {} {}
setpercentdimen	\setpercentdimen \{\ldots\}
setposition	\setposition {}
setpositionbox	\setpositionbox \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setpositiondata	\setpositiondata $\{\}$ $\{\}$ $\{\}$
setpositiondataplus	\setpositiondataplus $\{\}$ $\{\}$ $\{\}$ $\{\}$
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus $\{\}$ $\{\}$ $\{\}$
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setprofile setrandomseed	<pre>\setprofile [] \setrandomseed {}</pre>
-	
setrandomseed	\setrandomseed {} \setreference [] [=]
setrandomseed setreference setreferencedobject	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {}</pre>
setrandomseed setreference setreferencedobject setregisterentry	\setrandomseed {} \setreference [] [=]
setrandomseed setreference setreferencedobject setregisterentry setreplacement	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement []</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {}</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript []</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=]</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=]</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnbaize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {}</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=]</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsetionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsectionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsetionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {}</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsetionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsectionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=]</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsetionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settaggedmetadata [=] \settext [] [] [] []</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settightreferencedobject {} {} \ {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settighturreferencedobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] [] \settightobject {} {} \ {} \settighturreferencedobject {} {} \ {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] [] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settrightunreferencedobject {} {} \ {} \settrightunreferencedobject {} {} \ {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settighturreferencedobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsimplecolumnbsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settighturreferencedobject {} {} \ {} \settrialtypesetting \setuevalue {} {}
setrandomseed setreference setreferences setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settrialtypesetting setuevalue setugvalue	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsimplecolumnhsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settugvalue {} {} \setugvalue {} {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settrialtypesetting setuevalue	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsimplecolumnbsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settighturreferencedobject {} {} \ {} \settrialtypesetting \setuevalue {} {}
setrandomseed setreference setreferences setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settrialtypesetting setuevalue setugvalue	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsimplecolumnhsize [=] \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settugvalue {} {} \setugvalue {} {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settrialtypesetting setugvalue setugvalue setunreferencedobject	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] [] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \setugvalue {} {} \setunreferencedobject {} {} \ {}
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject settightunreferencedobject settrialtypesetting setuevalue setugvalue setunreferencedobject settupalternativestyles	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settupalternativestyles [=]
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightureferencedobject settightunreferencedobject settrialtypesetting setuevalue setugvalue setunreferencedobject setupalternativestyles setupattachment	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settext [] [] [] [] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=]
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject settightunreferencedobject settrialtypesetting setuevalue setugvalue setupalternativestyles setupattachment setupattachments	<pre>\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setstyperiors \setstystemmode {} \settabular \settaggedmetadata [=] \settightobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \setupattachment [] [=] \setupattachment [] [=] \setupattachments [] [=]</pre>
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settightunreferencedobject settigtightunreferencedobject settugvalue setugvalue setugvalue setupattachment setupattachment setupattachments setupbackend	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settightobject {} {} \ {} \settightreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settupattachment [] [] \setupattachment [] [] \setupattachments [] [=] \setupbackend [=]
setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightunreferencedobject settightunreferencedobject settrialtypesetting setuevalue setugvalue setupattachment setupattachment setupattachments setupbar	\setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settightobject {} {} \ {} \settightreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \settightunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupbackend [=] \setupbackend [=] \setupbackend [=]

setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtx:name	\setupbtxrendering [] [=] \setupbtx []
setupbtx:name setupbutton	\setupbut [] \setupbutton [] [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections setupdocument	\setupdirections [=]
setupeffect	\setupdocument [=] \setupeffect [] [=]
setupenumeration	\setuperiect [] [=] \setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage setupfloatcaption	\setupfittingpage [] [=] \setupfloatcaption [] [=]
setupfontexpansion	\setupfiontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn setupframedtablerow	\setupframedtablecolumn [] [] [] \setupframedtablerow [] [] []
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion setupitaliccorrection	\setupinsertion [] [=] \setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote setuplinetable	\setuplinenote [] [=] \setuplinetable [] [] [=]
setuplinetable setuplistalternative	\setuplinetable [] [] [=] \setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]

	N
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathcases	\setupmathalignment [] [=]
setupmathcases setupmathematics	\setupmathcases [] [=] \setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]

setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped $\{\ldots\}$ $\{\ldots\}$
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns

showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
· ·	\showkerning {}
showkerning	•
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition $\{\}$ $\{\}$
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplealignedboxplus	\simplealignedboxplus \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplealignedspreadbox	\simplealignedspreadbox \{\ldots\} \{\ldots\} \{\ldots\}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singalcharacteralign	\singalcharacteralign {} {}
singalcharacteralign singlebond	\singalcharacteralign {} {} \singlebond
singalcharacteralign singlebond sinistra	\singalcharacteralign {} {} \singlebond \sinistra
singalcharacteralign singlebond sinistra sixthofsixarguments	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} \slantedface \slicepages [] [=]</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} \slantedface \slicepages [] [=] \slovenianNumerals {} \sloveniannumerals {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smallcappedromannumerals smallcappedromannumerals	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox	<pre>\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {}</pre>
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {} \smashedvbox {} \smaptogrid [] \ {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedbox {} \smashedbox {} \smaptogrid [] \ {} \snaptogrid [] \ {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedbox {} \smashedbox {} \smaptogrid [] \ {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] []
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedbox {} \smashedbox {} \smaptogrid [] \ {} \snaptogrid [] \ {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedbox {} \smashedbox {} \smaptogrid [] \ {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] []
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallskip \smash [] {} \smashbox \smashbox ed \smashedbox {} \smashedbox {} \smaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] []
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcapp
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehoadnumber [] [] \somelocalfloat \somenamedheadnumber {} {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashboxcd smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somelocalfloat \somenamedheadnumber {} {} \someplace {} {} {} {} []
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smash smashbox smashbox smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehocalfloat \somenamedheadnumber {} {} {} \someplace {} {} {} {} [] \someplace {} {} {} {} []
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashdbox {} \smashedbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somelocalfloat \somenamedheadnumber {} {} {} \someplace {} {} {} {} {} \someplace [] {} \logo [] {} \logo [] {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashboxcd smashedhbox smashedvox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sortingiinstance:logo sottopaginasuccessiva	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashbox \smashedbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somelocalfloat \somenamedheadnumber {} {} {} {} \someplace {} {} {} {} \someplace [] {} \sottopaginasuccessiva \spanishNumerals {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spanishnumerals	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashdbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadlfloat \somenamedheadnumber {} {} \someplace {} {} {} {} \someplace [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashednbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spanishnumerals spazifissi	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallship \smash [] {} \smashbox \smashbox \smashdbox \smashdvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \someplace [] {} \sottopaginasuccessiva \spanishnumerals {} \spanishnumerals {} \spazifissi
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashednbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashbox \smashedbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} \somenamedheadnumber {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} \somenamedheadnumber {} {} \somenamedheadnumber {} \somenamedheadnumber {} {} \somenamedheadnumber {} \somenamedheadnu
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashox smashbox smashbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smaller \smallskip \smash [] {} \smashbox \smashbox ed \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \somenamedheadnumber {} \somenamedheadnumber {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox ed \smashbox ed \smashedbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \someplace {} {} \someplace {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \somenamishNumerals {} \spanishnumerals {} \sp
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashedbox smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishnumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \someplace {} {} {} {} \someplace {} {} {} \sometring [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi \spazio \spaziofisso \spessoreriga \spezzaoggettomobile [=] {} {}
singalcharacteralign singlebond sinistra sixthofsixarguments slantedface slicepages slovenianNumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga	\singalcharacteralign {} {} \singlebond \sinistra \sixthofsixarguments {} {} {} {} {} {} {} \slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smallcappedromannumerals {} \smashbox \smashbox \smashbox \smashbox \smashedbox {} \smashedviox {} \smaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehomehoadnumber {} {} {} \someplace {} {} {} {} \someplace {} {} {} \someplace {} {} {} \someplace {} {} \somehoadnumber {} {} \somehoadnumb

splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [=] [=]
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
stopregister	\stopregister [] []
stopstructurepageregister	\stopstructurepageregister [] []
strictdoifelsenextoptional	$\strictdoifelsenextoptional {} {}$
strictdoifnextoptionalelse	\strictdoifnextoptionalelse $\{\ldots\}$ $\{\ldots\}$
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
,	

	Annual control of 3
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {} {}
synonym:instance:abbreviation	\abbreviation [] {} {}
systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaB1E	\TaB1E
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
	•
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn []
testfeature	\testfeature {} {}
	\testfeatureonce \{\ldots\} \\\
testfeatureonce	
testoaiuto	\testoaiuto [] {} {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
	\operatortesto \(\ldots \)
testoetichetta:instance:operator	•
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	$\FRAMEDTEXT [=] {}$
testoincorniciato:instance:framedtext	\framedtext [=] {}
	\testonotapdp [] {}
testonotapdp	
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar	\textormathchar {}
	\textplus
textplus	
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
and the property of the contract of the contra	,

thirdoffivearguments	\thirdoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
thirdoffourarguments	\thirdoffourarguments $\{\}$ $\{\}$ $\{\}$
thirdofsixarguments	\thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofthreearguments	\thirdofthreearguments $\{\ldots\}$ $\{\ldots\}$
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip	\tooltip [=] {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond truefilename	\triplebond \truefilename {}
truefontname	\truefontname {}
ttraggedright twodigitrounding	\ttraggedright \twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ultimasottopagina	\ultimasottopagina
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	<pre>\uniqueMPgraphic {} {=}</pre>
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []

unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring upperleftdoubleninequote	\uppercasestring \to \ \upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts usamodulo	\usaJSscripts [] [] \usamodulo [] [=]
usasimboli	\usasimboli [] []
usaURL	\usaURL [] [] []
usaurl	\usaurl [] [] []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment useexternalrendering	\useenvironment [] \useexternalrendering [] [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	
useMPvariables	\useMPrun {} {}
	\useMPvariables [] []
usemathstyleparameter	\useMPvariables [] [] \usemathstyleparameter \
usemathstyleparameter useproduct	\useMPvariables [] [] \usemathstyleparameter \ \useproduct []
usemathstyleparameter useproduct useprofileparameter	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \
usemathstyleparameter useproduct useprofileparameter useproject	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \ \useproject []
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure	<pre>\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] []</pre>
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter	\useMPvariables [] [] \usemathstyleparameter \ \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usesubpath	<pre>\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usesubpath []</pre>
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usesubpath usetexmodule	<pre>\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usesubpath [] \usetexmodule [] [] [=]</pre>
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usesubpath usetexmodule usetypescript	\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usesubpath [] \usetexmodule [] [] [=] \usetypescript [] [] []
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usesubpath usetexmodule usetypescript usetypescriptfile	\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usesubpath [] \usetexmodule [] [] [=] \usetypescript [] [] \usetypescriptfile []
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usesubpath usetexmodule usetypescript usetypescriptfile usezipfile	\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useprofileparameter \ \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usesubpath [] \usetypescript [] [] [] \usetypescriptfile [] \usetypescriptfile []
usemathstyleparameter useproduct useprofileparameter useproject usereferenceparameter userpagenumber usesetupsparameter usestaticMPfigure usestaticMPfigure usesubpath usetexmodule usetypescript usetypescript usetypescriptfile usezipfile utfchar	\useMPvariables [] [] \useproduct [] \useprofileparameter \ \useproject [] \usereferenceparameter \ \userpagenumber \usesetupsparameter \ \usestaticMPfigure [=] [] \usetexmodule [] [] [] \usetypescript [] [] \usetypescriptfile [] \usetifchar {}

VarboseNumber ()		
waiabox vaiabox waiapagina vaiapagina valorecolore valorecolore whorreference valorecolore vborreference vborreference verbatin vverbatin verbatin vverbatin verbatinin vverbatinin verticalposition verticalposition vertic	VerboseNumber	\VerboseNumber {}
waispagina \vaispagina valorecolore \valorecolore () vboxreference \vboxreference vec \vc. \ verbatin \verbatinstring verbatinstring \verbatinstring () verbosenumber \verbosenumber versione \versione [] versione \versione [] verticalgrowingbar \verticalgrowingbar [] viewerlayer \veryraggedieft veryraggedieft \veryraggedieft viewerlayer \veryraggedieft	vaia	\vaia {} []
waight valgit [] walonecolore vboxreference wboxreference vbc () were vec () werbatian verbatian () werbatiantring verbeatimatring () werbosenumber verbosenumber () werticalpositional verticalpositional () weryraggedient veryraggedient weryraggedift veryraggedift veryraggedift veryraggedift		\vaiabox {} []
valorecolore \valorecolore () vbcxcreference \vec () ver to vec () \vec () verbatim \verbatimating verbatimating \verbatimating verbosenumber \verbosenumber verticalpostitionhar \verticalpostitionhar () verticalpostitionhar \verticalpostitionhar () veryraggedieft \veryraggedieft veryraggedifft \veryraggedifft vglue	vaiapagina	\vaiapagina {} []
vboxreforence \vboxreforence [] {} vec \vec {} verbatim \verbatim {} verboatimatring \verboatimatring {} verbosenumber \verbosenumber {} verticalposition \verticalpositionbar {} veryraggedenter \verticalpositionbar {} veryraggedefit \veryraggedefit veryraggedight \veryraggedight velue \veryraggedight </td <td><u> </u></td> <td>•</td>	<u> </u>	•
vec \vec () verbatiantring \verbatiantring () versione \versione versione \versione [] verticalgrowingbar \verticalgrowingbar [] viewerlayer		
verbatim verbatim {} verbosomumber verbosomumber {} verscone verscone verticalprowingbar verticalgrowingbar {} verticalpositionbar verticalpositionbar {} veryraggedenter veryraggedleft veryraggedight veryraggedight veryraggedi		
Verbatimatring		
verbosenumber versione \verbosenumber () verticalgrowingbar \verticalgrowingbar () verticalgrowingbar \verticalgostionbar () verytaggedcenter \verytaggedcenter verytaggedit \verytaggedit verytaggedit \verytagge		
versions	5	
verticalgrowingbar Verticalgrowingbar [] vertyraggedcenter Vertyraggedcenter veryraggedright Veryraggedright vglue Veryraggedright vglue Veryraggedright vglue Veryeagedright veryeagedright Veryeagedright veryeagedright Veryeagedright veryeagedright Veryeagedright vyposed] Veryeagedright vyposed] Veryeagedright veryeagedeated Veryeagedright		
verticalpositionbar verticalpositionbar [.=.]		
veryraggedcenter veryraggedieft veryraggedieft veryraggedieft veryraggedieft veryraggedieft veryraggedieft veryraggedieft veryraggedieft veryency veryency veryency	5 5	<u> </u>
veryraggedleft veryraggedright vglue vglue vlewerlayer viewerlayer [] {} vlewerlayer viewerlayer [] {} vphantom vplowerlayer [] {} vpnach vpnach {} vsmashbox vsmashbox vsmidthor vsmidthor vsm	-	
veryraggedright Veryraggedright vglue vglue vtewerlayer (viewerlayer [] {} vphantom (vphantom {} vpos (vphantom {} vpos (vphantom {} vemash (vsmant {} vemashbox (vsmant {} vemashbox (vsmant {} vepacing (vspace {} {} vepacing {} (vidthspanningText {} {} {} widthspanningText (vidthspanningtext {} {} {} widthspanningtext (vidthspanningtext {} {} widthoutpt (vidthspanningtext {} {} widthspanningtext (vidthoutpt {} words (vords words (vords words (vords words (vords withoutpt (vidthopanningtext {} {} widthopanningtext (vidthopanningtext {} {} widthopanningtext (vidthopanningtext {} {} widthopanningtext (vidthopanningtext {} {} widthopanningtext (vidthopanningtext		
vglue vglue viewerlayer viswerlayer [] {} vl vl [] vphantom vphantom {} vpses vpses vpses vpses vessash {} vessash {} vdofstring vdofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstring {} vidthofstr		
viewerlayer \viewerlayer [] {} vpl \v1 [] vpnos \vpos {} {} vpnos \vpos {} {} vemashbox \vsnashbox vspace \vspace [] {} vspace \vspace [] {} vspacing [] \vsdofstring [] widthSpanningText \vidthSpanningText {} {} widthspanningtext \vidthSpanningText {} {} widthofstring {} \vidthSpanningText {} {} widthofstring {} \vidthSpanningText {} {} widthspanningtext {} \vidthSpanningText {} {} widthspanningtext {} \vidthSpanningText {} {} withoutpt \vidthSpanningText {} {} withoutpt<		
vphantom vphantom {} vsmash \vpos {} {} vsmashbox \vsmash {} vsmashbox \vsmash {} vspace \vspace [] {} vspacing [] \vspacing [] WidthSpanningText WidthSpanningText {} {} widthspanningtext \vdofstring {} widthofstring \vdofstring {} widthspanningtext \vdofstring {} widthspanningtext \vdofstring {} widthspanningtext \vdofstring {} widthofstring \vdofstring {} words \voords {} words \voords {} words \voords {} writestatus \vdofstring {} writestatus \vdofstring {} writestatus \vdofstring {} writestatus \v		•
vpos \pos {} {} vsmashbox \vsmashbox vsmashbox \vsmashbox vspacing \vspacing [] vspacing \vspacing [] vidthSpanningText \vdofstring () vidthofstring \vidthofstring [] vidthofstring \vidthofstring [] vidthostring () \vidthostring [] vidthostring () \vdithostring [] vidthostring () \vdithostring [] vidthostring () \vdithostring [] vidthostring () \vdithostring [] viriedatatolist [] \vdithostring [] vmladindinex [] \vdithostring [] vmladindox [] \vdithostring [] <t< td=""><td>vl</td><td></td></t<>	vl	
vsmashbox vsmashbox vsmashbox vsmashbox vspace vspacing [] vspacing [] vspacing [] WidthSpanningText WidthSpanningText [] widofstring [] vidofstring [] widthofstring [] vidthofstring [] widthspanningtext [] vidthofstring [] withoutpt [] vidthopanningtext [] widthspanningtext [] vidthopanningtext [] widthepanningtext [] vidthopanningtext []	vphantom	\vphantom {}
vsmashbox \vsmashbox vspace \vspace [] [] vspacing \vspacing [] WidthSpanningText \widthSpanningText [] {} {} widthofstring \widthofstring [] withouth \widthofstring [] withouth \widthofstring [] withofstring \widthofstring \widthofstring writestalus \widthofstring \widthofstring	vpos	\vpos {} {}
vsmached \vsmached {} vspacing \vspacing [] WidthSpanningText \vspacing [] widthSpanningText \vdofstring {} widthspanningtext \vdofstring {} widthofstring \vidthofstring {} widthopanningtext \vidthofstring {} withoutpt \vsidthopanningtext {} {} withoutpt \vsidthspanningtext {} {} withoutpt \vsidthspanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdhopanningtext widthspanningtext \vdoftdextions writestalus \vdoftdextions writestalus \vdoftextions	vsmash	\vsmash {}
vspace \vspacing [\cdots] [\cdots] vspacing [\cdots] \vspacing [\cdots] widthSpanningText {\cdots \cdots	vsmashbox	\vsmashbox
vspacing vidthSpanningText vidthSpanningText	vsmashed	\vsmashed {}
WidthSpanningText WidthSpanningText {} {} {} wdofstring vidthofstring {} widthofstring vidthofstring {} widthopanningtext vidthopanningtext {} {} widthoutpt vidthoutpt {} words \ vords wordtonumber vordtonumber {} writedatatolist vritedatatolist [] [=] [=] writedatatolist vritedatatolist [] [=] writedatatolist vritedatatolist [] {} writedatatolist vritedatatolist [] {	vspace	-
wdofstring		
widthspanningtext widthspanningtext {} withoutpt withoutpt {} words words {} words wordsoumber words {} words wordsoumber writedataclist [] [=] [=] writestatus writestatus {} {} WETEX VETEX XETEX XETEX Xefeox Xefeox xadefconvertedargument xadefconvertedargument {} {} xmladdindex xmladdindex {} xmladeredocumentsetup xmladdindex {} xmlafteredocumentsetup {} {} {} xmlafteredocumentsetup {} {} {} xmlappendocumentsetup {} {} xmlattribute {} {} xm		
vidthspanningtext \vidthspanningtext {} {} {} vords \vords {} vordtonumber \vordtonumber {} {} vordtonumber \vordtonumber {} {} vordtonumber \vordtonumber {} {} viriestatus \viriestatus {} {} XETEX \KETEX Xdefconvertedargument \xdefconvertedargument \ {} xmladterdocumentsetup \xmlaftersetup {} {} {} xmlaftersetup \xmlaftersetup {} {} {} xmlatt \xmlatt_{} {} xmlatpenddocumentsetup \xmlattersetup {} {} xmlatppenddocumentsetup \xmlatppenddecumentsetup {} {} xmlapplyselectors \xmlapplyselectors {} xmlatt \xmlattf xmlattf		<u> </u>
withoutpt \vithoutpt {} words \vords {} wordtonumber \vordtonumber {} writedatatolist \vritedatatolist [] [=] writestatus \vritedatatolist [] [=] XETEX \KETEX KeTeX \KeTeX Xmladcovertedargument \xmladfersetup xmladferdocumentsetup \xmladferdocumentsetup {} {} xmlaftersetup \xmlaftersetup {} {} xmlappendocumentsetup \xmlappendocumentsetup {} {} xmlappendocumentsetup \xmlappendocumentsetup {} {} xmlappendocumentsetup \xmlappendsetup {} {} xmlappendsetup {} {} \xmlattribut {} {} xmlattribute \xmlattribute {} {} xmlattribute \xmlattribute {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattributedef {} {} {} xmlattributedef {} {} {} xmlbeforedocumentsetup \xmlattributedef {} {} {} xmlbeforedocumentsetup \xmleocountertertertertertertertertertertertertert		<u> </u>
words \words \{\} wordtonumber \wordtonumber \{\} writedatatolist \writedatatolist [] [=] [=] writestatus \writestatus \{\} XETEX \XETEX XedeConvertedargument \xdefconvertedargument \\{\} xmladdindex \xmladdindex \{\} xmladdindex \xmladdindex<\{\}		
wordtonumber \wordtonumber {} {} writedatatolist \writedatatolist [] [=] writedatatus \writestatus {} {} XETEX \XETEX XeToX \XeTeX xmladconvertedargument \xdefconvertedargument \ {} xmladdindex \xmladdindex {} xmladdindex \xmladdindex {} xmlafterdocumentsetup \xmladdindex {} xmlafterdocumentsetup {} {} {} xmlafterdocumentsetup {} {} \xmlattributersetup {} {} xmlattribut \xmlappendocumentsetup {} {} xmlappendocumentsetup {} {} \xmlattribute {	-	-
writedatatolist \writestatus () [=] [=] Writestatus \writestatus () {} XETEX \XETEX Xdefconvertedargument \xdefconvertedargument \ {} xmladdindex \xmladdindex () xmladterdocumentsetup \xmlafterdocumentsetup {} {} {} xmlaftersetup \xmlaftersetup {} {} xmlatl \xmlatl {} {} xmlappl \xmlattersetup {} {} xmlappl xelectors \xmlappl xelectors {} xmlatt \xmlatti {} {} xmlatti \xmlatti {} {} xmlattribute \xmlattribute {} {} {} xmlattribute \xmlattribute {} {} {} xmlbadinclusions \xmlattribute {} {} {} xmlbadinclusions \xmlattribute {} {} {} xmlbeforedocumentsetup \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbadinclusions {} xmlbeforedocumentsetup \xmlchainatt {} {} xmlcherorescup \xmlchainattdef {} {} {} xmlcherorescup \xmlchainattdef {} {} xmlcherorescup \x		
Writestatus		
XETEX		
XeTeX xdefconvertedargument xdefconvertedargument		
xmladdindex \xmladdindex {} xmlafterdocumentsetup \xmlafterdocumentsetup {} {} xmlaftersetup \xmlaftersocumentsetup {} {} xmlappendocumentsetup \xmlappendocumentsetup {} xmlappendsetup \xmlappendsetup {} xmlappendsetup \xmlappendsetup {} xmlapplyselectors \xmlapplyselectors {} xmlatt \xmlattlepluselectors {} xmlattef \xmlattribute {} {} xmlattribute \xmlattribute {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {} xmlattribute {} {} {}<		
xmladdindex \xmladterdocumentsetup xmlafterdocumentsetup \xmlafterdocumentsetup {} {} xmlall \xmlaftersetup {} {} xmlappendocumentsetup \xmlappendocumentsetup {} {} xmlapppendocumentsetup \xmlappendocumentsetup {} {} xmlapppendocumentsetup \xmlapplyselectors {} xmlapplyselectors \xmlattipplyselectors {} xmlatt \xmlattiplyselectors {} {} xmlatt \xmlattiplyselectors {} {} xmlatt \xmlattiplyselectors {} {} xmlatt \xmlattifulf {} {} xmlattiplyselectors {} {} \xmlattifulf {} {} xmlattifulf {} {} {} \xmlattifulf {} {} xmlattifulf {} {} {} {} \xmlattifulf {} {} {} xmlattifulf {} {} {} {} \xmlattributedef {} {} {} {} xmlbeforesetup \xmlbeforesetup {} {} {} xmlchainatt \xmlchainatt {} {} xmlchainatt \xmlchainattdef {} {} {} xmlchainatt \xmlchainattdef {} {} {} xmlchainatt \xmlchainattdef {} {} {}		
xmlafterdocumentsetup \xmlaftersetup {} {} xmlattersetup \xmlaftersetup {} {} xmlall \xmlall {} {} xmlappenddocumentsetup \xmlappenddocumentsetup {} {} xmlappendsetup \xmlappendsetup {} {} xmlapplyselectors \xmlapplyselectors {} xmlatt \xmlatt {} {} xmlatt \xmlattef {} {} xmlattributedef \xmlattributedef {} {} {} xmlbatributedef \xmlattributedef {} {} {} xmlbadinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforesetup {} {} {} xmlbeforesetup {} {} {} xmlbeforesetup {} {} {} xmlcontatter {} {} {} xmlcontatter {} {} {} xmlconcat \xmlconcatter {} {} {} </td <td></td> <td>. ————————————————————————————————————</td>		. ————————————————————————————————————
xmlall \xmlall {} {} xmlappenddocumentsetup \xmlappenddocumentsetup {} {} xmlapplyselectors \xmlapplyselectors {} xmlatt {} xmlattdef \xmlattibute {} {} {} xmlattribute \xmlattribute {} {} {} xmlattributedef \xmlattributedef {} {} {} {} xmlbadinclusions \xmlbadinclusions {} xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {} {} xmlbeforedocumentsetup {} {} {} {} \xmlbeforedocumentsetup {} {} {} {} xmlbeforesetup {} {} {} {} {} \xmlchainatt {} {} {} {} xmlchainatt {} {} {} {} \xmlchainatt {} {} {} xmlchainatt {} {} {} \xmlchainattdef {} {} {} xmlchainatt {} {} {} \xmlchainattdef {} {} {} xmlcomand {} {} {} \xmlcomand {} {} {} xmlcomand {} {} {} \xmlconcat {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} xmlcontext \xmlconcat {} {} xmldirectives \xmldirectives {} <t< td=""><td>xmlafterdocumentsetup</td><td></td></t<>	xmlafterdocumentsetup	
xmlall \xmlall {} {} xmlappenddocumentsetup \xmlappenddocumentsetup {} {} xmlappplyselectors \xmlappplyselectors {} xmlatt {} xmlattribute \xmlattribute {} {} {} xmlattributedef \xmlattributedef {} {} {} xmlbadinclusions \xmlbadinclusions {} xmlbadinclusions \xmlbeforedocumentsetup {} {} {} {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlchainatt \xmlchainatt {} {} xmlchainatt \xmlchainatt {} {} xmlchainatt {} {} \xmlchainattdef {} {} {} xmlcomand \xmlchainattdef {} {} {} xmlcomand \xmlcomand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat {} {} {} {} {} xmlconcat {.	xmlaftersetup	\xmlaftersetup {} {}
xmlappendsetup \xmlapplyselectors {} xmlatt \xmlatplyselectors {} xmlatt \xmlatt {} {} xmlattdef \xmlattfibute {} {} xmlattribute \xmlattributedef {} {} {} xmlbattributedef \xmlattributedef {} {} {} xmlbedoredocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforesetup \xmlchainclusions {} xmlbeforesetup {} {} {} \xmlchainclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforedocumentsetup {} {} {} \xmlchainattdef {} {} {} xmlchainatt \xmlchainattdef {} {} {} xmlchainattdef {} {} {} {} \xmlchainattdef {} {} {} xmlchainattdef {} {} {} {} \xmlchainattdef {} {} {} xmlchainattdef {} {} {} {} \xmlchainattdef {} {} {} xmlcomand {} {} {} {} \xmlcomand {} {} {} xmlcomand {} {} {} {} \xmlconcat xmlcomand {} {} {} {} xmlconcat \xmlconcat \xmlconcat xmlconcat \xmlconcat \xmlconcat xmlconcat <td>xmlall</td> <td>\xmlall {} {}</td>	xmlall	\xmlall {} {}
xmlapplyselectors \xmlatt {} {} xmlatt \xmlatt {} {} xmlattdef \xmlattribute {} {} xmlattribute \xmlattributedef {} {} xmlattributedef \xmlattributedef {} {} xmlbadinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlcommand \xmlcomand {} {} {} xmlconcat \xmlconcatrange {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} xmlcount \xmlcount {} {} xmldirectives \xmldirectives {} xmldirectives \xmldirectives {} xmldirectives \xmldirectives {} xmldirectivesbefore \xmldirectivesbefore {} xmldoif \xmldoifelseempty {} {} xmldoifelseempty \xmldoifelseempty {} {} xmldoifelseselfempty \xmldoifelseexelfempty {} {}	xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlatt \xmlattdef {} {} xmlattribute \xmlattribute {} {} xmlattributedef \xmlattributedef {} {} {} xmlbedinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforesetup \xmlchainatteforesetup {} {} xmlchainatt \xmlchainattdef {} {} xmlchainattdef \xmlchainattdef {} {} xmlcomandad \xmlcommand {} {} {} xmlconcat \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} xmlcount \xmlcount {} {} xmldirectives \xmldirectives {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelseempty {} {} xmldoifelseeselfempty \xmldoifelseeselfempty {} {} xmldoifelseselfempty \xmldoifelseentext {} {} xmldoifelseentext {} {} {}	xmlappendsetup	\xmlappendsetup {}
xmlattdef \xmlattribute {\cdots} {\cdo	11 0	11 0
xmlattribute \xmlattribute {} {} {} xmlbadinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainattdef {} {} xmlchainattdef \xmlchainattdef {} {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlcommand \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} xmlcount \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseeselfempty {} {} {} xmldoifelseselfempty \xmldoifelseetext {} {} {}		
xmlattributedef \xmlattributedef {} {} {} xmlbadinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} {} xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlcommand \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} {} xmlcount \xmlcount {} xmldirectives \xmldirectives {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldisplayverbatim \xmldirectivesbefore {} xmldoifelse \xmldoifelseempty {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseeselfempty \xmldoifelseetext {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}		
xmlbadinclusions \xmlbadinclusions {} xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} {} xmlchecknamespace \xmlcommand {} {} {} xmlconmand \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlcontext {} {} xmlcount \xmlcount {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldoifelsepatum \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext {} {} {}		
xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} {} xmlchecknamespace \xmlchecknamespace {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlconcatrange {} {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmlcount {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldoif \xmldisplayverbatim {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelse \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}		
xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlchainattdef {} {} xmlcommand \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlcontext {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmldcount {} xmlddfaulttotext \xmldirectives {} xmldirectives \xmldirectivesafter {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldifelsplayverbatim {} xmldoif \xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}		
xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlcommand \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmlcount {} xmldefaulttotext \xmldirectives {} xmldirectives {} \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldirectivesbefore {} \xmldirectivesbefore {} xmldifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseelfempty {} {} {} xmldoifelseelfempty \xmldoifelseelfempty {} {} {} xmldoifelseetext \xmldoifelseetext {} {} {}	-	_
xmlchainattdef \xmlchainattdef {} {} {} xmlchecknamespace \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcatrange \xmlconcatrange {} {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmlcount {} xmldirectives \xmldirectives {} xmldirectives {} \xmldirectivesafter {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoif {} {} {} xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}	-	-
xmlchecknamespace \xmlcommand \ () \ \ () \ \ xmlconcat \xmlconcat \ () \ \ () \ \ xmlconcatrange \xmlconcatrange \ () \ \ () \ \ \ xmlcontext \xmlcontext \ () \ \ xmlcount \xmlcount \ \ () \ \ xmldirectives \xmldirectives \ \ () \ \ xmldirectivesafter \xmldirectivesafter \ \ \ xmldirectivesbefore \xmldirectivesbefore \ \ \ xmldisplayverbatim \xmldoif \ \ \ \ xmldoif \ \ \ \ \ \ \ xmldoifelse \xmldoifelse \ \ \ \ xmldoifelseempty \xmldoifelseempty \ \ \ xmldoifelseselfempty \xmldoifelseselfempty \ \ \ xmldoifelsetext \xmldoifelsetext \ \ \		
xmlcommand \xmlconcat {} {} {} xmlconcat \xmlconcat {} {} {} {} {} xmlconcatrange \xmlcontext {} {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoifelsplayverbatim {} xmldoif {} {} {} {} xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}		
xmlconcat \xmlconcat {} {} {} {} xmlconcatrange \xmlcontext {} {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoif \xmldoif {} {} {} xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}	-	-
xmlconcatrange \xmlcontext {} {} {} {} {} xmlcontext \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoif {} {} {} xmldoif else \xmldoifelse {} {} {} {} xmldoifelse {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}		
xmlcontext \xmlcount {} xmlcount \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldisplayverbatim {} xmldoif \xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}	xmlconcatrange	
xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoif {} {} {} xmldoif \xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}	•	<u> </u>
xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoif {} {} {} xmldoif \xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}	xmlcount	\xmlcount {}
xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldisplayverbatim {} xmldoif \xmldoif {} {} {} {} xmldoifelse \xmldoifelse {} {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}	xmldefaulttotext	\xmldefaulttotext {}
xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldisplayverbatim {} xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}	xmldirectives	\xmldirectives {}
xmldisplayverbatim \xmldisplayverbatim {} xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}	xmldirectivesafter	\xmldirectivesafter {}
xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}	xmldirectivesbefore	\xmldirectivesbefore {}
xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {}	- •	
xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}		
xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {}		
xmldoifelsetext {} {} {}	- ·	
	- •	
xmidolielsevalue \xmidolielsevalue \} \langle \}		
	xmidOllelSeAgine	\xmrqoirersevalue \(\ldots\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

xmldoifnot	$\mbox{xmldoifnot } \{\} \ \{\}$
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	$\mbox{xmldoifnottext } \{\} \{\}$
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlinclude	\xmlinclude \{\} \{\}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	$\mbox{xmlinlineprettyprint } \{\}$
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	$\mbox{xmlinstalldirective } \{\}$
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	$\mbox{xmlloadbuffer } \{\} \ \{\}$
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	$\mathbf{xmlloadfile} \{\} \{\}$
xmlloadonly	$\mathbf{xmlloadonly} \{\} \{\}$
xmlmain	\xmlmain {}
xmlmapvalue	$\mathbf{xmlmapvalue} \{ \} \{ \}$
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	
xmlprettyprint	\xmlprependsetup {}
- · · · · · ·	\xmlprettyprint {} {}
xmlprettyprinttext	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {}</pre>
xmlprettyprinttext xmlprocessbuffer	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {}</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapnamespace	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} {} \xmlprocessfile {</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremapnamespace xmlremovedocumentsetup	\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {}
xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {}</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetdocumentsetups	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetinjectors</pre>
xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovedocumentsetup {} {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {}</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlresetsetups xmlresetsetups xmlresetsetups xmlsave</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetups {} \x</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetup xmlresetdocumentsetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlresetsetups xmlsave xmlsave xmlsetatt</pre>	\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovedocumentsetup {} {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetup xmlresetdocumentsetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {}</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetup xmlresetdocumentsetup xmlresetdocumentsetups xmlresetatijectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} \xmlsetentity {} {} \xmlsetentity {} {} \xmlsetentity {} {} \xmlsetentity {} {}</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetdocumentsetups xmlresetdocumentsetups xmlresetdocumentsetups xmlresetatrijectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction</pre>	\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisterns {} {} {} \xmlremapname {} {} {} \xmlremovedocumentsetup {} {} \xmlremovedocumentsetup {} {} \xmlresetdocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {}
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresettocumentsetups xmlresettijectors xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetfunction xmlsetijectors</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlregister {} {} \xmlregister {} {} {} \xmlregistereddocumentsetups {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetattribute {} {} {} \xmlsetfunction {} {} {} \xmlsetinjectors []</pre>
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresettijectors xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetinjectors xmlsetinjectors</pre>	\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlrawlprocessfile {} {} \xmlrefile xmlprocessfile {} {} \xmlrefile xmlprocessfile {} {} \xmlprocessfile {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors []
<pre>xmlprettyprinttext xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterns xmlremapname xmlremapname xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresettocumentsetups xmlresettijectors xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetfunction xmlsetijectors</pre>	<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlregister {} {} \xmlregister {} {} {} \xmlregistereddocumentsetups {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetattribute {} {} {} \xmlsetfunction {} {} {} \xmlsetfunction {} {} {} \xmlsetinjectors []</pre>

xmlsetup
xmlshow
xmlsnippet
xmlstrip
xmlstripnolines
xmlstripped
xmlstrippednolines
xmltag
xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos

```
\xmlsetup {...} {...}
\xmlshow {...}
\xmlsnippet {...} {...}
\xmlstrip {...} {...}
\xmlstripnolines {...} {...}
\xmlstripped {...} {...}
\xmlstrippednolines {...} {...}
\xmltag {...}
\xmltexentity {...} {...}
\xmltobuffer {...} {...}
\xmltobuffer {...} {...} {...}
\xmltobuffer {...} {...} {...}
\xmltofile {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlverbatim {...}
\xxplos {...}
```

