

# Estero Bay Aquatic Preserve

## SEACAR Habitat Analyses

Last compiled on 05 October, 2023

### Contents

<b>Threshold Filtering</b>	<b>3</b>
<b>Value Qualifiers</b>	<b>3</b>
<b>Water Quality - Discrete</b>	<b>5</b>
Chlorophyll a corrected for pheophytin . . . . .	6
Chlorophyll a uncorrected for pheophytin . . . . .	9
Colored dissolved organic matter, CDOM . . . . .	12
Dissolved Oxygen . . . . .	14
Dissolved Oxygen Saturation . . . . .	17
pH . . . . .	18
Salinity . . . . .	20
Secchi Depth . . . . .	21
Total Nitrogen . . . . .	23
Total Phosphorus . . . . .	27
Total Suspended Solids, TSS . . . . .	30
Turbidity . . . . .	33
Water Temperature . . . . .	36
<b>Water Quality - Continuous</b>	<b>38</b>
Dissolved Oxygen . . . . .	39
EB01 . . . . .	39
EB02 . . . . .	40
EB03 . . . . .	41
Dissolved Oxygen Saturation . . . . .	42
EB01 . . . . .	42
EB02 . . . . .	43
EB03 . . . . .	44

pH . . . . .	45
EB01 . . . . .	45
EB02 . . . . .	46
EB03 . . . . .	47
Salinity . . . . .	48
EB01 . . . . .	48
EB02 . . . . .	49
EB03 . . . . .	50
Turbidity . . . . .	51
EB01 . . . . .	51
EB02 . . . . .	52
EB03 . . . . .	53
Water Temperature . . . . .	54
EB01 . . . . .	54
EB02 . . . . .	55
EB03 . . . . .	56
<b>Submerged Aquatic Vegetation</b>	<b>57</b>

## Threshold Filtering

Threshold filters, following Florida Department of Environmental Protection Division of Environmental Assessment and Restoration (DEAR) are used to exclude specific results values from the SEACAR Analysis. Based on the threshold filters, QAQC Flags are inserted into the SEACAR\_QAQCFlagCode and SEACAR\_QAQC\_Description columns of the export data. The Include\_YN column indicates whether the QAQC Flag will also indicate that data are excluded from analysis. No data are excluded from the data export, but the analysis scripts can use the Include\_YN column to exclude data.

Table 1: QA Flags inserted based on threshold checks

<i>SEACAR QAQC Description</i>	<i>Include YN</i>	<i>SEACAR QAQCFlagCode</i>
Exceeds Maximum threshold. Not verified in raw data	N	2Q
Exceeds Maximum threshold. Verified in raw data	N	3Q
Below Minimum threshold. Not verified in raw data	N	4Q
Below Minimum threshold. Verified in raw data	N	5Q
Within threshold tolerance	Y	6Q
No defined thresholds for this parameter	Y	7Q

## Value Qualifiers

Value qualifier codes included within the data are used to exclude certain results from the analysis. The data are retained in the data export files, but the analysis uses the “Include” column to filter the results.

### STORET and WIN value qualifier codes

Value qualifier codes from STORET and WIN data are examined with the database and used to populate the Include\_YN column in data exports.

Table 2: Value Qualifier codes excluded from analysis

<i>Value Qualifier</i>	<i>Include YN/10</i>	<i>MDL YN/10</i>	<i>Qualifier Source</i>
H	0	0	STORET-WIN
J	0	0	STORET-WIN
V	0	0	STORET-WIN
Y	0	0	STORET-WIN

### Systemwide Monitoring Program (SWMP) value qualifier codes

Value qualifier codes from the SWMP continuous program are examined with the database and used to populate the Include\_YN column in data exports. SWMP Qualifier Codes are indicated by Qualifier-Source=SWMP.

Table 3: SWMP Value Qualifier codes

<i>Qualifier Source</i>	<i>ValueQualifier</i>	<i>Include YN</i>
SWMP	-1	1
SWMP	-2	0
SWMP	-3	0
SWMP	-4	0
SWMP	-5	0

<i>Qualifier</i>	<i>Source</i>	<i>Value</i>	<i>Qualifier</i>	<i>Include</i>	<i>YN</i>
SWMP		0			1
SWMP		1			0
SWMP		2			1
SWMP		3			1
SWMP		4			1
SWMP		5			1


## Water Quality - Discrete

The following files were used in the discrete analysis:

- *Combined\_WQ\_WC\_NUT\_Chlorophyll\_a\_corrected\_for\_pheophytin-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Chlorophyll\_a\_uncorrected\_for\_pheophytin-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Colored\_dissolved\_organic\_matter\_CDOM-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Dissolved\_Oxygen-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Dissolved\_Oxygen\_Saturation-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_pH-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Salinity-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Secchi\_Depth-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Total\_Nitrogen-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Total\_Phosphorus-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Total\_Suspended\_Solids\_TSS-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Turbidity-2023-Jul-14.txt*
- *Combined\_WQ\_WC\_NUT\_Water\_Temperature-2023-Jul-14.txt*

# Chlorophyll a corrected for pheophytin

## Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	1971	18	2.9	TRUE	-0.0403	0.6753	-0.02696685	3.673154	12.7046	0.3131	0

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

Table 4: Programs contributing data for Chlorophyll a corrected for pheophytin

ProgramID	N_Data	YearMin	YearMax
5002	1281	2006	2023
476	482	2008	2022
103	170	2020	2021
4063	57	2018	2022

### Program names:

5002 - Florida STORET / WIN

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network




Table 5: Value Qualifiers for Chlorophyll a corrected for pheophytin

Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
2006	1	1	100.0				
2007	46	3	6.5			4	8.7
2008	5	2	40.0				
2009	8	7	87.5				
2010	9	5	55.6	3	33.3	1	11.1
2011	14	3	21.4	6	42.9		
2012	6	2	33.3			2	33.3
2013	25	10	40.0			5	20.0
2014	20	1	5.0	1	5.0	5	25.0
2015	26	4	15.4			3	11.5
2016	22	8	36.4	2	9.1		
2017	49	4	8.2				

Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
2018	304	78	25.7				
2019	310	66	21.3			2	0.7
2020	307	60	19.5	3	1.0	1	0.3
2021	514	120	23.4			13	2.5
2022	303	110	36.3			20	6.6
2023	21	5	23.8			6	28.6

**Programs containing Value Qualified data:**

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

5002 - Florida STORET / WIN

4063 - Estero Bay Tributary Monitoring

**Value Qualifiers**

I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.


Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported



# Chlorophyll a uncorrected for pheophytin

## Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept* is intercept value at beginning of record for monitoring location

Table 6: Programs contributing data for Chlorophyll a uncorrected for pheophytin

ProgramID	N_Data	YearMin	YearMax
509	347	1999	2008
103	110	2003	2022
5002	82	2011	2016
476	69	1999	2008
514	7	2013	2018
115	1	2003	2003

### Program names:

509 - SERC Water Quality Monitoring Network

103 - EPA STORage and RETrieval Data Warehouse (STORET)  
 5002 - Florida STORET / WIN  
 476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
 514 - Florida LAKEWATCH Program  
 115 - Environmental Monitoring Assessment Program




Table 7: Value Qualifiers for Chlorophyll a uncorrected for pheophytin

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
2	2000	46					2	4.3
3	2001	42					6	14.3
5	2003	44					6	13.6
6	2004	40	6	15.0			1	2.5
7	2005	37					1	2.7
8	2006	45					4	8.9
9	2007	55	14	25.4			2	3.6
10	2008	31	3	9.7				

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
11	2011	7			1	14.3		

**Programs containing Value Qualified data:**

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

5002 - Florida STORET / WIN

**Value Qualifiers**


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported

## Colored dissolved organic matter, CDOM

### Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	1454	13	14.3	TRUE	0.2522	0.0030	0.7703167	12.0891	10.542	0.4824	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

Table 8: Programs contributing data for Colored dissolved organic matter, CDOM

ProgramID	N_Data	YearMin	YearMax
5002	1124	2018	2023
476	214	2017	2022
514	63	2011	2017
4063	57	2018	2022

#### Program names:

5002 - Florida STORET / WIN

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

514 - Florida LAKEWATCH Program  
4063 - Estero Bay Tributary Monitoring




Table 9: Value Qualifiers for Colored dissolved organic matter, CDOM

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
7	2017	35	4	11.4				
8	2018	275	34	12.4			4	1.4
9	2019	268	36	13.4			9	3.4
10	2020	242	49	20.2	1	0.4	2	0.8
11	2021	299	39	13.0			11	3.7
12	2022	259	38	14.7			7	2.7
13	2023	20	4	20.0				

Programs containing Value Qualified data:

5002 - Florida STORET / WIN

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

### Value Qualifiers


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported

## Dissolved Oxygen

### Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	10381	34	5.9	TRUE	-0.0262	0.4995	-0.003600289	5.455571	13.1246	0.2853	0

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location

Table 10: Programs contributing data for Dissolved Oxygen

ProgramID	N_Data	YearMin	YearMax
5002	5950	1991	2023
69	2258	2001	2007
509	696	1999	2008
4064	619	2011	2012
95	442	1971	2018
476	304	2008	2022
103	252	2003	2022
4042	46	2016	2022
115	2	2003	2003

**Program names:**

*5002* - Florida STORET / WIN

*69* - Fisheries-Independent Monitoring (FIM) Program

*509* - SERC Water Quality Monitoring Network

*4064* - A spatial model to improve site selection for seagrass restoration in shallow boating environments

*95* - Harmful Algal Bloom Marine Observation Network

*476* - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

*103* - EPA STORage and RETrieval Data Warehouse (STORET)

*4042* - Estero Bay Oyster Monitoring

*115* - Environmental Monitoring Assessment Program




Table 11: Value Qualifiers for Dissolved Oxygen

	Year	N_Total	N_H	perc_H
19	2008	301	10	3.3

#### Programs containing Value Qualified data:

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network


#### Value Qualifiers

H - Value based on field kit determination; results may not be accurate. This code shall be used if a field screening test (e.g., field gas chromatograph data, immunoassay, or vendor-supplied field kit) was used to generate the value and the field kit or method has not been recognized by the Department as equivalent to laboratory methods.



# Dissolved Oxygen Saturation

## Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	2203	12	83	TRUE	-0.1227	0.1231	-0.7998333	78.28023	7.8148	0.7298	0

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 12: Programs contributing data for Dissolved Oxygen Saturation

ProgramID	N_Data	YearMin	YearMax
5002	1252	2015	2023
4064	619	2011	2012
476	181	2017	2022
95	120	2011	2018
4042	37	2016	2022

### Program names:

5002 - Florida STORET / WIN


4064 - A spatial model to improve site selection for seagrass restoration in shallow boating environments

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
 95 - Harmful Algal Bloom Marine Observation Network  
 4042 - Estero Bay Oyster Monitoring

There are no qualifying Value Qualifiers for Dissolved Oxygen Saturation in Estero Bay Aquatic Preserve

## pH

### Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	9684	33	7.9	TRUE	-0.0553	0.1289	-0.001293816	7.81868	11.6682	0.3891	0

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 13: Programs contributing data for pH

ProgramID	N_Data	YearMin	YearMax
5002	6235	1991	2023
69	2264	2001	2007
95	444	2005	2018
509	270	2001	2008
103	252	2020	2022

ProgramID	N_Data	YearMin	YearMax
476	241	2009	2022
4042	40	2016	2022
115	2	2003	2003

**Program names:**

*5002* - Florida STORET / WIN

*69* - Fisheries-Independent Monitoring (FIM) Program

*95* - Harmful Algal Bloom Marine Observation Network

*509* - SERC Water Quality Monitoring Network

*103* - EPA STORage and RETrieval Data Warehouse (STORET)

*476* - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network


*4042* - Estero Bay Oyster Monitoring

*115* - Environmental Monitoring Assessment Program

There are no qualifying Value Qualifiers for pH in Estero Bay Aquatic Preserve

## Salinity

### Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

Table 14: Programs contributing data for Salinity

ProgramID	N_Data	YearMin	YearMax
69	2258	2001	2007
509	702	1999	2008
4064	619	2011	2012
95	526	1963	2018
476	211	2014	2022
5002	109	2009	2023
4042	46	2016	2022
115	2	2003	2003


Program names:

69 - Fisheries-Independent Monitoring (FIM) Program  
 509 - SERC Water Quality Monitoring Network  
 4064 - A spatial model to improve site selection for seagrass restoration in shallow boating environments  
 95 - Harmful Algal Bloom Marine Observation Network  
 476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
 5002 - Florida STORET / WIN  
 4042 - Estero Bay Oyster Monitoring  
 115 - Environmental Monitoring Assessment Program

There are no qualifying Value Qualifiers for Salinity in Estero Bay Aquatic Preserve

## Secchi Depth

### Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 15: Programs contributing data for Secchi Depth

ProgramID	N_Data	YearMin	YearMax
69	2264	2001	2007
476	194	2017	2022
5002	145	2006	2023
514	76	2011	2018
103	53	2020	2022

**Program names:**

69 - Fisheries-Independent Monitoring (FIM) Program

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

5002 - Florida STORET / WIN

514 - Florida LAKEWATCH Program

103 - EPA STORage and RETrieval Data Warehouse (STORET)




Table 16: Value Qualifiers for Secchi Depth

	Year	N_Total	N_S	perc_S
12	2015	21	4	19.0
14	2017	24	2	8.3
15	2018	34	9	26.5
16	2019	42	14	33.3
17	2020	31	9	29.0
18	2021	94	14	14.9
19	2022	32	8	25.0
20	2023	1	1	100.0

**Programs containing Value Qualified data:**

5002 - Florida STORET / WIN

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

**Value Qualifiers**

S - Secchi disk visible to bottom of waterbody. The value reported is the depth of the waterbody at the location of the Secchi disk measurement.

**Total Nitrogen****Total Nitrogen Calculation:**


The logic for calculated Total Nitrogen was provided by Kevin O'Donnell and colleagues at FDEP (with the help of Jay Silvanima, Watershed Monitoring Section). The following logic is used, in this order, based on the availability of specific nitrogen components.

- 1)  $TN = TKN + NO3O2$ ;
- 2)  $TN = TKN + NO3 + NO2$ ;
- 3)  $TN = ORGN + NH4 + NO3O2$ ;
- 4)  $TN = ORGN + NH4 + NO2 + NO3$ ;
- 5)  $TN = TKN + NO3$ ;
- 6)  $TN = ORGN + NH4 + NO3$ ;

**Additional Information:**

- Rules for use of sample fraction:
  - FDEP report that if both “Total” and “Dissolved” are reported, only “Total” is used. If the total is not reported, they do use dissolved as a best available replacement.
  - An analysis of all SEACAR data shows that 90% of all possible TN calculations can be done using nitrogen components with the same sample fraction, rather than use nitrogen components with mixed total/dissolved sample fractions. In other words, TN can be calculated when TKN and NO3O2 are both total sample fraction, or when both are dissolved sample fraction. This is important, because then the calculated TN value is not based on components with mixed sample fractions.
- Values inserted into data:
  - ParameterName = “Total Nitrogen”
  - SEACAR\_QAQCFlagCode = “1Q”
  - SEACAR\_QAQC\_Description = “SEACAR Calculated”

## Discrete Seasonal Kendall-Tau Trend Analysis



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
All	6786	33	0.6	TRUE	0.2938	0.0000	0.0137727	0.3815027	13.6729	0.2516	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

Table 17: Programs contributing data for Total Nitrogen

ProgramID	N_Data	YearMin	YearMax
5002	6053	1991	2023
509	351	1999	2008
476	262	1998	2022
514	81	2011	2017
4063	52	2018	2022
303	8	2020	2021
103	6	2003	2003
115	1	2003	2003

### Program names:

5002 - Florida STORET / WIN

509 - SERC Water Quality Monitoring Network

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

514 - Florida LAKEWATCH Program

4063 - Estero Bay Tributary Monitoring



303 - River, Estuary and Coastal Observing Network  
 103 - EPA STORage and RETrieval Data Warehouse (STORET)  
 115 - Environmental Monitoring Assessment Program




Table 18: Value Qualifiers for Total Nitrogen

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
1	1991	55	1	1.8			1	1.8
2	1992	79					1	1.3
3	1993	41	1	2.4			19	46.3
4	1994	54	2	3.7			15	27.8
5	1995	39					1	2.6
6	1996	54	2	3.7			22	40.7
7	1997	54	1	1.9			15	27.8
8	1998	70	1	1.4			55	78.6
9	1999	109	1	0.9			20	18.4
10	2000	132	1	0.8			47	35.6
11	2001	209					4	1.9

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
12	2002	227	5	2.2			2	0.9
14	2004	322	2	0.6	2	0.6		
15	2005	324	16	4.9				
16	2006	313	100	32.0				
17	2007	356	61	17.1			11	3.1
18	2008	304	24	7.9			1	0.3
19	2009	281	57	20.3			19	6.8
21	2011	256	46	18.0			17	6.6
22	2012	255	6	2.4			5	2.0
23	2013	242	25	10.3			30	12.4
24	2014	283	42	14.8			13	4.6
25	2015	298	6	2.0			2	0.7
27	2017	280	1	0.4			1	0.4
30	2020	263			2	0.8		

#### Programs containing Value Qualified data:

5002 - Florida STORET / WIN

303 - River, Estuary and Coastal Observing Network

#### Value Qualifiers


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported

# Total Phosphorus

## Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 19: Programs contributing data for Total Phosphorus

ProgramID	N_Data	YearMin	YearMax
5002	1229	2006	2023
476	374	1998	2022
509	351	1999	2008
103	230	2003	2022
514	81	2011	2017
4063	57	2018	2022
303	8	2020	2021
115	1	2003	2003

Program names:

5002 - Florida STORET / WIN  
 476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
 509 - SERC Water Quality Monitoring Network  
 103 - EPA STORage and RETrieval Data Warehouse (STORET)  
 514 - Florida LAKEWATCH Program  
 4063 - Estero Bay Tributary Monitoring  
 303 - River, Estuary and Coastal Observing Network  
 115 - Environmental Monitoring Assessment Program




Table 20: Value Qualifiers for Total Phosphorus

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
1	1998	3			3	100.0		
2	1999	41			5	12.2		
4	2001	38	1	2.6			1	2.6
5	2002	43					7	16.3
6	2003	47					1	2.1
7	2004	51	10	19.6	4	7.8		

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
8	2005	65	24	36.9			5	7.7
9	2006	74	37	50.0			1	1.4
10	2007	99	49	49.5			2	2.0
11	2008	34	1	2.9				
13	2010	10	2	20.0				
21	2018	275	20	7.3			4	1.4
22	2019	268	8	3.0				
23	2020	287	20	7.0			5	1.7
24	2021	523	22	4.2			4	0.8
25	2022	273	15	5.5			2	0.7

#### Programs containing Value Qualified data:

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

5002 - Florida STORET / WIN

4063 - Estero Bay Tributary Monitoring

303 - River, Estuary and Coastal Observing Network

#### Value Qualifiers


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported

# Total Suspended Solids, TSS

## Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

Table 21: Programs contributing data for Total Suspended Solids, TSS

ProgramID	N_Data	YearMin	YearMax
5002	5008	1992	2023
103	170	2020	2021
4063	57	2018	2022

### Program names:

5002 - Florida STORET / WIN

103 - EPA STORage and RETrieval Data Warehouse (STORET)

4063 - Estero Bay Tributary Monitoring




Table 22: Value Qualifiers for Total Suspended Solids, TSS

	Year	N_Total	N_I	perc_I	N_U	perc_U
1	1992	9	3	33.3	2	22.2
2	1993	13	2	15.4		
3	1994	12	4	33.3	2	16.7
4	1995	11			1	9.1
5	1996	12	1	8.3		
7	1998	12			1	8.3
8	1999	12	1	8.3	1	8.3
10	2001	16	6	37.5		
11	2002	14	2	14.3	1	7.1
12	2003	188	85	45.2	36	19.1
13	2004	280	92	32.9	7	2.5
14	2005	286	8	2.8		
15	2006	276			1	0.4
16	2007	276	3	1.1		

	Year	N_Total	N_I	perc_I	N_U	perc_U
17	2008	273	4	1.5		
18	2009	276	5	1.8	1	0.4
19	2010	217	7	3.2		
20	2011	242	6	2.5		
21	2012	218	3	1.4		
22	2013	204	1	0.5		
23	2014	250	4	1.6		
24	2015	265	9	3.4	1	0.4
25	2016	254	7	2.8		
26	2017	244	13	5.3		
27	2018	244	10	4.1	5	2.0
28	2019	226	13	5.8	5	2.2
29	2020	233	6	2.6	1	0.4
30	2021	401	4	1.0	7	1.8
31	2022	227	5	2.2	2	0.9
32	2023	20	1	5.0		

**Programs containing Value Qualified data:**

*5002* - Florida STORET / WIN

*4063* - Estero Bay Tributary Monitoring

**Value Qualifiers**


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported



# Turbidity

## Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 23: Programs contributing data for Turbidity

ProgramID	N_Data	YearMin	YearMax
5002	6087	1991	2023
509	348	1999	2008
476	305	1999	2022
103	221	2020	2022
4063	57	2018	2022
4042	45	2016	2022

### Program names:

5002 - Florida STORET / WIN

509 - SERC Water Quality Monitoring Network

476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
 103 - EPA STORage and RETrieval Data Warehouse (STORET)  
 4063 - Estero Bay Tributary Monitoring  
 4042 - Estero Bay Oyster Monitoring




Table 24: Value Qualifiers for Turbidity

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
13	2003	295					2	0.7
14	2004	355	14	3.9				
20	2010	205			3	1.5		
21	2011	245			4	1.6		
24	2014	255			1	0.4		
26	2016	263			2	0.8		
28	2018	279	28	10.0			4	1.4
29	2019	257	8	3.1			3	1.2
30	2020	276	3	1.1	1	0.4		
31	2021	508	7	1.4	4	0.8	1	0.2

	Year	N_Total	N_I	perc_I	N_Q	perc_Q	N_U	perc_U
32	2022	269	1	0.4				

**Programs containing Value Qualified data:**

*5002* - Florida STORET / WIN

*476* - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network

*4063* - Estero Bay Tributary Monitoring

**Value Qualifiers**


I - The reported value is greater than or equal to the laboratory method detection limit but less than the laboratory practical quantitation limit.

Q - Sample held beyond the accepted holding time. This code shall be used if the value is derived from a sample that was prepared or analyzed after the approved holding time restrictions for sample preparation or analysis.

U - Indicates that the compound was analyzed for but not detected. This symbol shall be used to indicate that the specified component was not detected. The value associated with the qualifier shall be the laboratory method detection limit. Unless requested by the client, less than the method detection limit values shall not be reported

# Water Temperature

## Discrete Seasonal Kendall-Tau Trend Analysis



$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

Table 25: Programs contributing data for Water Temperature

ProgramID	N_Data	YearMin	YearMax
5002	5258	1992	2023
69	2261	2001	2007
509	702	1999	2008
4064	619	2011	2012
95	492	1963	2018
103	253	2020	2022
476	206	2011	2022
4042	46	2016	2022
115	2	2003	2003

Program names:

5002 - Florida STORET / WIN  
69 - Fisheries-Independent Monitoring (FIM) Program  
509 - SERC Water Quality Monitoring Network  
4064 - A spatial model to improve site selection for seagrass restoration in shallow boating environments  
95 - Harmful Algal Bloom Marine Observation Network  
103 - EPA STORage and RETrieval Data Warehouse (STORET)  
476 - Charlotte Harbor Estuaries Volunteer Water Quality Monitoring Network  
4042 - Estero Bay Oyster Monitoring  
115 - Environmental Monitoring Assessment Program

There are no qualifying Value Qualifiers for Water Temperature in Estero Bay Aquatic Preserve

## Water Quality - Continuous

The following files were used in the continuous analysis:

Table 26: Number of Continuous Stations in Estero Bay Aquatic Preserve


ProgramLocationID	ProgramName	Use_In_Analysis
EB01	Estero Bay Aquatic Preserve Continuous Water Quality Monitoring	TRUE
EB02	Estero Bay Aquatic Preserve Continuous Water Quality Monitoring	TRUE
EB03	Estero Bay Aquatic Preserve Continuous Water Quality Monitoring	TRUE
EB04	Estero Bay Aquatic Preserve Continuous Water Quality Monitoring	FALSE

There are 4 stations in Estero Bay Aquatic Preserve.

3 out of 4 are included in this report.

# Dissolved Oxygen

EB01



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	478415	19	5.6	TRUE	0.2196	0.0000	0.03869549	5.095745	20.9159	0.0343	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*

## EB02




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	416255	18	6	TRUE	0.2991	0.0000	0.04707587	5.292665	5.2778	0.917	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*



# EB03




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	439701	19	5.9	TRUE	0.1991	0.0002	0.03138447	5.435208	11.2299	0.4242	1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location

# Dissolved Oxygen Saturation

EB01



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	480233	19	81.6	TRUE	0.3057	0.0000	0.6815911	75.49737	13.4272	0.2663	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*

## EB02




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	416492	18	87.5	TRUE	0.4277	0.0000	0.7768762	79.15597	3.1342	0.9888	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept* is intercept value at beginning of  
record for monitoring location

# EB03




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	441227	19	83.7	TRUE	0.2531	0.0000	0.4503603	80.68982	6.4615	0.8409	1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location

pH

EB01




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	561177	19	7.9	TRUE	-0.0742	0.1620	-0.001714161	7.985223	29.3817	0.002	0

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location

## EB02




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	477038	18	8	TRUE	-0.1413	0.0086	-0.003392557	8.053129	9.7501	0.553	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

EB03




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	525178	19	8	TRUE	-0.1705	0.0007	-0.004519888	7.974864	5.7266	0.891	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

# Salinity

## EB01




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	566152	19	30.7	TRUE	-0.1226	0.0182	-0.09197087	32.17017	5.8375	0.884	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location



## EB02




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	501373	18	33.6	TRUE	-0.1193	0.0251	-0.05580053	33.79427	6.2243	0.858	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

EB03




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	533169	19	30.9	TRUE	-0.2138	0.0000	-0.1580336	31.65294	4.2465	0.9621	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location

# Turbidity

## EB01




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	509980	19	4	TRUE	0.1746	0.0007	0.1209662	3.788219	12.3991	0.3344	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*

## EB02

Estero Bay Aquatic Preserve  
 474  
 Estero Bay Aquatic Preserve Continuous Water Quality Monitoring  
 EB02  
 Turbidity




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	396630	18	5	TRUE	-0.1814	0.0028	-0.1889955	7.995252	13.1711	0.2823	-1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of record for monitoring location*

## EB03




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	413599	19	5	TRUE	-0.1336	0.0190	-0.09501454	8.373902	7.8047	0.7307	-1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of record for monitoring location

# Water Temperature

EB01




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	616625	19	26.8	TRUE	0.2539	0.0000	0.06213652	25.56719	6.9882	0.8	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*

## EB02




RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	539688	19	26.6	TRUE	0.3158	0.0000	0.06842195	25.43307	2.4759	0.996	1

$p < 0.00005$  appear as 0 due to rounding.

*SennIntercept is intercept value at beginning of  
record for monitoring location*

# EB03



RelativeDepth	N_Data	N_Years	Median	Independent	tau	p	SennSlope	SennIntercept	ChiSquared	pChiSquared	Trend
bottom	572084	19	26.5	TRUE	0.1722	0.0006	0.04927919	25.67835	7.636	0.7455	1

$p < 0.00005$  appear as 0 due to rounding.

SennIntercept is intercept value at beginning of  
record for monitoring location



# Submerged Aquatic Vegetation

The data file used is: **All\_SAV\_Parameters-2023-Jun-05.txt**

